

BRIDGE ID NUMBER: 56S61380009 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: HEADY RIDGE RD. CROSSING: LONG HUNGRY CREEK

LOCATION: 2 M NW RED BOILING SPRING

COUNTY: MACON

ROUTE: 01078 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 4.13

IDENTIFICATION CLASSIFICATION -(112) MEETS NBIS BRIDGE LENGTH:

2

0

36.55518 DEGREES (16a,b) LATITUDE: Ν (17a.b) LONGITUDE: 85.87555 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0

(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** B) TYPE MEMBRANE: NONE

C) TYPE PROTECTION:

NONE

AGE AND SERVICE (27) YEAR THE BRIDGE WAS BUILT: 1996

(106) YEAR THE BRIDGE WAS REHABILITATED: N/A **HIGHWAY** (42a) SERVICE ON BRIDGE:

WATERWAY (42b) UNDER BRIDGE:

(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 46.9 FT (49) TOTAL BRIDGE LENGTH: 137.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT

(33) BRIDGE MEDIAN: **NO MEDIAN**

(34) BRIDGE SKEW: 31 DEGREES

(35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**

NOT A HIGHWAY OR RAILROAD (55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

NO NAVIGATION CONTROL (38) NAV CONTROL:

N/A (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE: N/A

YFS (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**

SUFFICIENCY RATING: 80.8

(26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**

(102) TRAFFIC DIR: 2-WAY TRAFFIC

(103) TEMPORARY BRIDGE: **NOT APPLICABLE**

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE

NATIONAL REGISTER

CONDITION RATINGS

(58) DECK: 8 (59) SUPERSTRUCTURE: 8 (60) SUBSTRUCTURE: 8 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 (62) CULVERT CONDITION (IF APPLICABLE): Ν

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 1000

(113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

8

BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES =

(90) DATE OF LAST REGULAR INSPECTION: 9/6/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 56F00030001
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000 ROAD NAME: ANTIOCH RD. CROSSING: WHITEOAK CREEK COUNTY: MACON
ROUTE: 01080
SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 0.91

SUFFICIENCY RATING: 85.2

CLASSIFICATION =

LOCATION: 6 M NE OF LAFA	
IDENTIFICATION	ON MC
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER:	N 36.59398 DEGREES (112) MEETS NB W 85.97788 DEGREES (104) NATIONAL N/A (26) FUNCTION N/A (101) PARALLEL NOT APPLICABLE (102) TRAFFIC D
BRIDGE TYPE AND M	ATERIAL (103) TEMPORA (110) NATIONAL
(43a) MAIN SPAN MATERIAL: PRESTRE CONTINU	OUS (37) HISTORICA
(44a) APPR SPAN MATERIAL: NOT APPI	
(45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: CONG (108) TYPE OF WEARING SURFACE AND A) TYPE OF SURFACE:	0 (58) DECK: CRETE PRECAST PANELS DECK PROTECTION: ASPHALT (59) SUPERSTRIC (60) SUBSTRUC (61) STREAM CH
B) TYPE MEMBRANE:	NONE (62) CULVERT C
C) TYPE PROTECTION:	NONE — DESIG
AGE AND SERV	
(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILI' (42a) SERVICE ON BRIDGE: (42b) UNDER BRIDGE:	TATED: 1985 WEIGHT POSTIN WEIGHT POSTIN WEIGHT POSTIN (70) BRIDGE PO WATERWAY (41) WT POSTIN
(28a) NUMBER OF LANES CARRIED BY E	(67) OTDLIGTUD
(28b) NUMBER OF LANES UNDER THE B	(60) DECK CEON
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH:	55.1 FT (69) UNDERCLE. (71) WATERWAY (72) APPROACH (36) TRAFFIC SA (113) SCOUR CO
(51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH:	22 FT REC
(32) APPROACH ROADWAY (W/ SHLDS) (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER	NO MEDIAN (75) TYPE OF W
(47) MIN HORIZONTAL CLEARANCE ON I	
(54b) MIN VERTICAL UNDERCLEARANCE (55a) HORZ UNDERCLR: NOT A (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE (92b) UNDERWAL NOT APPLICABLE (92b) UNDERWAL
(38) NAV CONTROL: N	O NAVIGATION CONTROL (92c) SPECIAL IN
(39) NAVIGATION VERTICAL CLEARANCE (116) LIFT BRIDGE VERT CLEARANCE:	` ,

SEASON ISATION		
(112) MEETS NBIS BRIDGE LENGTH:	YES	
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE	
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR	
(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE		
(102) TRAFFIC DIR: 2-WAY TRAFFIC		
(103) TEMPORARY BRIDGE: NOT APPLICABLE		
(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK		
(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS		
NOT BEEN DETERMINED		
CONDITION RATINGS		
(58) DECK:	8	
(59) SUPERSTRUCTURE:	8	
(60) SUBSTRUCTURE:	8	
(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8		
(62) CULVERT CONDITION (IF APPLICABLE):		
DESIGN LOAD AND WEIGHT POSTING		
DESIGN LOAD AND WE	IGHT POSTING ———	
(31) DESIGN LOADING:	HS-20-44	

(31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN APPRAISAL

UCTURAL EVALUATION:	8
K GEOMETRY:	4
PERCLEARANCE RATING:	Ν
ERWAY ADEQUACY:	6
ROACH ROADWAY ALIGNMENT:	6
FFIC SAFETY FEATURES: 000	0
OUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

75)	TYPE OF WORK:	NOT APPLICABLE	
76)	LENGTH OF BRID	GE IMPROVEMENT:	

94) BRIDGE IMPROVEMENT COST:

94) BRIDGE IMPROVEMENT COST: 95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

N/A

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

	INSPECTION DATES
8/22/2017	AST REGULAR INSPECTION:
24	NSPECTION FREQUENCY (MONTHS):

N/A

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

N

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

NA

(92c) SPECIAL INSP FREQUENCY (MONTHS):

N

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409



BRIDGE ID NUMBER: 56S62890001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: NEW HARMONY RD.

CROSSING: BRANCH

LOCATION: 6.75 M SW OF LAFAYETTE

COUNTY: MACON

ROUTE: 01082

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.64 SUFFICIENCY RATING: 76.2

LOCATION: 6.75 M SW OF LAFAYETTE	SUFFICIENCY RATING: 76.2
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.44663 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.11607 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NOT APPLICABLE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1980	WEIGHT POSTING (3 OR MORE AXI ES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	ADDDAICAL
(29a) NI IMBED OF LANES CAPPIED BY PRINCE:	APPRAISAL —————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (28b) NUMBER OF LANES UNDER THE BRIDGE:	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 32.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 32.2 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 32.2 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 32.2 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.1 BRIDGE CURB TO CURB WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 32.2 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 32.2 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.10 FT UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: 0.11 UNDER FILL 0.12 OUT FT 0.12 OUT FT 0.13 OUT FT 0.14 OUT FT 0.15 OUT FT 0.16 OUT FT 0.17 OUT FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 32.2 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: 0.0 FT UNDER FILL 0.0 FT UNDER FILL 0.0 FT 0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 32.2 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 77.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 32.2 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 77.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: T7.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: T7.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (76) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLR: (540) MIN VERTICAL UNDERCLEARANCE: (541) MIN VERTICAL UNDERCLEARANCE: (541) MIN VERTICAL UNDERCLEARANCE: (542) MIN VERTICAL UNDERCLEARANCE: (544) MIN VERTICAL UNDERCLEARANCE: (545) MIN VERTICAL UNDERCLEARANCE: (546) MIN VERTICAL UNDERCLEARANCE: (547) MIN VERTICAL UNDERCLEARANCE: (548) MIN VERTICAL UNDERCLEARANCE: (548) MIN VERTICAL UNDERCLEARANCE: (548) MIN VERTICAL UNDERCLEARANCE: (549) MIN VERTICAL UNDERCLEARANCE: (540) MIN VERTICAL UNDERCLEARANCE: (541) MIN VERTICAL UNDERCLEARANCE: (541) MIN MARCHEARANCE: (542) MIN VERTICAL UNDERCLEARANCE: (5441) MIN MARCHEARANCE: (545) MAXIMAL MARCHEARANCE: (5461) MAXIMAL MARCHEARANCE: (547) MAXIMAL MARCHEARANCE: (5481) MAXIMAL MARCHE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/21/2017
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/21/2017
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (57) NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: (57) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL CLEARANCE ON ROADWAY: (541) WIN HORIZONTAL CLEARANCE: (542) NOT A HIGHWAY OR RAILROAD (545) MIN VERTICAL UNDERCLEARANCE: (5541) HORZ UNDERCLR: (5552) MIN HORZ UNDERCLR: (5553) MIN HORZ UNDERCLR ON RIGHT: (5554) MIN HORZ UNDERCLR ON RIGHT: (5564) MIN HORZ UNDERCLR ON RIGHT: (5565) MIN HORZ UNDERCLR ON RIGHT: (5566) MIN HORZ UNDERCLR ON RIGHT: (5576) MIN HORZ UNDERCLR ON RIGHT: (5577) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK: (38) NOT APPLICABLE (38) BRIDGE IMPROVEMENT: (38) BRIDGE IMPROVEMENT: (38) ROADWAY IMPROVEMENT COST: (39) ROADWAY IMPROVEMENT COST: (39) TOTAL PROJECT COST: (39) YEAR OF IMPROVEMENT COST ESTIMATE:

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: MACON

ROUTE: 01082

LOG MILE: 0.79

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 88.3

BRIDGE ID NUMBER: 56S62890003 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: NEW HARMONY RD.

CROSSING: MIDDLE FORK GOOSE CREEK

LOCATION: 6.5 M SW OF LAFAYETTE

 IDENTIFICATION (16a,b) LATITUDE: N 36.44892 DEGREES (17a,b) LONGITUDE: 86.11568 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE **CONTINUOUS** (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: (31) DESIGN LOADING:

AGE AND SERVICE ————		
1980	(27) YEAR THE BRIDGE WAS BUILT:	
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:	
HIGHWAY	(42a) SERVICE ON BRIDGE:	
WATERWAY	(42b) UNDER BRIDGE:	
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:	

GEOMETRIC DATA

(28b) NUMBER OF LANES UNDER THE BRIDGE:

56.1 FT
169.0 FT
0.0 FT
0.0 FT
29.9 FT
32.2 FT
34.1 FT
NO MEDIAN
30 DEGREES
NO FLARE
NO RESTRICTION
AY: 29.9 FT
AY OR RAILROAD
NOT APPLICABLE

NAVIGATION DATA

NOT A HIGHWAY OR RAILROAD

NOT APPLICABLE

NOT APPLICABLE

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	: N/A
(40)	NAVIGATION HORZ CLEARANCE	: N/A

CLASSIFICATION —		
MEETS NBIS BRIDGE LENGTH:	YES	
NATIONAL HIGHWAY SYSTEM: NOT A NH	S ROUTE	
FUNCTIONAL CLASS: RURAL MINOR COL	LECTOR	
PARALLEL BRIDGE: NO PARALLEL	BRIDGE	
TRAFFIC DIR: 2-WAY	TRAFFIC	
TEMPORARY BRIDGE: NOT APP	LICABLE	
NATIONAL TRUCK ROUTE: NOT ON TRUCK N	ETWORK	
HISTORICAL CLASS: HISTORICAL SIGNIFICANCE I	SAH	
NOT BEEN DETERMINED		

CONDITION RATINGS -

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44	
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS	
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS	
(70) BRIDGE POSTING CODE:	5	
(41) WT POSTING STATUS: OPEN		
APPRAISAL		

	Αŀ	7	K <i>F</i>	115	AL	

AFFRAISAL	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	GE IMPROVEMENT:	N/A
(94)	BRIDGE IMPROVE	MENT COST:	

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

0

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/21/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



BRIDGE ID NUMBER: 56008700005 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: NEW HARMONY RD.

CROSSING: BRANCH

LOCATION: 10 M. SW. LAFAYETTE

COUNTY: MACON ROUTE: 01082 SPECIAL CASE: 0

COUNTY SEQUENCE: 1 LOG MILE: 2.46

SUFFICIENCY RATING: 66.7

IDENTIFICATION	CLASSIFICATION —	
(16a,b) LATITUDE: N 36.47132 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 86.11570 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(47) 111117777 07 11111 07 110	CONDITION RATINGS	
(45) NUMBER OF MAIN SPANS: 2	(58) DECK: N	
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE:	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE:	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7	
A) TYPE OF SURFACE: ASPHALT NOVE	(62) CULVERT CONDITION (IF APPLICABLE): 7	
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING	
,	(31) DESIGN LOADING: H-15-44	
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): 12 TONS	
(27) YEAR THE BRIDGE WAS BUILT: 1955	WEIGHT POSTING (3 OR MORE AXLES): 21 TONS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE:	
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: WEIGHT POSTED	
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2		
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5	
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:	
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(71) WATERWAY ADEQUACY: 5	
(49) TOTAL BRIDGE LENGTH: 24.9 FT	(72) APPROACH ROADWAY ALIGNMENT: 6	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8	
(51) BRIDGE CURB TO CURB WIDTH: 26.6 FT	RECOMMENDED IMPROVEMENTS	
(52) BRIDGE OUT TO OUT WIDTH: 28.5 FT		
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 24.9 FT	
(34) BRIDGE SKEW: 35 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$132,000.00	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$14,000.00	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$199,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.2 FT		
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/19/2017	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
NAVIGATION DATA		
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N	
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO	

N/A

N/A

PUBLICATION DATE 27-Jul-18

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

NATIONAL BRIDGE INVENTORY



YES

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 56S62890007 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 01082 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: NEW HARMONY RD. COUNTY SEQUENCE: 1 CROSSING: MIDDLE FORK GOOSE CREEK LOG MILE: 2.88 LOCATION: 5 M SW LAFAYETTE SUFFICIENCY RATING: 84.6 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.47677 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.11245 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: NOT APPLICABLE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION:

AGE AND SERVICE -(27) YEAR THE BRIDGE WAS BUILT: 1980 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 48.9 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.2 FT

(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS = (58) DECK: Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): 5 DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 5 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 5

 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/19/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



COUNTY: MACON

ROUTE: 01082

LOG MILE: 4.04

SPECIAL CASE: 0

BRIDGE ID NUMBER: 56S62890009 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: NEW HARMONY RD. CROSSING: BARBER'S BRANCH

LOCATION: 4.75 M SW OF LAFAYETTE

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 67.5

 IDENTIFICATION (16a,b) LATITUDE: Ν 36.49022 DEGREES (17a,b) LONGITUDE: 86.10188 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: STEEL

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 1 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

ASPHALT A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

AGE AND SERVICE *

(27) YEAR THE BRIDGE WAS BUILT: 1945 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 20.0 FT (49) TOTAL BRIDGE LENGTH: 24.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 20 FT (52) BRIDGE OUT TO OUT WIDTH: 23 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT

(33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 10 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.7 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL** (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK: 6 (59) SUPERSTRUCTURE: 5 (60) SUBSTRUCTURE: 6 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: H-15-44 WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 3 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0N00 (113) SCOUR CONDITION RATING: U

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**

(76) LENGTH OF BRIDGE IMPROVEMENT: 24 FT (94) BRIDGE IMPROVEMENT COST: \$70.000.00 ROADWAY IMPROVEMENT COST: (95)\$8,000.00 TOTAL PROJECT COST: \$106,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017 INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/19/2017 24 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



COUNTY: MACON

ROUTE: 01082

LOG MILE: 4.63

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 83.7

BRIDGE ID NUMBER: 56S62890011 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: NEW HARMONY RD.

CROSSING: MIDDLE FORK GOOSE CREEK

LOCATION: 4 M SW OF LAFAYETTE

IDENTIFICAT	ION		CLASSIFICATION		
(16a,b) LATITUDE:	N	36.48983 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES	
(17a,b) LONGITUDE:	W	86.09143 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR	
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC	
BRIDGE TYPE AND N	ЛΔТ	FRIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE	
(40) MAIN ORAN MATERIAL CONOR	^		(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK	

NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

CONDITION RATINGS =

NOT BEEN DETERMINED

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NILIMPED OF MAIN CDANC.

2	(43) NOWBER OF WAIN SE
PANS: 0	(46) NUMBER OF APPROA
CONCRETE CAST-IN-PLACE	(107) TYPE OF DECK:
ACE AND DECK PROTECTION:	(108) TYPE OF WEARING
ASPHALT	A) TYPE OF SURFACE:

B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE

AGE AND SERVICE

1975	YEAR THE BRIDGE WAS BUILT:	(27)
N/A	YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY) SERVICE ON BRIDGE:	(42a)
WATERWAY) UNDER BRIDGE:	(42b)
2	NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

- GEOMETRIC DATA -

14.1 FT	(48) MAXIMUM SPAN LENGTH:
38.1 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
25.9 FT	(51) BRIDGE CURB TO CURB WIDTH:
27.9 FT	(52) BRIDGE OUT TO OUT WIDTH:
23.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
30 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
Y: 25.9 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHV
NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:

NAVIGATION DATA =

(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD

NOT APPLICABLE

NOT APPLICABLE

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE	: N/A
(40)	NAVIGATION HORZ CLEARANCE	: N/A

(EQ) DECK

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

HS-20-44		(31) DESIGN LOADING:
ALL LEGAL LOADS	EHICLES):	WEIGHT POSTING (2 AXLE V
ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MO
5	:	(70) BRIDGE POSTING CODE
	OPEN	(41) WT POSTING STATUS:

APPRAISAL	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE
(76)	LENGTH OF BRID	GE IMPROVEMENT:

- (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

9/20/2017	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



YES

Ν

Ν

Ν

7

5

4

N

4

6

8

H-15-44

ALL LEGAL LOADS

ALL LEGAL LOADS

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

NO PARALLEL BRIDGE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 56005090013 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 01082 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: NEW HARMONY RD. COUNTY SEQUENCE: 1 CROSSING: MIDDLE FORK GOOSE CREEK LOG MILE: 5.24 LOCATION: 3.5 M SW LAFAYETTE SUFFICIENCY RATING: 61.0 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.49762 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 86.08743 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 7.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 23 FT

24.9 FT

20.0 FT

NO MEDIAN

NO FLARE

45 DEGREES

NO RESTRICTION

0000

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**

(76) LENGTH OF BRIDGE IMPROVEMENT: 26.9 FT (94) BRIDGE IMPROVEMENT COST: \$63,000.00 ROADWAY IMPROVEMENT COST: (95)\$7,000.00 TOTAL PROJECT COST: \$95,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017 INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/20/2017 24 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(52) BRIDGE OUT TO OUT WIDTH:

(33) BRIDGE MEDIAN:

(34) BRIDGE SKEW:

(35) BRIDGE FLARE:

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:

(520) MIN VERTICAL CLEARANCE OVER RD:



YES

Ν

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

NO PARALLEL BRIDGE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 56S62130001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 01089 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: OLD BOTTOM RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE PEYTON CREEK LOG MILE: 0.55 SUFFICIENCY RATING: 80.0 LOCATION: 7 M SE OF LAFAYETTE IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: N 36.43110 DEGREES (17a,b) LONGITUDE: 85.97260 DEGREES (104) NATIONAL HIGHWAY SYSTEM: (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (59) SUPERSTRUCTURE:	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
	(31) DESIGN LOADING: H-15-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1959	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(68) DECK GEOMETRY: 4
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 33.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	RECOMMENDED IMPROVEMENTS —
(52) BRIDGE OUT TO OUT WIDTH: 26.6 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DECK REPAIRS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	NEEDED)
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 33.1 FT
(34) BRIDGE SKEW: 45 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$50,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$6,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$76,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/11/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

7

7

7

7

N

6

4

N

6

8

5

0000

84 FT

2017

N/A

N/A

Ν

Ν

\$132,000.00

\$14,000.00

\$199,000.00

9/14/2017 24

H-15-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 56S62130003 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 01089 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD BOTTOM RD. COUNTY SEQUENCE: 1 CROSSING: DRY FORK CREEK LOG MILE: 4.66 LOCATION: 4 M S OF LAFAYETTE SUFFICIENCY RATING: 72.3 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.46407 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 86.00667 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1949 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 27.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 84.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.6 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



BRIDGE ID NUMBER: 56S62130005 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 01089 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD BOTTOM RD. COUNTY SEQUENCE: 1 CROSSING: ADAMS CREEK LOG MILE: 5.48 LOCATION: 4 M S OF LAFAYETTE SUFFICIENCY RATING: 61.2

IDENTIFICATION ———		
(16a,b) LATITUDE: N 36.46715 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 86.02062 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR	
(98b) PERCENT SHARE: N/A	` '	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE		
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N	
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 5	
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———	
AGE AND SERVICE ———	(31) DESIGN LOADING: H-15-44	
(27) YEAR THE BRIDGE WAS BUILT: 1959	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5	
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5	
GEOMETRIC DATA	(68) DECK GEOMETRY: 4	
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(69) UNDERCLEARANCE RATING: N	
(49) TOTAL BRIDGE LENGTH: 35.1 FT	(71) WATERWAY ADEQUACY: 6	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000	
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	(113) SCOUR CONDITION RATING: 4	
(52) BRIDGE OUT TO OUT WIDTH: 25.9 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DECK REPAIRS NEEDED)	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 35.1 FT	
(34) BRIDGE SKEW: 10 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$70,000.00	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$8,000.00	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$106,000.00	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/14/2017	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N	
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO	

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: MACON

ROUTE: 01091

BRIDGE ID NUMBER: 56S63910001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: COLD SPRINGS RD. CROSSING: LONG CR & NFA 2107

LOCATION: 6.5 M NW OF LAFAYETTE

COUNTY SEQUENCE: 1 LOG MILE: 5.08 SUFFICIENCY RATING: 91.0

SPECIAL CASE: 0

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.57903 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.11430 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	
(45) NUMBER OF MAIN SPANS: 4	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE ———	(31) DESIGN LOADING: H-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1975	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: HIGHWAY-WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
	APPRAISAL (67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 1	-
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: 4
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 48.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 48.9 FT (49) TOTAL BRIDGE LENGTH: 199.1 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 48.9 FT (49) TOTAL BRIDGE LENGTH: 199.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION:6(68) DECK GEOMETRY:6(69) UNDERCLEARANCE RATING:4(71) WATERWAY ADEQUACY:6(72) APPROACH ROADWAY ALIGNMENT:8(36) TRAFFIC SAFETY FEATURES:1000(113) SCOUR CONDITION RATING:8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT	(67) STRUCTURAL EVALUATION:6(68) DECK GEOMETRY:6(69) UNDERCLEARANCE RATING:4(71) WATERWAY ADEQUACY:6(72) APPROACH ROADWAY ALIGNMENT:8(36) TRAFFIC SAFETY FEATURES:1000(113) SCOUR CONDITION RATING:8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 32.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22 2 2 2 2 2 2 2 2 2 2 2 2	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (1000 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 86
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) MIN HORZ UNDERCLR ON RIGHT: 5.58 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (86) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (836) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 1 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) MIN HORZ UNDERCLR ON RIGHT: 5.58 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (86) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: MACON

ROUTE: 02066

BRIDGE ID NUMBER: 56020660001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: HAWKINS RD.

CROSSING: BIG TRAMMEL CREEK

LOCATION: 5.5 M NW OF EULIA

OF TRANSPORTATION

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.82 SUFFICIENCY RATING: 88.2

EGG/(IIGIN: 0.0 III IVII OI EGEIA	56.1 Tel.2 Tel. Tel. 110.2
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.60052 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.19723 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 2	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 9
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 9
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 9
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HL-93 WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 2005	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(40b) LINDED DDDCE.	(41) WIT COTING CTATOO. OF EN
(42b) UNDER BRIDGE: WATERWAY	ADDDAICAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 4
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 60.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 60.0 FT (49) TOTAL BRIDGE LENGTH: 120.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 22 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24.6 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24.6 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24.6 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24.6 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (500) MIN VERTICAD O DEGREES (54a) VERT UNDERCLR: (54b) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8 8 8 8 8 8 8 8 8 8 8 8 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL CLEARANCE ON ROADWAY: (250) FT (541) VERT UNDERCLR: (542) NOT A HIGHWAY OR RAILROAD (544) MIN VERTICAL UNDERCLEARANCE: (5551) HORZ UNDERCLR: (5561) MIN HORZ UNDERCLR: (5562) MIN HORZ UNDERCLR: (5563) MIN HORZ UNDERCLR ON RIGHT: (5564) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL CLEARANCE ON ROADWAY: (250) FT (541) VERT UNDERCLR: (542) NOT A HIGHWAY OR RAILROAD (544) MIN VERTICAL UNDERCLEARANCE: (5551) HORZ UNDERCLR: (5561) MIN HORZ UNDERCLR: (5562) MIN HORZ UNDERCLR: (5563) MIN HORZ UNDERCLR ON RIGHT: (5564) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

8

7

7

5

Ν

6

7

8

N/A

8/11/2017

24

N/A

N/A

Ν

Ν

1111

HS-20-44

BRIDGE ID NUMBER: 56020750001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 02075 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: POPLAR GROVE RD. COUNTY SEQUENCE: 1 CROSSING: BIG TRAMMEL CREEK LOG MILE: 0.38 SUFFICIENCY RATING: 91.4 LOCATION: 8.25 M NW OF EULIA - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.63970 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 86.19793 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2006 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 16.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 51.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.9 FT RECOMMENDED IMPROVEMENTS 27.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 5 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: MACON

ROUTE: 02087

LOG MILE: 0.61

SPECIAL CASE: 0

BRIDGE ID NUMBER: 56020870001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: SYCAMORE VALLEY RD.

CROSSING: PEYTON CREEK

LOCATION: 9 M SW RED BOILING SPRING - IDENTIFICATION

CLASSIFICATION =

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 68.8

(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.42667 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.93990 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE**

NONE

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

C) TYPE PROTECTION:

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: OTHER (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

ASPHALT A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE

AGE AND SERVICE *

(27) YEAR THE BRIDGE WAS BUILT: 1960 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 28.9 FT (49) TOTAL BRIDGE LENGTH: 69.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 23 FT (52) BRIDGE OUT TO OUT WIDTH: 24 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT

(33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 26 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.6 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL** (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A N/A

(40) NAVIGATION HORZ CLEARANCE:

YES **NOT A NHS ROUTE RURAL MAJOR COLLECTOR NO PARALLEL BRIDGE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: 5 (59) SUPERSTRUCTURE: 5 (60) SUBSTRUCTURE: 5 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: H-15-44 WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 0N00 (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**

(76) LENGTH OF BRIDGE IMPROVEMENT: 69.9 FT (94) BRIDGE IMPROVEMENT COST: \$123,000.00 ROADWAY IMPROVEMENT COST: (95)\$13,000.00 TOTAL PROJECT COST: \$185,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/11/2017 24 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



COUNTY: MACON

ROUTE: 02087

BRIDGE ID NUMBER: 56020870003 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: SYCAMORE VALLEY RD.

CROSSING: BRANCH

LOCATION: 8.5 M SW RED BOILING SPRG

YES

Ν

Ν

Ν

8

H-15-44

CLASSIFICATION =

LOG MILE: 1.10

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 63.8

NOT A NHS ROUTE (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**

(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**

(102) TRAFFIC DIR: 2-WAY TRAFFIC

NOT APPLICABLE NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

IDENTIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.43293 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.93697 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * (27) YEAR THE BRIDGE WAS BUILT: 1965 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: n (68) DECK GEOMETRY: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 35.1 FT (113) SCOUR CONDITION RATING: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:

(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH	l: 24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	20 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROAD	WAY: 24.6 FT
(54a) VERT UNDERCLR: NOT A HIGH	WAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR: NOT A HIGH	WAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

	INAVIGAT	ION DATA
(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CL	EARANCE: N/A

(116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

ALL LEGAL LOADS WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**

OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION: 5 (69) UNDERCLEARANCE RATING: N 4

(72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000

RECOMMENDED IMPROVEMENTS

BRIDGE REHABILITATION

35.1 FT (94) BRIDGE IMPROVEMENT COST: \$167,000.00

\$17,000.00 \$251,000.00

(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/11/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 56020920001 COUNTY: MACON
BRIDGE OWNER: MACON COUNTY
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: PLEASANT VALLEY RD. COUNTY SEQUENCE: 1

CROSSING: LOVE CREEK LOG MILE: 1.28
LOCATION: 3.25 M S OF EULIA SUFFICIENCY RATING: 96.7

LOCATION: 3.25 M S OF EULIA	SUFFICIENCY RATING: 96.7	
IDENTIFICATION	CLASSIFICATION —————	
(16a,b) LATITUDE: N 36.47957 DEGRE	ES (112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 86.15947 DEGRE	ES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE:	I/A (26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR	
(98b) PERCENT SHARE:	I/A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICAB	LE (102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS	
	NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS:	0 (58) DECK: N	
(107) TYPE OF DECK: NOT APPLICAB		
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:	
A) TYPE OF SURFACE: NOT APPLICAB		
B) TYPE MEMBRANE: NOT APPLICAB		
C) TYPE PROTECTION: NOT APPLICAB		
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44	
(27) YEAR THE BRIDGE WAS BUILT: 19	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(42a) SERVICE ON BRIDGE: HIGHW	(70) BRIDGE POSTING CODE: 5	
(42b) UNDER BRIDGE: WATERW	(41) WT POSTING STATUS: OPEN	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL —	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(67) STRUCTURAL EVALUATION: 7	
GEOMETRIC DATA	(68) DECK GEOMETRY: N	
(48) MAXIMUM SPAN LENGTH: 9.8	FT (69) UNDERCLEARANCE RATING: N	
(49) TOTAL BRIDGE LENGTH: 34.1	(71) WATERWAY ADEQUACY: 6	
(50a) LEFT SIDEWALK WIDTH: 0.0	FT (72) APPROACH ROADWAY ALIGNMENT: 8	
(50b) RIGHT SIDEWALK WIDTH: 0.0	FT (36) TRAFFIC SAFETY FEATURES: 0000	
(51) BRIDGE CURB TO CURB WIDTH: UNDER F	(113) SCOUR CONDITION RATING: 8	
(52) BRIDGE OUT TO OUT WIDTH: UNDER F	RECOMMENDED IMPROVEMENTS ———	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9	FT (75) TYPE OF WORK: NOT APPLICABLE	
(33) BRIDGE MEDIAN: NO MEDI	AN (76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(34) BRIDGE SKEW: 15 DEGRE		
(35) BRIDGE FLARE: NO FLA	RE (95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	ON (96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.9	(Q7) VEAR OF IMPROVEMENT COST ESTIMATE:	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILRO	AD INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICAB	LE (90) DATE OF LAST REGULAR INSPECTION: 9/22/2017	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILRO	AD (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICAB	LE (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICAB	LE (92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	
(38) NAV CONTROL: NO NAVIGATION CONTR	OL (92c) SPECIAL INSP FREQUENCY (MONTHS): N	

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: MACON

BRIDGE ID NUMBER: 56S62150003
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: PLEASANT VALLEY RD.

CROSSING: BRANCH

LOCATION: 3.1 M S OF EULIA

ROUTE: 02092 SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 1.70 SUFFICIENCY RATING: 96.8

IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.48088 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.15267 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 A) TYPE OF SURFACE: NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: R (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/22/2017 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν

N/A
N/A
PUBLIC RECORDS REQUEST
This document is covered by 23 USC \$409
and its production pursuant to a public
document records request does not
waive the provisions of \$409

PRODUCED PURSUANT TO

N/A

Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 56S62150005 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 02092 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PLEASANT VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: MIDDLE FORK CREEK LOG MILE: 4.14 SUFFICIENCY RATING: 83.6 LOCATION: 5.5 M SE OF EULIA IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.46030 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.11970 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 5 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION:

	AGE AND SERVICE —
1957	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WATERWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:
	GEOMETRIC DATA

	OLOMETRIO DATA
28.9 FT	(48) MAXIMUM SPAN LENGTH:
143.0 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
24 FT	(51) BRIDGE CURB TO CURB WIDTH:
28.5 FT	(52) BRIDGE OUT TO OUT WIDTH:
25.9 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
15 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: 24.0 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHV

(54b)) MIIN VERTICAL UNDERCLEA	RANCE:	NOT APPLICABLE
(55a)) HORZ UNDERCLR:	NOT A HIGH	VAY OR RAILROAD
(55b)) MIN HORZ UNDERCLR ON R	IGHT:	NOT APPLICABLE
(56)	MIN HORZ UNDERCLR ON L	EFT:	NOT APPLICABLE
	NAVIGATI	ONDATA	
(38)	NAV CONTROL:	NO NAV	GATION CONTROL

YES **NOT A NHS ROUTE RURAL MINOR COLLECTOR NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS =

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

H-15-44	(31) DESIGN LOADING:
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):
ALL LEGAL LOADS	WEIGHT POSTING (3 OR MORE AXLES):
5	(70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS:	OPEN
-------------------------	------

APPRAISAL -	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	5
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

	RECOMM	ENDED IMPROVEMENTS
75\	TYPE OF MORK	NOT APPLICABLE

(75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

N/A

N/A

N/A

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES	

(90) DATE OF LAST REGULAR INSPECTION: 9/21/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: MACON

ROUTE: 02093

LOG MILE: 0.50

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 56020930001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: CEDAR BLUFF RD.

CROSSING: BRANCH

LOCATION: 3 M SE EULIA		SUFFICIENCY RATING: 7	4.2
IDENTIFICATION			
(16a,b) LATITUDE: N 36.4869	0 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE: W 86.1482	8 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS: RURA	L MINOR COLLECTOR
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE: N	O PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT A	APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL		(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUO	vi ie	(110) NATIONAL TRUCK ROUTE: NOT	ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	103	(37) HISTORICAL CLASS: HISTORICAL SIGNOT BEEN DETI	
(45) NUMBER OF MAIN SPANS:	2	CONDITION RATINGS	<u> </u>
(46) NUMBER OF APPROACH SPANS:	- 0	(58) DECK:	N
(107) TYPE OF DECK: CONCRETE CAS	ST-IN-PLACE	(59) SUPERSTRUCTURE:	N
(108) TYPE OF WEARING SURFACE AND DECK PROTI		(60) SUBSTRUCTURE:	N
A) TYPE OF SURFACE:	ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROT	TECTION: 8
B) TYPE MEMBRANE:	NONE	(62) CULVERT CONDITION (IF APPLICABLE):	7
C) TYPE PROTECTION:	NONE	DESIGN LOAD AND WEIGHT	POSTING ——
AGE AND SERVICE		(31) DESIGN LOADING:	HS-20-44
(27) YEAR THE BRIDGE WAS BUILT:	1987	WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE:	HIGHWAY	(70) BRIDGE POSTING CODE:	5
	WATERWAY	(41) WT POSTING STATUS: OPEN	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	APPRAISAL -	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	(67) STRUCTURAL EVALUATION:	6
GEOMETRIC DATA		(68) DECK GEOMETRY:	4
(48) MAXIMUM SPAN LENGTH:	12.1 FT	(69) UNDERCLEARANCE RATING:	N
(49) TOTAL BRIDGE LENGTH:	37.1 FT	(71) WATERWAY ADEQUACY:	6
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:	8
(50b) RIGHT SIDEWALK WIDTH:	0.0 TT	(36) TRAFFIC SAFETY FEATURES:	0000

RECOMMENDED IMPROVEMENTS

/ 7 E\	TYPE OF	MODIC.	NOT A	DIICABLE
(75)	TYPE OF '	WURK:	NULA	PPLICABLE

(76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST:

(113) SCOUR CONDITION RATING:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/22/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

8

N/A

NATIONAL BRIDGE INVENTORY



YES

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

NO PARALLEL BRIDGE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 56020930005 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 02093 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CEDAR BLUFF RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.58 LOCATION: 3.2 M. EAST SR-52 SUFFICIENCY RATING: 96.0 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 36.49612 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.13315 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED** CONDITION RATINGS = 2 (58) DECK: 0 (59) SUPERSTRUCTURE: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: **ASPHALT**

Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 (62) CULVERT CONDITION (IF APPLICABLE): 7 **DESIGN LOAD AND WEIGHT POSTING**

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/22/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



YES

Ν

Ν

Ν

7

R

4

N

6

8

8

N/A

9/20/2017

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 56020930003 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 02093 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CEDAR BLUFF RD. COUNTY SEQUENCE: 1 CROSSING: CARR CREEK LOG MILE: 2.83 LOCATION: 3 M E OF EULIA SUFFICIENCY RATING: 85.1 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.50965 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.12072 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 56020940001
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: **HIGHLAND RD.** CROSSING: **LONG CREEK**

LOCATION: 5.5 M W RED BOILING SPRGS

COUNTY: MACON
ROUTE: 02094
SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 0.98

SUFFICIENCY RATING: 97.0

IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.55737 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.94257 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: 8
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE:
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
A) TYPE OF SURFACE: ASPHALT	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: EPOXY COATED REINFORCING	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1992	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5 (41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
` '	(67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 164.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 1000
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 164.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 164.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 50 GEOMETRIC DATA 164.0 FT 164.0 FT 165.0 FT 22 FT 24 FT 23 APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 164.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 22 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 164.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 164.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 164.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 22 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 164.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 22 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8/23/2017
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 164.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8/23/2017
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 164.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 164.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 164.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): NA

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 56020940003 BRIDGE OWNER: MACON COUNTY

> FIPS CODE: 00000 ROAD NAME: SUNRISE RD. CROSSING: DRY BRANCH

LOCATION: 4 M NW RED BOILING SPRING

COUNTY: MACON ROUTE: 02094 SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 3.13

SUFFICIENCY RATING: 99.0

(16a,b) LATITUDE: N 36.56262 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.91000 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 8
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: 2017	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 1	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	APPRAISAL (67) STRUCTURAL EVALUATION: 8
` ,	(67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 30.8 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 1111
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 30.8 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 30.8 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.6 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22.6 FT (52) BRIDGE OUT TO OUT WIDTH: 23.5 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 45 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.6 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (22.6 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (54b) MIN VERTICAL UNDERCLEARANCE: (54b) MIN VERTICAL UNDERCLEARANCE: (54c) MIN VERTICAL UNDERCLEARANCE: (54d) MIN VERTICAL UNDERCLEARANCE: (54d	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8 8 8 8 8 8 8 8 8 8 8 8 8
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN HORIZONTAL CLEARANCE ON ROADWAY: (540) MIN VERTICAL UNDERCLEARANCE: (550) MIN HORZ UNDERCLR: (550) MIN HORZ UNDERCLR ON RIGHT: (500)	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: (NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

R

4

N

7

8

8

N/A

9/14/2017

24

N/A

N/A

Ν

Ν

1111

HS-20-44

BRIDGE ID NUMBER: 56020950001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 02095 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FERGUSON HILL RD. COUNTY SEQUENCE: 1 CROSSING: SULLIVAN BRANCH LOG MILE: 3.26 LOCATION: 3 M S OF LAFAYETTE SUFFICIENCY RATING: 82.3 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.47815 DEGREES (17a,b) LONGITUDE: 86.03018 DEGREES (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2004 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 16.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 80.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 36.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 56020960001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 02096 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HANESTOWN RD. COUNTY SEQUENCE: 1 CROSSING: LONG CREEK LOG MILE: 1.37 LOCATION: 7.5 M NE OF EULIA SUFFICIENCY RATING: 73.5 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.62362 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 86.11120 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **ASPHALT** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE • WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA

57.1 FT

176.8 FT

0.0 FT

0.0 FT

24 FT

25.9 FT

22.0 FT

NO MEDIAN

0 DEGREES

NO RESTRICTION

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

NO FLARE

24.0 FT

YES **NOT A NHS ROUTE** RURAL MINOR COLLECTOR **NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS 5 5 6 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): Ν **DESIGN LOAD AND WEIGHT POSTING** HS-20-44 **ALL LEGAL LOADS ALL LEGAL LOADS** 5 5 4 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: U RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **BRIDGE WIDENING WITH DECK REPAIR** OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 176.8 FT (94) BRIDGE IMPROVEMENT COST: \$332,000.00 ROADWAY IMPROVEMENT COST: (95)\$34,000.00 TOTAL PROJECT COST: \$499,000.00 (96)(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8/9/2017

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL** (39) NAVIGATION VERTICAL CLEARANCE: N/A

(116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 27-Jul-18

(48) MAXIMUM SPAN LENGTH:

(49) TOTAL BRIDGE LENGTH:

(50a) LEFT SIDEWALK WIDTH:

(50b) RIGHT SIDEWALK WIDTH:

(51) BRIDGE CURB TO CURB WIDTH:

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

(52) BRIDGE OUT TO OUT WIDTH:

(33) BRIDGE MEDIAN:

(34) BRIDGE SKEW:

(35) BRIDGE FLARE:

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

24

N/A

N/A

Ν

Ν



BRIDGE ID NUMBER: 56020970001 COUNTY: MACON
BRIDGE OWNER: MACON COUNTY ROUTE: 02097
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: OAK GROVE RD. COUNTY SEQUENCE: 1
CROSSING: BRANCH LOG MILE: 1.19
LOCATION: 1.5 M S RED BOILING SPRGS SUFFICIENCY RATING: 91.3

IDENTIFICATION	
(16a,b) LATITUDE: N 36.51437 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.84088 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 2004	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT. (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(1, 1	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	AFFRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	7 to 1 to
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 25.9 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 25.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 25.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 25.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24.9 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 20.5 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (349 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24.9 FT (52) BRIDGE OUT TO OUT WIDTH: 232) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24.9 FT (52) BRIDGE OUT TO OUT WIDTH: 232) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (54c) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/7/2017
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MORE MEDIANE (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (57b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: (12.1 FT (12.1	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): NA
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (12.1 FT (12.1	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: (12.1 FT (12.1	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): NA

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

BRIDGE ID NUMBER: 56020980001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: OAK KNOB RD. CROSSING: PUNCHEON CREEK

LOCATION: 7 M N OF LAFAYETTE

COUNTY: MACON ROUTE: 02098

LOG MILE: 4.67

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 90.7

IDENTIFICATION (112) MEETS NBIS BRIDGE LENGTH:

(16a,b) LATITUDE: Ν 36.62128 DEGREES (17a,b) LONGITUDE: w 86.01042 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

ASPHALT A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

AGE AND SERVICE *

(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:

(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT

(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

1986 N/A **HIGHWAY WATERWAY** 2 0 GEOMETRIC DATA 15.1 FT 47.9 FT 0.0 FT 0.0 FT 25.9 FT 30.8 FT 27.9 FT

CLASSIFICATION =

(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**

(26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR**

(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC

(103) TEMPORARY BRIDGE: **NOT APPLICABLE**

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

NOT BEEN DETERMINED

CONDITION RATINGS =

(58) DECK: Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 (62) CULVERT CONDITION (IF APPLICABLE):

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: R (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 8/17/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 56020990001 COUNTY: MACON
BRIDGE OWNER: MACON COUNTY
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: WIXTOWN RD. COUNTY SEQUENCE: 1

CROSSING: WEST FORK LONG CREEK

LOCATION: 3.5 M N OF EULIA

SUFFICIENCY RATING: 99.9

LOCATION: 3.5 M N OF EULIA	SUFFICIENCY RATING: 99.9
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.57188 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.15913 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(FO) DECK:
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 8
C) TYPE PROTECTION: EPOXY COATED REINFORCING	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44 +MOD
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 2009	WEIGHT POSTING (3 OR MORE AXI ES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	ΑΡΡΡΑΙΝΑΙ
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) CTDLICTLIDAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 18.0 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 38.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: 47.9 FT	——— RECOMMENDED IMPROVEMENTS ———
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT	(75) TYPE OF WORK. NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF PRINCE IMPROVEMENT.
(34) BRIDGE SKEW: 0 DEGREES	(6.1) PRIBOS WERENESS COST
(35) BRIDGE FLARE: NO FLARE	(OE) DOADWAY IMPROVEMENT COST.
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(OO) TOTAL BROJECT COOT
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	
(38) NAV CONTROL: NO NAVIGATION CONTROL	• • •

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

7

5

Ν

6

8

8

N/A

8/15/2017

24

N/A

N/A

Ν

Ν

NNNN

H-15-44

BRIDGE ID NUMBER: 56021010001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 02101 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LONG CREEK RD. COUNTY SEQUENCE: 1 CROSSING: LONG CREEK LOG MILE: 2.42 SUFFICIENCY RATING: 92.3 LOCATION: 5 M NE OF EULIA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.55275 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.09057 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 48.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 28.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

6

5

N

6

4

Ν

6

7

3

0NNN

113.8 FT

\$127,000.00

\$13,000.00

\$191,000.00

8/15/2017 24

2017

N/A

N/A

Ν

Ν

H-15-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 56021010003 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 02101 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LONG CREEK RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 3.40 LOCATION: 5.25 M E OF EULIA SUFFICIENCY RATING: 76.1 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.56608 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 86.09387 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1962 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 113.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 28.5 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR):

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



YES

7

7

5

5

N

5

4

Ν

6

7

5

0NNN

113.8 FT

\$127,000.00

\$13,000.00

\$191,000.00

8/15/2017 24

2017

N/A

N/A

Ν

Ν

H-15-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 56021010005 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 02101 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LONG CREEK RD. COUNTY SEQUENCE: 1 CROSSING: LONG CREEK LOG MILE: 3.46 LOCATION: 5.5 M NE OF EULIA SUFFICIENCY RATING: 61.1 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.56725 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 86.09287 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1962 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 113.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 28.5 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: MACON

BRIDGE ID NUMBER: 56SR0520001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: RED BOILING SPRINGS RD. CROSSING: LONG FORK CREEK

LOCATION: 4 MI W OF RED BOILING SP.

ROUTE: 02103 SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 3.45 SUFFICIENCY RATING: 43.4

IDENTIFICATION	N		CLASSIF
(16a,b) LATITUDE:	N	36.51000 DEGREES	(112) MEETS NBIS BRIDGE LENG
(17a,b) LONGITUDE:	W	85.94000 DEGREES	(104) NATIONAL HIGHWAY SYST
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:
BRIDGE TYPE AND MA	ATI	ERIAL ———	(103) TEMPORARY BRIDGE:

3

24.3 FT

(43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:

(46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: OTHER (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

AGE AND SERVICE -(27) YEAR THE BRIDGE WAS BUILT: 1956 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 29.9 FT (49) TOTAL BRIDGE LENGTH: 90.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT

(50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24.6 FT (52) BRIDGE OUT TO OUT WIDTH: 29.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT

(33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A CLASSIFICATION =

IGTH: YES STEM: **NOT A NHS ROUTE RURAL MINOR COLLECTOR NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	4
(59) SUPERSTRUCTURE:	4
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	10 TONS
WEIGHT POSTING (3 OR MORE AXLES):	18 TONS
(70) BRIDGE POSTING CODE:	4

(41) WT POSTING STATUS: **WEIGHT POSTED**

APPRAISAL

4	(67) STRUCTURAL EVALUATION:
6	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
6	(71) WATERWAY ADEQUACY:
6	(72) APPROACH ROADWAY ALIGNMENT:
ONNN	(36) TRAFFIC SAFETY FEATURES:
8	(113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	BRIDGE REHABILITATION	
(76)	I ENGTH OF BRIDG	SE IMPROVEMENT:	

(94) BRIDGE IMPROVEMENT COST: \$387,000.00 (95) ROADWAY IMPROVEMENT COST: \$39,000.00

90.9 FT

(96) TOTAL PROJECT COST: \$581,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 8/23/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



COUNTY: MACON

ROUTE: 02105

BRIDGE ID NUMBER: 56021050007
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: LICK BRANCH RD.

CROSSING: BRANCH

LOCATION: 5 M N OF LAFAYETTE

COUNTY SEQUENCE: 1

LOG MILE: 1.25

SUFFICIENCY RATING: 68.0

SPECIAL CASE: 0

LOCATION. 5 WIN OF LAFATETTE	SOFFICIENCE RATING. 66.0
IDENTIFICATION	CLASSIFICATION —
(16a,b) LATITUDE: N 36.59190 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.01895 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK:
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE —	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: (44) NAT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 2
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(69) UNDERCLEARANCE RATING: N (74) WATERWAY AREQUACY
(49) TOTAL BRIDGE LENGTH: 22.0 FT	(71) WATERWAY ADEQUACY: (72) ADDROACH BOADWAY ALICAMAENT:
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: NNNN
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: NNNN (113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 17.1 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 21.7 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 15.1 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 22 FT (94) BRIDGE IMPROVEMENT COST: \$119,000,00
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$119,000.00 (95) ROADWAY IMPROVEMENT COST: \$12,000.00
(35) BRIDGE FLARE: NO FLARE	(96) TOTAL PROJECT COST: \$179,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 16.7 FT	INSPECTION DATES
(54a) VERT UNDERCLE: NOT A HIGHWAY OR RAILROAD	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(90) DATE OF LAST REGULAR INSPECTION: 8/17/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	· · · · · · · · · · · · · · · · · · ·
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(39) NAVIGATION VERTICAL CLEARANCE: N/A	(225) 5. 252.1161 (112.4021161 (11.611116)).
	PRODUCED PURSUANT TO

N/A

N/A

PUBLICATION DATE 27-Jul-18

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 56021050001
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: **SPRING CREEK RD.** CROSSING: **PUNCHEON CREEK**

LOCATION: 5 M N OF LAFAYETTE

OF TRANSPOI

ROUTE: 02105 SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 1.42 SUFFICIENCY RATING: 82.8

200/MON. UNITED EATAIETTE	00111012110111111101. 02.0
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.59172 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.02177 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(,	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 1	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 8
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 8
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 8
A) TYPE OF SURFACE: NONE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE —	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 2000	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	455541041
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —————
	(67) STRUCTURAL EVALUATION: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 4
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 69.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 69.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 22 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 22 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23 BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 35 BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8/17/2017
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL CLEARANCE ON ROADWAY: (250) FT (541) VERT UNDERCLR: (542) NOT A HIGHWAY OR RAILROAD (544) MIN VERTICAL UNDERCLEARANCE: (5551) HORZ UNDERCLR: (5561) MIN HORZ UNDERCLR: (5562) MIN HORZ UNDERCLR: (5563) MIN HORZ UNDERCLR ON RIGHT: (5564) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (566) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL CLEARANCE ON ROADWAY: (250) FT (541) VERT UNDERCLR: (542) NOT A HIGHWAY OR RAILROAD (544) MIN VERTICAL UNDERCLEARANCE: (5551) HORZ UNDERCLR: (5561) MIN HORZ UNDERCLR: (5562) MIN HORZ UNDERCLR: (5563) MIN HORZ UNDERCLR ON RIGHT: (5564) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 56021050005 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: SPRING CREEK RD.

CROSSING: BRANCH

LOCATION: 4.5 M N OF LAFAYETTE

COUNTY: MACON

ROUTE: 02105 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 2.03 SUFFICIENCY RATING: 88.7

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.58778 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.03197 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	——— CONDITION RATINGS ————
` '	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
` '	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL (67) STRUCTURAL EVALUATION: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	AI I NAIGAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 20.9 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 22	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 30.5 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: 30.5 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: 30.5 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) BRIDGE IMPROVEMENT: (78) NA
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (836) TRAFFIC SAFETY FEATURES: (94) ERCOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 56021050003 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: SPRING CREEK RD. CROSSING: SPRING CREEK

LOCATION: 4 M N OF LAFAYETTE

COUNTY: MACON

ROUTE: 02105

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 2.38 SUFFICIENCY RATING: 81.1

LOCATION: 4 M N OF LAFAYETTE	SUFFICIENCY RATING: 81.1
IDENTIFICATION —	
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: BRIDGE TYPE AND MATERIAL 36.58530 DEGREES N/A NOT APPLICABLE	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: (110) NATIONAL TRUCK ROUTE: NOT A NHS ROUTE RURAL MINOR COLLECTOR NO PARALLEL BRIDGE NO PARALLEL BRIDGE NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(45) 1111/555 05 11111 05 110	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	(58) DECK: N (59) SUPERSTRUCTURE: N (60) SUBSTRUCTURE: N (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 (62) CULVERT CONDITION (IF APPLICABLE): 7 DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN ALL LEGAL LOADS 5 ALL LEGAL LOADS ALL LEGAL LOADS APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 44.9 FT	(71) WATERWAY ADEQUACY: 7
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 7
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 22.3 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 27.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 12.1 FT (33) BRIDGE MEDIAN: NO MEDIAN	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 45 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	INSPECTION DATES
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	
(55a) HORZ UNDERCLE: NOT A HIGHWAY OR RAILROAD	(90) DATE OF LAST REGULAR INSPECTION: 8/17/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

5

R

5

N

6

8

8

0000

HS-20-44

ALL LEGAL LOADS

ALL LEGAL LOADS

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

NO PARALLEL BRIDGE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 56021070001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 02107 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HIRESTOWN RD. COUNTY SEQUENCE: 1 CROSSING: CLIFTY CREEK LOG MILE: 0.69 LOCATION: 5.25 M NE OF EULIA SUFFICIENCY RATING: 90.3 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: 36.58643 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.11747 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN** APPRAISAL

AGE AND SERVICE ————	
(27) YEAR THE BRIDGE WAS BUILT:	1984
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0
GEOMETRIC DATA	

	GEOMETRIC DATA
15.1 FT	(48) MAXIMUM SPAN LENGTH:
33.1 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
22 FT	(51) BRIDGE CURB TO CURB WIDTH:
25.9 FT	(52) BRIDGE OUT TO OUT WIDTH:
20.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
22.0 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADWA
OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW
T APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:

NAVIGATION DATA		
(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE: N/A		
(116) LIFT BRIDGE VERT CLEARANCE: N/A		

NOT A HIGHWAY OR RAILROAD

NOT APPLICABLE

NOT APPLICABLE

N/A

(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY:

(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(72) APPROACH ROADWAY ALIGNMENT:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 8/9/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



BRIDGE ID NUMBER: 56021070003 BRIDGE OWNER: MACON COUNTY

> FIPS CODE: 00000 ROAD NAME: CLIFTY RD.

CROSSING: WEST FORK LONG CREEK

LOCATION: 2.1 M W SR10&NFA 2107

COUNTY: MACON ROUTE: 02107 SPECIAL CASE: 0

COUNTY SEQUENCE: 1 LOG MILE: 2.39

SUFFICIENCY RATING: 97.0

- IDENTIFICATION CLASSIFICATION =

0

(16a,b) LATITUDE: Ν 36.60705 DEGREES (17a,b) LONGITUDE: 86.11967 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

GRAVEL A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE **EPOXY COATED REINFORCING** C) TYPE PROTECTION:

AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 1991

(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: 2

(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 49.9 FT

0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT

(52) BRIDGE OUT TO OUT WIDTH: 29.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT NO MEDIAN

(33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 15 DEGREES

(35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A

(116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 27-Jul-18

(112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED**

CONDITION RATINGS =

(58) DECK: Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 (62) CULVERT CONDITION (IF APPLICABLE): 7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6

(36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 8/9/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



COUNTY: MACON

ROUTE: 0A020

LOG MILE: 0.06

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 560A0200001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: HOOT OWL LN.

CROSSING: MIDDLE FORK GOOSE CREEK

LOCATION: ON FUQUA HOLLOW LANE	SUFFICIENCY RATING: 22.0
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.48857 DEG (17a,b) LONGITUDE: W 86.09278 DEG (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: NOT APPLIC	REES (112) MEETS NBIS BRIDGE LENGTH: REES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD N/A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(43a) MAIN SPAN MATERIAL: STEEL (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
B) TYPE MEMBRANE:	(co) CUDCTDUCTUDE.
AGE AND SERVICE	(31) DESIGN LOADING: H-20-44
(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED:	WEIGHT POSTING (2 AXLE VEHICLES): 5 TONS WEIGHT POSTING (3 OR MORE AXLES): 5 TONS WEIGHT POSTING (3 OR MORE AXLES): 5 TONS (70) BRIDGE POSTING CODE: 3 (41) WT POSTING STATUS: WEIGHT POSTED
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:	1 APPRAISAL 0 (67) STRUCTURAL EVALUATION: 3
GEOMETRIC DATA	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 27 (50a) LEFT SIDEWALK WIDTH: 0	9 FT (71) WATERWAY ADEQUACY: 7 9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000

(113) SCOUR CONDITION RATING: 11.8 FT RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
--------------------	--------------------

49.5 FT	LENGTH OF BRIDGE IMPROVEMENT:	(76)
\$276,000.00	BRIDGE IMPROVEMENT COST:	(94)
\$28,000.00	ROADWAY IMPROVEMENT COST:	(95)

(96) TOTAL PROJECT COST: \$415,000.00

INSPECTION DATES

2017

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

9/20/2017	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

5

6

4

N

6

6

8

N/A

8/11/2017

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 560A0310001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A031 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BAREFOOT RD. COUNTY SEQUENCE: 1 CROSSING: DRY BRANCH LOG MILE: 1.97 LOCATION: 7 M N OF EULIA SUFFICIENCY RATING: 76.6 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 36.62717 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.17423 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 35.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.6 FT RECOMMENDED IMPROVEMENTS 27.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

7

4

N

6

8

8

N/A

8/11/2017

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 560A0310003 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A031 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BAREFOOT RD. COUNTY SEQUENCE: 1 CROSSING: DRY BRANCH LOG MILE: 2.93 LOCATION: 7.6 M N OF EULIA SUFFICIENCY RATING: 86.6 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.63495 DEGREES 86.18868 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **GRAVEL** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.6 FT RECOMMENDED IMPROVEMENTS 30.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 560A0340001
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: **POPLAR GROVE RD.**CROSSING: **DRY BRANCH**

LOCATION: 7.9 M N OF EULIA

OF TRANSPOR

COUNTY: MACON

ROUTE: 0A034

SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 0.43

SUFFICIENCY RATING: 93.7

IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.63593 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.19277 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
(27) YEAR THE BRIDGE WAS BUILT: 1965	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 23.0 FT	(71) WATERWAY ADEQUACY:
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: NNNN
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 25.9 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 23 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$117,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$12,000.00 (96) TOTAL PROJECT COST: \$176.000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	· · · · · · · · · · · · · · · · · · ·
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/11/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
(33) NAVIGATION VERTICAL CLEARANCE. N/A	PRODUCED PURSUANT TO

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:

NATIONAL BRIDGE INVENTORY



YES

Ν

Ν

Ν

8

R

4

N

6

6

8

0000

HS-20-44

ALL LEGAL LOADS

ALL LEGAL LOADS

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 560A0500001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A050 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: EPPERSON SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: BIG TOOLEY CREEK LOG MILE: 2.65 LOCATION: 3.4 M NW OF EULIA SUFFICIENCY RATING: 85.9 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.57408 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 86.19630 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: GRAVEI A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1989 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 66.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT

NO MEDIAN

NO FLARE

22.0 FT

N/A

N/A

N/A

30 DEGREES

NO RESTRICTION

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

NO NAVIGATION CONTROL

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 8/11/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(33) BRIDGE MEDIAN:

(34) BRIDGE SKEW:

(35) BRIDGE FLARE:

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NAVIGATION DATA



BRIDGE ID NUMBER: 560A0540001 BRIDGE OWNER: MACON COUNTY

> FIPS CODE: 00000 ROAD NAME: HANES RD.

CROSSING: HANGING ROCK CREEK

LOCATION: OMNE OF FULLA

COUNTY: MACON

ROUTE: 0A054

LOG MILE: 0.76 SUFFICIENCY RATING: 99.0

COUNTY SEQUENCE: 1

SPECIAL CASE: 0

LOCATION: 8 M NE OF EULIA	SUFFICIENCY RATING: 99.0
IDENTIFICATION	
(16a,b) LATITUDE: N 36.62898 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.11850 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 8
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44 +MOD
(27) YEAR THE BRIDGE WAS BUILT: 2009	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT. (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 14.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 44.9 FT	(71) WATERWAY ADEQUACY: 7
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 28.9 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/9/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



COUNTY: MACON

ROUTE: 0A063

BRIDGE ID NUMBER: 560A0630003 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: W. FORK CREEK RD. CROSSING: WEST FORK LONG CREEK

LOCATION: 4.5 M N OF EULIA

COUNTY SEQUENCE: 1 LOG MILE: 1.52 SUFFICIENCY RATING: 92.0

SPECIAL CASE: 0

EGG/MIGH. 4.0 III NOT EGEIA	00111012110111111101. 02.0
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.59025 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.15080 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1984	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 33.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 3
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 25.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/9/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
(39) NAVIGATION VERTICAL CLEARANCE: N/A	
	PRODUCED PURSUANT TO

N/A

N/A

PUBLICATION DATE 27-Jul-18

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 560A0630001 COUNTY: MACON
BRIDGE OWNER: MACON COUNTY ROUTE: 0A063
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: W. FORK CREEK RD. COUNTY SEQUENCE: 1

CROSSING: WEST FORK LONG CREEK LOG MILE: 2.31 LOCATION: 4 M N OF EULIA SUFFICIENCY RATING: 100.0

LOCATION: 4 M N OF EULIA	SUFFICIENCY RATING: 100.0
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.58030 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.15673 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(1774) ALTEROPERINALE NOT ALTEROPEE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HL-93
(27) YEAR THE BRIDGE WAS BUILT: 2011	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: #Error	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 9
(48) MAXIMUM SPAN LENGTH: 18.0 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 38.1 FT	(71) WATERWAY ADEQUACY: 7
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 7
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(51) BRIDGE CURB TO CURB WIDTH: 33.1 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 35.1 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.1 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/9/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: MACON

ROUTE: 0A076

LOG MILE: 0.62

BRIDGE ID NUMBER: 560A0760001 BRIDGE OWNER: MACON COUNTY FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: SHRUM CEMETERY RD.

CROSSING: WEST FORK LONG CREEK

LOCATION: 2 M N OF EULIA

CLASSIFICATION =

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 86.6

IDENTII ICAT	IOI		CLASSII ICATIC	
(16a,b) LATITUDE:	N	36.55528 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	86.16490 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND A	лдт	ERIAI ————	(103) TEMPORARY BRIDGE:	NOT APPLICABLE

(58) DECK:

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

CONDITION RATINGS =

NOT BEEN DETERMINED

Ν

IDENTIFICATION BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 1983 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY** (42b) UNDER BRIDGE: **WATERWAY**

· ·	
(28a) NUMBER OF LANES CARRIED BY BRID	GE: 2
(28b) NUMBER OF LANES UNDER THE BRIDG	GE: 0
GEOMETRIC DATA	\
(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	41.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WID	ГН: 14.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROAL	DWAY: 22.0 FT
(54a) VERT UNDERCLR: NOT A HIG	
(54b) MIN VERTICAL UNDERCLEARANCE:	
(55a) HORZ UNDERCLR: NOT A HIG	HWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE
NAVIGATION DATA	
	AVIGATION CONTROL

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	41.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDT	H: 14.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROAD	WAY: 22.0 FT
(54a) VERT UNDERCLR: NOT A HIGH	HWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	
(55a) HORZ UNDERCLR: NOT A HIGH	HWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE
——— NAVIGATION DATA	
(38) NAV CONTROL: NO NA	VIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A

N
N
7
7

DESIGN LOAD AND WEIGHT POSTING

HS-20-44		(31) DESIGN LOADING:
ALL LEGAL LOADS	EHICLES):	WEIGHT POSTING (2 AXLE V
ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MO
5	<u>:</u>	(70) BRIDGE POSTING CODE
	OPEN	(41) WT POSTING STATUS:

APPRAISAL —	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	3
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

N/A

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/9/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

5

7

7

4

N

5

7

8

N/A

8/15/2017

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 560A0910001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A091 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: S. LONG CREEK RD. COUNTY SEQUENCE: 1 CROSSING: LONG CREEK LOG MILE: 0.02 SUFFICIENCY RATING: 87.8 LOCATION: 4 M E OF EULIA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 36.54377 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν 86.09185 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1977 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 23.6 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

5

5

5

5

N

6

7

4

N/A

8/15/2017

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 560A0910003 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A091 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: S. LONG CREEK RD. COUNTY SEQUENCE: 1 CROSSING: LONG CREEK LOG MILE: 0.88 LOCATION: 4 M E OF EULIA SUFFICIENCY RATING: 85.0 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.53615 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.10317 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **GRAVEL** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 560A0940001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A094 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HIGHTOWER RD. COUNTY SEQUENCE: 1 CROSSING: LONG CREEK LOG MILE: 0.02 LOCATION: 3.5 M E OF EULIA SUFFICIENCY RATING: 79.9 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.52923 DEGREES (17a,b) LONGITUDE: 86.11122 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 1983 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY** (42b) UNDER BRIDGE: **WATERWAY** (28a) NUMBER OF LANES CARRIED BY BRIDGE:

N/A

N/A

N/A

NO NAVIGATION CONTROL

W 86.11122 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A	NHS ROUTE
ODE: N/A	(26) FUNCTIONAL CLASS: LOCAL R	URAL ROAD
N/A	(101) PARALLEL BRIDGE: NO PARALI	EL BRIDGE
NOT APPLICABLE	(102) TRAFFIC DIR: 2-W	AY TRAFFIC
AND MATERIAL ———	(103) TEMPORARY BRIDGE: NOT A	PPLICABLE
ONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK	(NETWORK
OT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANO	CE HAS
5.7 LIG/1822	NOT BEEN DETERMINED	
2	CONDITION RATINGS	
ANS: 0	(58) DECK:	N
CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:	N
CE AND DECK PROTECTION:	(60) SUBSTRUCTURE:	N -
ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7 7
NONE	(62) CULVERT CONDITION (IF APPLICABLE):	•
NONE	DESIGN LOAD AND WEIGHT POSTING	_
SERVICE ————	(31) DESIGN LOADING:	HS-20-44
JILT: 1983	,	GAL LOADS
HABILITATED: N/A	,	GAL LOADS
HIGHWAY	(70) BRIDGE POSTING CODE:	5
WATERWAY	(41) WT POSTING STATUS: OPEN	
ED BY BRIDGE: 2	APPRAISAL	
R THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:	7
RIC DATA	(68) DECK GEOMETRY:	4
15.1 FT	(69) UNDERCLEARANCE RATING:	N
32.2 FT	(71) WATERWAY ADEQUACY:	6
0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:	6
0.0 FT	(36) TRAFFIC SAFETY FEATURES:	0000
OTH: 22 FT	(113) SCOUR CONDITION RATING:	8
: 26.6 FT	RECOMMENDED IMPROVEMENTS	
SHLDS) WIDTH: 16.1 FT	(75) TYPE OF WORK: BRIDGE DECK REPAIR	
NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT:	32.2 FT
0 DEGREES	(94) BRIDGE IMPROVEMENT COST:	\$33,000.00
NO FLARE	(95) ROADWAY IMPROVEMENT COST:	\$4,000.00
OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:	\$50,000.00 2017
CE ON ROADWAY: 22.0 FT	• •	2017
NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	
ARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION:	8/15/2017
NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
ION DATA ————	(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(28b) NUMBER OF LANES UNDER THE BRIDGE:

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NAVIGATION DATA

(48) MAXIMUM SPAN LENGTH:

(49) TOTAL BRIDGE LENGTH:

(50a) LEFT SIDEWALK WIDTH:

(50b) RIGHT SIDEWALK WIDTH:

(51) BRIDGE CURB TO CURB WIDTH:

(52) BRIDGE OUT TO OUT WIDTH:

(33) BRIDGE MEDIAN:

(34) BRIDGE SKEW:

(35) BRIDGE FLARE:

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

GEOMETRIC DATA =



COUNTY: MACON

ROUTE: 0A118

SPECIAL CASE: 0

BRIDGE ID NUMBER: 560A1180001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: OAK KNOB RD. CROSSING: PUNCHEON CREEK

COUNTY SEQUENCE: 1 LOG MILE: 0.29 LOCATION: 6.5 M N OF LAFAYETTE SUFFICIENCY RATING: 98.0

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.61595 DE	GREES (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.01137 DE	
(98a) BORDER BRIDGE STATE CODE:	N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE:	N/A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLI	CABLE (102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	3 (E0) DECK:
(46) NUMBER OF APPROACH SPANS:	(50) SUDEDSTRUCTURE:
(107) TYPE OF DECK: CONCRETE CAST-IN-	(co) CURCTRUCTURE.
(108) TYPE OF WEARING SURFACE AND DECK PROTECTIO	(64) STDEAM CHANNEL AND CHANNEL DEOTECTION:
A) TYPE OF SURFACE: MONOLITHIC CON	(62) CHI VEDT CONDITION (IE ADDI ICADI E)
B) TYPE MEMBRANE: C) TYPE PROTECTION:	NONE DESIGN LOAD AND WEIGHT POSTING
	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT:	1979 WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A (70) BRIDGE POSTING CODE: 5
	GHWAY (41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATI	FRWAY
	APPRAISAI ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2 APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0 (67) STRUCTURAL EVALUATION: 7
	0 (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH:	2 (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 58 (49) TOTAL BRIDGE LENGTH: 17	2 (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 5 (49) TOTAL BRIDGE LENGTH: 17 (50a) LEFT SIDEWALK WIDTH:	2 (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 1000
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH:	Column C
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH:	Color
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	Color
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 1033) BRIDGE MEDIAN: NO MEDICAL PROADMAN (M/ SHLDS) WIDTH:	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8 (75) FT RECOMMENDED IMPROVEMENTS (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (10) PRIDGE IMPROVEMENT: N/A (11) PRIDG
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO M (34) BRIDGE SKEW: 45 DE	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: (100) (113) SCOUR CONDITION RATING: 8 (75) FT RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (75) POADWAY IMPROVEMENT COST: (75)
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8 (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A GREES (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) TOTAL PROJECT C
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTR	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8 (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMAT
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTR (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 2	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8 (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A GREES (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (113) STRUCTURAL EVALUATION: N/A (13) STRUCTURAL EVALUATION: N/A (14) BRIDGE IMPROVEMENT COST: (15) BRIDGE IMPROVEMENT COST ESTIMATE:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAI	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (77) RECOMMENTEDIAN (78) BRIDGE IMPROVEMENT: (79) BRIDGE IMPROVEMENT COST: (91) TOTAL PROJECT COST: (92) TOTAL PROJECT COST: (93) YEAR OF IMPROVEMENT COST ESTIMATE: (113) SCOUR CONDITION RATING: (113) SCOUR CONDITION RATING: (113) SCOUR CONDITION RATING: (114) SCOUR CONDITION RATING: (115) TYPE OF WORK: NOT APPLICABLE (116) (116) BRIDGE IMPROVEMENT COST: (117) WATERWAY ADEQUACY: (118) CONDITION RATING: (119) TOTAL PROJECT COST: (119) TYPE OF WORK: NOT APPLICABLE (119) BRIDGE IMPROVEMENT COST: (119) TOTAL PROJECT COST: (119) TYPE OF IMPROVEMENT COST ESTIMATE: (119) TYPE OF IMPROVEMENT COS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 1 (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (35) BRIDGE FLARE: (36) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (47) MIN VERTICAL UNDERCLEARANCE: (54b) MIN VERTICAL UNDERCLEARANCE: (54c) NOT APPLI	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8 (113) SCOUR CONDITION RATING: 8 (15) FT RECOMMENDED IMPROVEMENTS (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (15) GREES (15) ROADWAY IMPROVEMENT COST: (15) FT (15) TYPE OF WORK: NOT APPLICABLE (15) ROADWAY IMPROVEMENT COST: (15) FT (15) ROADWAY IMPROVEMENT COST: (15) FT
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 1 (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (35) BRIDGE FLARE: (36) MIN VERTICAL CLEARANCE OVER RD: (37) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UN	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8 (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (175) TYPE OF LAST REGULAR INSPECTION: (96) BATT/2017 (175) TYPE OF LAST REGULAR INSPECTION: (175) TYPE OF LAST REGUL
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAI (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLI	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55b) MIN VERTICAL UNDERCLEARANCE: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: NOT A PPLICE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICATE (575)	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAI (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLI	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8 (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (170) LENGTH OF BRIDGE IMPROVEMENT COST ESTIMATE: (170) LENGTH OF LAST REGULAR INSPECTION: (170) R

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: MACON

ROUTE: 0A119

BRIDGE ID NUMBER: 560A1190001 BRIDGE OWNER: MACON COUNTY SPECIAL CASE: 0

FIPS CODE: 00000

ROAD NAME: PUNCHEON CREEK RD.

CROSSING: LICK BRANCH LOCATION: 5 M N OF LAFAYETTE

LOG MILE: 1.99 SUFFICIENCY RATING: 85.0

COUNTY SEQUENCE: 1

IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.59208 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.02157 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 2	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(40h) LINDED DDIDCE.	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 1	APPRAISAL
	(67) STRUCTURAL EVALUATION: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 23.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NNNN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NNNN (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 14.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NNNN (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: O GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 14.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: O GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 10 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (75) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 14.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 13.3 BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 10 DEGREES (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (75) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.8 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.8 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.8 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8 //7/2017
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



BRIDGE ID NUMBER: 560A1310001
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: PURTLE RD.

CROSSING: PUNCHEON CREEK

LOCATION: ON PURTLE RD

COUNTY: MACON ROUTE: 0A131 SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 0.08

SUFFICIENCY RATING: 29.4

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.56942 DEGRE	ES (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.03615 DEGRE	ES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	I/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE:	I/A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICAB	LE (102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: STEEL	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	0 (58) DECK: 7
(107) TYPE OF DECK: WOOD OR TIMB	(FO) CLIDED CTUDE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: NO	NE (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NO	NE (62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NO	
AGE AND SERVICE	(31) DESIGN LOADING: H-10-44
	WEIGHT POSTING (2 AXI E VEHICLES): 5 TONS
	WEIGHT POSTING (3 OR MORE AXLES): 5 TONS
	(70) BRIDGE POSTING CODE:
(42a) SERVICE ON BRIDGE: HIGHW	(41) WT POSTING STATUS: WEIGHT POSTED
(42b) UNDER BRIDGE: WATERW	APPRAISAI
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	0 (67) STRUCTURAL EVALUATION: 3
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(68) DECK GEOMETRY: 2
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 19.4	FT (71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 21.0	FT (72) APPROACH ROADWAY ALIGNMENT: 6
(50a) LEFT SIDEWALK WIDTH: 0.0	(36) TRAFFIC SAFETY FEATURES: NNNN
(50b) RIGHT SIDEWALK WIDTH: 0.0	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 17.4	RECOMMENDED IMPROVEMENTS ———
(52) BRIDGE OUT TO OUT WIDTH: 18.4	FI (75) TVDE OF MODIC PRINCE PERI ACCREMENT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 13.1	(70) LENGTH OF PRINCE IMPROVEMENT.
(33) BRIDGE MEDIAN: NO MEDI	(04) PRIDCE IMPROVEMENT COST:
(34) BRIDGE SKEW: 5 DEGRE	(OE) DOADWAY IMDDOY/EMENT COST: #22.000.00
(35) BRIDGE FLARE: NO FLA	(CC) TOTAL DDO JECT COCT:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN LICENTANCE ON ROADWAY:	(07) VEAD OF IMPROVEMENT COST FSTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 18.4	FI · · · /
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILRO	· -
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICAB	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILRO	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICAB	LE (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

Ν

N/A

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA =

BRIDGE ID NUMBER: 560A1750001



YES

Ν

Ν

Ν

6

7

7

3

N

7

6

8

N/A

8/18/2017

24

N/A

N/A

Ν

Ν

0000

HS-20-44

COUNTY: MACON

BRIDGE OWNER: MACON COUNTY ROUTE: 0A175 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: COOLIDGE RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.42 SUFFICIENCY RATING: 85.5 LOCATION: ON RADIO DRIVE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.54685 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.00267 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 16.1 FT RECOMMENDED IMPROVEMENTS 20.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 15.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 27-Jul-18

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: MACON

ROUTE: 0A199

LOG MILE: 0.82

BRIDGE ID NUMBER: 560A1990007 BRIDGE OWNER: MACON COUNTY SPECIAL CASE: 0 FIPS CODE: 00000

ROAD NAME: BRADLEY HOLLOW RD.

CLASSIFICATION =

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 93.3

_	_			
(16a,b) LATITUDE:	N	36.52417 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	86.00895 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND M	πΔТ	ERIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

CONDITION RATINGS -

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

HL-93		(31) DESIGN LOADING:
ALL LEGAL LOADS	EHICLES):	WEIGHT POSTING (2 AXLE V
ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MO
5	: :	(70) BRIDGE POSTING CODE
	OPEN	(41) WT POSTING STATUS:

APPRAISAL

,	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	GE IMPROVEMENT:	N/A

- (94) BRIDGE IMPROVEMENT COST:
- (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

CROSSING: TOWN CREEK	ν.	
LOCATION: 2 M NE OF LAFAYET	ГЕ	
IDENTIFICATION —		
(16a,b) LATITUDE: N	36.52417 DEGREES	
(17a,b) LONGITUDE: W	86.00895 DEGREES	
(98a) BORDER BRIDGE STATE CODE:	N/A	
(98b) PERCENT SHARE:	N/A	
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE	
BRIDGE TYPE AND MATE		
(43a) MAIN SPAN MATERIAL: CONCRETE CO		
(44a) APPR SPAN MATERIAL: NOT APPLICA	BLE	
(45) NUMBER OF MAIN SPANS:	2	
(46) NUMBER OF APPROACH SPANS:	0	
	RETE CAST-IN-PLACE	
(108) TYPE OF WEARING SURFACE AND DEC		
	NOLITHIC CONCRETE	
B) TYPE MEMBRANE:	NONE	
•	DATED REINFORCING	
AGE AND SERVICE		
(27) YEAR THE BRIDGE WAS BUILT:	2012	
(106) YEAR THE BRIDGE WAS REHABILITATE		
(42a) SERVICE ON BRIDGE:	HIGHWAY	
(42b) UNDER BRIDGE:	WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDG		
(28b) NUMBER OF LANES UNDER THE BRIDG		
GEOMETRIC DATA		
(48) MAXIMUM SPAN LENGTH:	10.2 FT	
(49) TOTAL BRIDGE LENGTH:	22.0 FT	
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	
(51) BRIDGE CURB TO CURB WIDTH:	22 FT	
(52) BRIDGE OUT TO OUT WIDTH:	27.6 FT TH: 22.0 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDT (33) BRIDGE MEDIAN:	NO MEDIAN	
(34) BRIDGE MEDIAN.	55 DEGREES	
(35) BRIDGE FLARE:	NO FLARE	
(520) MIN VERTICAL CLEARANCE OVER RD:		
(47) MIN HORIZONTAL CLEARANCE ON ROAI		
	HWAY OR RAILROAD	
(54b) MIN VERTICAL UNDERCLEARANCE:		
	HWAY OR RAILROAD	
(55b) MIN HORZ UNDERCLR ON RIGHT:		
(56) MIN HORZ UNDERCLR ON LEFT:		
NAVIGATION DATA		
	AVIGATION CONTROL	
(39) NAVIGATION VERTICAL CLEARANCE:	N/A	
(39) NAVIGATION VERTICAL CLEARANCE: (116) LIFT BRIDGE VERT CLEARANCE:	N/A N/A	



YES

Ν

Ν

Ν

7

8

ጸ

5

N

7

8

8

N/A

8/18/2017

24

N/A

N/A

Ν

Ν

1111

HL-93

BRIDGE ID NUMBER: 560A1990009 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A199 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADLEY HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: TOWN CREEK LOG MILE: 1.06 SUFFICIENCY RATING: 99.0 LOCATION: 1.4 M E OF LAFAYETTE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.52410 DEGREES 86.00580 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: O (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2013 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 25.3 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 25.3 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.6 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR):

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

LOCATION: 1.4 M E OF LAFAYETTE



SUFFICIENCY RATING: 99.0

BRIDGE ID NUMBER: 560A1990011 COUNTY: MACON
BRIDGE OWNER: MACON COUNTY ROUTE: 0A199
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: BRADLEY HOLLOW RD. COUNTY SEQUENCE: 1
CROSSING: TOWN CREEK LOG MILE: 1.26

IDENTIFICATION —		
(16a,b) LATITUDE: N 36.52600 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 86.00400 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE	
(44a) ALLICOLARIMATERIAL. NOT ALLEGABLE	NATIONAL REGISTER	
(45) NUMBER OF MAIN SPANS: 1	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N	
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 8	
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	(31) DESIGN LOADING: HL-93	
(27) YEAR THE BRIDGE WAS BUILT: 2016	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5	
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————————————————————————————————————	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8	
GEOMETRIC DATA	(68) DECK GEOMETRY: 5	
(48) MAXIMUM SPAN LENGTH: 12.0 FT	(69) UNDERCLEARANCE RATING:	
(49) TOTAL BRIDGE LENGTH: 77.0 FT	(71) WATERWAY ADEQUACY: 8	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1N11	
(51) BRIDGE CURB TO CURB WIDTH: 23 FT	(113) SCOUR CONDITION RATING: 8	
(52) BRIDGE OUT TO OUT WIDTH: 32.2 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT	(75) TYPE OF WORK: NOT APPLICABLE	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(34) BRIDGE SKEW: 60 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	

(38) NAV CONTROL: NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE: N/A

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

(116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE: N/A

(55a) HORZ UNDERCLR:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

8/18/2017

24

N/A

N/A

Ν

Ν

(90) DATE OF LAST REGULAR INSPECTION:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 560A1990005
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: BRADLEY HOLLOW RD.

CROSSING: TOWN CREEK

LOCATION: 2 M NE OF LAFAYETTE

COUNTY: MACON ROUTE: 0A199 SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 1.62

SUFFICIENCY RATING: 78.2

IDENTIFICATION —		
(16a,b) LATITUDE: N 36.52850 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 85.99805 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC	
	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N	
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7	
C) TYPE PROTECTION: NONE	— DESIGN LOAD AND WEIGHT POSTING —	
,	(31) DESIGN LOADING: HS-20-44	
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5	
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN	
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL ———	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 1	(67) STRUCTURAL EVALUATION: 7	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(68) DECK GEOMETRY: 6	
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:	
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(71) WATERWAY ADEQUACY: 5	
(49) TOTAL BRIDGE LENGTH: 22.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: NNNN	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 4	
(51) BRIDGE CURB TO CURB WIDTH: 14.1 FT	RECOMMENDED IMPROVEMENTS	
(52) BRIDGE OUT TO OUT WIDTH: 18 FT		
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 22 FT	
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$102,000.00	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$11,000.00	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$154,000.00	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.8 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/18/2017	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):	
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):	
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO	

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: MACON

ROUTE: 0A199

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 560A1990001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: BRADLEY HOLLOW RD.

CROSSING: TOWN CREEK

LOCATION: 1.5 M E OF LAFAYETTE

OF TRANSPORTATION

SUFFICIENCY RATING: 90.3

LOG MILE: 1.68

IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 36.52937 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.99755 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 GRAVEI A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 37.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/18/2017 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

5

7

8

N/A

NOT A NHS ROUTE

COUNTY: MACON

BRIDGE ID NUMBER: 560A1990003 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: BRADLEY HOLLOW RD.

CROSSING: TOWN CREEK

LOCATION: 2 M E OF LAFAYETTE

ROUTE: 0A199

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 1.80 SUFFICIENCY RATING: 96.0

IDENTIFICATION CLASSIFICATION =

(16a,b) LATITUDE: Ν 36.53105 DEGREES 85.99680 DEGREES (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**

(102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

CONDITION RATINGS =

NOT BEEN DETERMINED

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(28b) NUMBER OF LANES UNDER THE BRIDGE:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

ASPHALT A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

AGE AND SERVICE *

(27) YEAR THE BRIDGE WAS BUILT: 1983 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 34.1 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 12.1 FT NO MEDIAN (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

(61) STREAM CHANNEL AND CHANNEL PROTECTION:

0

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

(59) SUPERSTRUCTURE:

(60) SUBSTRUCTURE:

(58) DECK:

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

DESIGN LOAD AND WEIGHT POSTING

(41) WT POSTING STATUS: **OPEN**

(62) CULVERT CONDITION (IF APPLICABLE):

(112) MEETS NBIS BRIDGE LENGTH:

(104) NATIONAL HIGHWAY SYSTEM:

APPRAISAL

(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST:

(113) SCOUR CONDITION RATING:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 8/18/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:



BRIDGE ID NUMBER: 560A2280001 BRIDGE OWNER: MACON COUNTY

> FIPS CODE: 00000 ROAD NAME: MILLER RD. CROSSING: BRANCH

LOCATION: 1.5 M E OF LAFAYETTE

COUNTY: MACON ROUTE: 0A228 SPECIAL CASE: 0

COUNTY SEQUENCE: 1 LOG MILE: 0.13 SUFFICIENCY RATING: 83.0

IDENTIFICATION (16a,b) LATITUDE: N 36.52660 DEGREES (17a,b) LONGITUDE: 85.99805 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN CRANC.

C) TYPE PROTECTION:

(48) MAXIMI IM SPAN I ENGTH-

2	(45) NUMBER OF MAIN SPANS.
0	(46) NUMBER OF APPROACH SPANS
ONCRETE CAST-IN-PLACE	(107) TYPE OF DECK:
DECK PROTECTION:	(108) TYPE OF WEARING SURFACE
GRAVEL	A) TYPE OF SURFACE:
NONE	B) TYPE MEMBRANE:

,			
AGE AND SERVICE			
(27) YEAR THE BRIDGE WAS BUILT:	1975		
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A		
(42a) SERVICE ON BRIDGE:	HIGHWAY		
(42b) UNDER BRIDGE:	WATERWAY		

(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	1
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0
GEOMETRIC DATA	

0.5 1 1	(40) W/ MINION OF AIR ELIVOTTI.
30.8 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
13.1 FT	(51) BRIDGE CURB TO CURB WIDTH:
17.4 FT	(52) BRIDGE OUT TO OUT WIDTH:
13.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
40 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:

KESTRICTION	ANAMOL OVER ND. NO	(320) WIIN VERTICAL CLEAR
12.8 FT	LEARANCE ON ROADWAY:	(47) MIN HORIZONTAL CLEA
OR RAILROAD	NOT A HIGHWAY	(54a) VERT UNDERCLR:
T APPLICABLE	DERCLEARANCE: NO	(54b) MIN VERTICAL UNDER
OR RAILROAD	NOT A HIGHWAY	(55a) HORZ UNDERCLR:
T APPLICABLE	CLR ON RIGHT: NO	(55b) MIN HORZ UNDERCLE

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

	NAV	IGATION DATA
(38)	NAV CONTROL:	NO NAVIGATION CONTROL

(39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A CLASSIFICATION =

	0 -
ENGTH: YES	(112) MEETS NBIS BRIDGE LE
STEM: NOT A NHS ROUTE	(104) NATIONAL HIGHWAY SY
LOCAL RURAL ROAD	(26) FUNCTIONAL CLASS:
NO PARALLEL BRIDGE	(101) PARALLEL BRIDGE:
E LANE BRIDGE FOR 2-WAY TRAFFIC	(102) TRAFFIC DIR: ONE
NOT APPLICABLE	(103) TEMPORARY BRIDGE:
TE: NOT ON TRUCK NETWORK	(110) NATIONAL TRUCK ROUT
HISTORICAL SIGNIFICANCE HAS	(37) HISTORICAL CLASS: F
NOT BEEN DETERMINED	N
ON RATINGS —	CONDITIO

RUCTURE:			

Ν

(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

HS-20-44	(31) DESIGN LOADING:
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):
ALL LEGAL LOADS	WEIGHT POSTING (3 OR MORE AXLES):
5	(70) BRIDGE POSTING CODE:
	(44) ME DOOTING OTATIO

(41) WT POSTING STATUS: OPEN

(58) DECK:

NONE

80 FT

APPRAISAL -	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	5
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

	BRIDGE REHABILITATION	TYPE OF WORK:	(75)
30.8 FT	GE IMPROVEMENT:	LENGTH OF BRID	(76)
\$134,000.00	EMENT COST:	BRIDGE IMPROVE	(94)
\$14,000.00	OVEMENT COST:	ROADWAY IMPRO	(95)
\$202,000.00	COST:	TOTAL PROJECT	(96)
2017	'EMENT COST ESTIMATE:	YEAR OF IMPROV	(97)
	SPECTION DATES -	INS	

(90) DATE OF LAST REGULAR INSPECTION:	8/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N



COUNTY: MACON

ROUTE: 0A229

LOG MILE: 0.28

BRIDGE ID NUMBER: 560A2290001 BRIDGE OWNER: MACON COUNTY FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: WHITE OAK CREEK LN. CROSSING: WHITE OAK CREEK

LOCATION: 2.25 M E OF LAFAYETTE

CLASSIFICATION =

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 90.5

 IDENTIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.52988 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.98805 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL =

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS:

NATIONAL REGISTER

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

MONOLITHIC CONCRETE A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 1997 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 45.3 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 00 FT (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT (52) BRIDGE OUT TO OUT WIDTH: 27.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 31.2 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**

NAVIGATION DATA

NOT A HIGHWAY OR RAILROAD

NOT APPLICABLE

NOT APPLICABLE

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

CONDITION RATINGS =

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS:

APPRAISAL —	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 8/18/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N/A

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



YES

Ν

Ν

Ν

6

6

5

N

6

6

8

N/A

8/18/2017

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 560A2290003 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A229 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WHITE OAK CREEK LN. COUNTY SEQUENCE: 1 CROSSING: WHITE OAK CREEK LOG MILE: 0.76 SUFFICIENCY RATING: 90.6 LOCATION: 2.3 M E LAFAYETTE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 36.52337 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 85.98600 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 29.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 560A2290005

BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: WHITE OAK CREEK LN.

CROSSING: WHITE OAK CREEK

LOCATION: 2.5 M E OF LAFAYETTE

CLASSIFICATION

COUNTY: MACON

ROUTE: 0A229

COUNTY: MACON

ROUTE: 0A229

COUNTY: MACON

ROUTE: 0A229

COUNTY: MACON

ROUTE: 0A229

SPECIAL CASE: 0

COUNTY: MACON

COUNTY: MACON

ROUTE: 0A229

SPECIAL CASE: 0

COUNTY: MACON

COUNTY: MACON

COUNTY: MACON

SPECIAL CASE: 0

COUNTY: MACON

CO

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.52013 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.98448 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE:
(108) TYPE OF SUBFACE.	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
A) TYPE OF SURFACE: ASPHALT NONE	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1984	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
• •	(68) DECK GEOMETRY: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT	` '
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 34.1 FT	(69) UNDERCLEARANCE RATING: N
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 34.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 15.1 FT 15.1 FT	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 34.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 14.1 FT (52) BRIDGE OUT TO OUT WIDTH: 17.7 FT	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 34.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 14.1 FT (52) BRIDGE OUT TO OUT WIDTH: 17.7 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 13.1 FT	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: 15.1 FT 16.1 FT 16.1 FT 17.7 FT 17.7 FT	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (75) BRIDGE IMPROVEMENT: (76) BRIDGE IMPROVEMENT COST:
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 00000 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 14.1 FT	(69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 14.1 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8/18/2017
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE ON ROADWAY: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) NOT A HIGHWAY OR RAILROAD	(69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (73) TRAFFIC SAFETY FEATURES: (74) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) ROADWAY IMPROVEMENT COST: (75) ROADWAY IMPROVEMENT COST: (76) TOTAL PROJECT COST: (77) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN HORIZONTAL CLEARANCE ON ROADWAY: (541) FT (542) VERT UNDERCLR: (543) NOT A HIGHWAY OR RAILROAD (544) MIN VERTICAL UNDERCLEARANCE: (554) HORZ UNDERCLR: (556) MIN HORZ UNDERCLR ON RIGHT: (556) NOT APPLICABLE	(69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: NOT A PPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK: (38) NOT APPLICABLE (39) TYPE OF WORK: (30) TOTAL OF BRIDGE IMPROVEMENT: (30) ROADWAY IMPROVEMENT COST: (31) ROADWAY IMPROVEMENT COST: (32) ROADWAY IMPROVEMENT COST: (33) TOTAL PROJECT COST: (34) TOTAL PROJECT COST: (35) ROADWAY IMPROVEMENT COST ESTIMATE: INSPECTION DATES (36) DATE OF LAST REGULAR INSPECTION: (37) YEAR OF IMPROVEMENT COST ESTIMATE: (38) DATE OF LAST UNDERWATER INSP (MO/YR): (38) DATE OF LAST UNDERWATER INSP (MO/YR): (39) UNDERWATER INSP FREQUENCY (MONTHS): (38)

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 560A2420001 COUNTY: MACON ROUTE: 0A242 BRIDGE OWNER: MACON COUNTY FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CAVE HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: WHITE OAK CREEK LOG MILE: 0.93 LOCATION: ON CAVE HOLLOW RD SUFFICIENCY RATING: 99.0 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.55697 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.99312 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: **CONTINUOUS** (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: **EPOXY COATED REINFORCING** C) TYPE PROTECTION: AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 2011 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY** (42b) UNDER BRIDGE: **WATERWAY** APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA = (48) MAXIMUM SPAN LENGTH: 57.4 FT (40) TOTAL BRIDGE LENGTH-

115.2 FI	(49) TOTAL BRIDGE LENGTH.
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
22 FT	(51) BRIDGE CURB TO CURB WIDTH:
24.3 FT	(52) BRIDGE OUT TO OUT WIDTH:
24.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
10 DEGREES	(34) BRIDGE SKEW:

(35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 27-Jul-18

YES **NOT A NHS ROUTE LOCAL RURAL ROAD NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK BRIDGE IS NOT ELIGIBLE FOR THE **NATIONAL REGISTER** CONDITION RATINGS =

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:		HL-93
WEIGHT POSTING (2 AXLE VEH	HICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE	E AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:		5
(41) WT POSTING STATUS:	OPEN	

711 117110712	
(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	

N/A (76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 8/22/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



Ν

5

7

5

COUNTY: MACON

ROUTE: 0A246

LOG MILE: 0.63

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 81.0

BRIDGE ID NUMBER: 560A2460001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: COOK CEMETERY RD.

CROSSING: BRANCH

LOCATION: 4.5 M NE OF LAFAYETTE

 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.57060 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.97862 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** ONE LANE BRIDGE FOR 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: Ν (1

(107) TYPE OF DECK: (108) TYPE OF WEARING SURFA	CONCRETE CAST-IN-PLACE ACE AND DECK PROTECTION:	(59) SUPERSTRUCTURE: (60) SUBSTRUCTURE:
A) TYPE OF SURFACE:	GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION:
B) TYPE MEMBRANE:	NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION:	NONE	DESIGN LOAD AND WEIGHT POSTING

	AGE AND SERVICE —
1983	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WATERWAY	(42b) UNDER BRIDGE:
1	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:

GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT

(50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 14.1 FT (52) BRIDGE OUT TO OUT WIDTH: 17.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT

NO MEDIAN (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.8 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

(31) DESIGN LOADING: HS-20-44 WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: 5

(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 5 7 (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(113) SCOUR CONDITION RATING:

ROADWAY IMPROVEMENT COST:

TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 8/22/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 560A2570001 BRIDGE OWNER: MACON COUNTY

> FIPS CODE: 00000 ROAD NAME: DRIVER RD. CROSSING: WHITE OAK CREEK

LOCATION: 6.5 M NE OF LAFAYETTE

COUNTY: MACON ROUTE: 0A257 SPECIAL CASE: 0

COUNTY SEQUENCE: 1 LOG MILE: 1.91

SUFFICIENCY RATING: 88.2

- IDENTIFICATION CLASSIFICATION =

(16a,b) LATITUDE: Ν 36.60818 DEGREES (17a,b) LONGITUDE: 85.96902 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 1 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

NOT APPLICABLE A) TYPE OF SURFACE:

B) TYPE MEMBRANE: NONE NONE

C) TYPE PROTECTION:

AGE AND SERVICE -

2003 (27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 95.8 FT (49) TOTAL BRIDGE LENGTH: 95.8 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT

NO MEDIAN (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES

(35) BRIDGE FLARE: **NO FLARE**

NO RESTRICTION

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A

(116) LIFT BRIDGE VERT CLEARANCE: N/A N/A

(40) NAVIGATION HORZ CLEARANCE:

(112) MEETS NBIS BRIDGE LENGTH:

YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**

(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**

(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**

(102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC

(103) TEMPORARY BRIDGE: **NOT APPLICABLE**

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

NOT BEEN DETERMINED

N

R

4

CONDITION RATINGS =

(58) DECK: 8 (59) SUPERSTRUCTURE: 8 (60) SUBSTRUCTURE: 8 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7

(62) CULVERT CONDITION (IF APPLICABLE):

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**

(70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:

(68) DECK GEOMETRY:

(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6

(72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 1111

(113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 8/22/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 560A2660001 BRIDGE OWNER: MACON COUNTY

> FIPS CODE: 00000 ROAD NAME: MANION RD.

CROSSING: WHITE OAK CREEK

LOCATION: 7 M NW RED BOILING SPRING

COUNTY: MACON ROUTE: 0A266 SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 0.06 SUFFICIENCY RATING: 96.0

200/MON. 7 III NO RED BOILING OF KING	001110121101111110. 00.0
IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.61707 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.95087 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 3	(58) DECK: 7
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 8
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
'	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1985	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	• •
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	APPRAISAL (67) STRUCTURAL EVALUATION: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 44.0 FT	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 44.0 FT (49) TOTAL BRIDGE LENGTH: 133.9 FT	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (31) TRAFFIC SAFETY FEATURES: (32) TRAFFIC SAFETY FEATURES: (33) TRAFFIC SAFETY FEATURES: (34) TRAFFIC SAFETY FEATURES: (35) TRAFFIC SAFETY FEATURES: (55) TRAFFIC SAFETY FEATURES: (57) TRAFFIC SAFETY FEATURES: (58) TRAFFIC SAFETY FEATURES:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 22 FT	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22 TT	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55b) NO RESTRICTION	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (98) ROADWAY IMPROVEMENT COST: (99) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	APPRAISAL (67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8/22/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) NOT A HIGHWAY OR RAILROAD	APPRAISAL (67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8/22/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A PPLICABLE (56) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLE (554) WIN VERTICAL UNDERCLEARANCE: (555a) HORZ UNDERCLR: (556) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR ON RIGHT: (557) NOT APPLICABLE (558) NOT APPLICABLE	APPRAISAL (67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8/22/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 560A2690001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: E. STINSON RD. CROSSING: LONG FORK CREEK

LOCATION: 7 M NW RED BOILING SPRING

COUNTY: MACON

ROUTE: 0A269

PRODUCED PURSUANT TO

PUBLIC RECORDS REQUEST

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 1.12 SUFFICIENCY RATING: 91.7

LOCATION. I WINW RED BOILING SPRING	SOFFICIENCT RATING. 91.7
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.61158 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.92315 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 8
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 8
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 8
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1994	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: (41) NAT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 45.9 FT	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8
(49) TOTAL BRIDGE LENGTH: 134.8 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 24.3 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:
(34) BRIDGE SKEW: 15 DEGREES	(95) ROADWAY IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(96) TOTAL PROJECT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	INSPECTION DATES
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/22/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	· · · · · · · · · · · · · · · · · · ·
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):
, , , , , , , , , , , , , , , , , , , ,	, , , , , , , , , , , , , , , , , , , ,

(40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N/A

N/A

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 560A2780001 COUNTY: MACON
BRIDGE OWNER: MACON COUNTY ROUTE: 0A278
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: TAURUS FARM RD. COUNTY SEQUENCE: 1
CROSSING: LONG CREEK LOG MILE: 0.00
LOCATION: 5 M W RED BOILING SPRINGS SUFFICIENCY RATING: 99.0

IDENTIFICATION CLASSIFICATION
16a,b) LATITUDE: N 36.53317 DEGREES (112) MEETS NBIS BRIDGE LENGTH:
17a,b) LONGITUDE: W 85.93733 DEGREES (104) NATIONAL HIGHWAY SYSTEM: NOT

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.53317 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.93733 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(47) 11111 1777 07 14411 07 149	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 3	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
A) TYPE OF SURFACE: INTEGRAL CONCRETE	(62) CULVERT CONDITION (IF APPLICABLE): 7
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: NONE	
AGE AND SERVICE	(31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 2005	WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	ALLINAIOAE
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 18.0 FT	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7
(49) TOTAL BRIDGE LENGTH: 58.7 FT	(71) WATERWAY ADEQUACT: 7 (72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	
(52) BRIDGE OUT TO OUT WIDTH: 27.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 10 DEGREES	(94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	· /
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/23/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 560A2860001 COUNTY: MACON
BRIDGE OWNER: MACON COUNTY ROUTE: 0A286
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: HIGHLAND RD. COUNTY SEQUENCE: 1
CROSSING: DRY CREEK LOG MILE: 1.17
LOCATION: 5 M NW RED BOILING SPRING SUFFICIENCY RATING: 82.0

IDENTIFICATION	
(16a,b) LATITUDE: N 36.57408 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.92115 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 8
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 1	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 39.0 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 14.1 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 17.4 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 30 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.8 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/23/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 560A2870001 BRIDGE OWNER: MACON COUNTY

> FIPS CODE: 00000 ROAD NAME: DOTSON RD. CROSSING: DRY BRANCH

LOCATION: 6 M NW RED BOILING SPRING

COUNTY: MACON

ROUTE: 0A287 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 1.22 SUFFICIENCY RATING: 87.5

LOCATION. 6 WINW RED BOILING SPRING	EDGATION. 6 M NW RED BOILING SPRING	
IDENTIFICATION ————		
(16a,b) LATITUDE: N 36.58323 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 85.93063 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
	CONDITION RATINGS	
(45) NUMBER OF MAIN SPANS: 2		
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N (60) SUBSTRUCTURE: N	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:		
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 (62) CULVERT CONDITION (IF APPLICABLE): 8	
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING	
,	(31) DESIGN LOADING: HS-20-44	
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 1998	WEIGHT POSTING (2 AXXEE VEHICLES): WEIGHT POSTING (3 OR MORE AXXES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5	
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN	
(40h) LINDED DDIDCE. MATERIAN	(· · / · · · · · · · · · · · · · · · ·	
(42b) UNDER BRIDGE: WATERWAY	ADDRAISAI	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ON A CONTRACTOR OF THE PROPERTY OF T	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 4	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 7 	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 33.8 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 2 0 15.1 FT 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (0000 (113) SCOUR CONDITION RATING:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (73) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: 15.1 FT 0.0 FT 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8 8 8 8 8 8 8 8 8 8 8 8 8	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (66) TRAFFIC SAFETY FEATURES: (736) TRAFFIC SAFETY FEATURES: (713) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A PPLICABLE (56) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENTS (75) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	

(40) NAVIGATION HORZ CLEARANCE: N/A **PUBLICATION DATE**

N/A

N/A

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: MACON

BRIDGE ID NUMBER: 560A2870003 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000 ROAD NAME: DOTSON RD. CROSSING: LONG CREEK

LOCATION: 6 M NW RED BOILING SPRING

ROUTE: 0A287 SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 1.91 SUFFICIENCY RATING: 97.0

IDENTIFICATION	
(16a,b) LATITUDE: N 36.57717 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.93952 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: 7
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 8
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
A) TYPE OF SURFACE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: EPOXY	
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE -	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1996	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
	(67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 1608.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 1000
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 1608.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 1608.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 1608.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 22 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 20 21 21 21 21 21 21 21 21 21 21 21 21 21	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20 CONTROL OF THE BRIDGE: 0 54.1 FT 1608.9 FT 16	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 54.1 FT 1608.9 FT 16	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 1608.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 1608.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 1608.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 22 FT (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 1608.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 22 FT (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8 8/23/2017
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 1608.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 54.1 FT (49) TOTAL BRIDGE LENGTH: 1608.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 560A2870005
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: DOTSON RD.

CROSSING: BRANCH

LOCATION: 6 M NW RED BOILING SPRING

COUNTY: MACON ROUTE: 0A287 SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 2.02

SUFFICIENCY RATING: 83.3

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.57643 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.94117 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN CRANC.	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(10)	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
'	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1968	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL -
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
	(68) DECK GEOMETRY: 3
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 7.9 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 24.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 16.1 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 20.3 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 45 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 15.7 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/23/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

8

8

8

8

Ν

R

4

N

6

6

8

N/A

8/24/2017

24

N/A

N/A

Ν

Ν

1000

HS-20-44

2-WAY TRAFFIC

COUNTY: MACON

ROUTE: 0A297

BRIDGE ID NUMBER: 560A2970001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: BETHANY RD. CROSSING: SALT LICK CREEK

LOCATION: 3.5 M N RED BOILING SPRGS

COUNTY SEQUENCE: 1 LOG MILE: 1.78 SUFFICIENCY RATING: 86.1 CLASSIFICATION =

SPECIAL CASE: 0

- IDENTIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.57975 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.87147 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1989 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 55.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 179.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 560A2980001 BRIDGE OWNER: MACON COUNTY

> FIPS CODE: 00000 ROAD NAME: POWELL RD.

CROSSING: LITTLE SALT LICK CREEK

8

COUNTY: MACON

ROUTE: 0A298

LOG MILE: 1.90

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOCATION: 3.5 M N	RED BOILING	G SPRGS	SUFFICIENCY RATING: 96.0	
IDENT	IFICATION			
(16a,b) LATITUDE:	N	36.58028 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	85.85432 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NH	IS ROUTE
(98a) BORDER BRIDGE STATE	CODE:	N/A	(26) FUNCTIONAL CLASS: LOCAL RUR	AL ROAD
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE: NO PARALLEI	L BRIDGE
(99) BORDER BRIDGE NUMBER	₹:	NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY	TRAFFIC
BRIDGE TYPE (43a) MAIN SPAN MATERIAL: (44a) APPR SPAN MATERIAL:	CONCRETE C	CONTINUOUS	(103) TEMPORARY BRIDGE: NOT APF (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK N (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE NOT BEEN DETERMINED	_
(45) NUMBER OF MAIN SPANS:		2	——— CONDITION RATINGS	
(46) NUMBER OF APPROACH S		0	(58) DECK:	N
(107) TYPE OF DECK:	CONC	RETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:	N
(108) TYPE OF WEARING SURF	ACE AND DE	CK PROTECTION:	(60) SUBSTRUCTURE:	N
A) TYPE OF SURFACE:		ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
B) TYPE MEMBRANE:		NONE	(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION: R (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 0000

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

N/A (76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST:

(113) SCOUR CONDITION RATING:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 8/24/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(5 (9 (5 (4 (4 B) TYPE MEMBRANE: **NONE** C) TYPE PROTECTION: NONE AGE AND SERVICE -(27) YEAR THE BRIDGE WAS BUILT: 1984 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 38.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 00 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT 25.6 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A



YES

Ν

Ν

Ν

7

7

7

5

Ν

6

7

8

N/A

8/24/2017

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 560A3010001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A301 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: E. WALNUT SHADE RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE SALT LICK CREEK LOG MILE: 1.87 LOCATION: 3 M N RED BOILING SPRINGS SUFFICIENCY RATING: 96.0 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.57460 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.83127 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 57.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 560A3010003
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: E. WALNUT SHADE RD.
CROSSING: LITTLE SALT LICK CREEK

LOCATION: 1 MI E OF SR 56

COUNTY: MACON
ROUTE: 0A301
SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 2.29 SUFFICIENCY RATING: 48.7

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.57077 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.81843 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: STEEL (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: 7
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 5
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS
(27) YEAR THE BRIDGE WAS BUILT: 1980	WEIGHT POSTING (3 OR MORE AXLES): 18 TONS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE:
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 24.9 FT (49) TOTAL BRIDGE LENGTH: 26.9 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 20.9 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: ON00
(51) BRIDGE CURB TO CURB WIDTH: 12.8 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 14.1 FT	RECOMMENDED IMPROVEMENTS ———
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 48.6 FT
(34) BRIDGE SKEW: 20 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$271,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$28,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$407,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 12.5 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/24/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSHANT TO

N/A

N/A

PUBLICATION DATE
27-Jul-18

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

7

8

8

N/A

NOT A NHS ROUTE

NOT APPLICABLE

LOCAL RURAL ROAD

NO PARALLEL BRIDGE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 560A3030001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A303 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PARKHURST RD. COUNTY SEQUENCE: 1 CROSSING: SALT LICK CREEK LOG MILE: 3.06 LOCATION: 4 M NW RED BOILING SPRING SUFFICIENCY RATING: 99.0 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.59070 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.88033 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** ONE LANE BRIDGE FOR 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPER (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBST (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES):

	AGE AND SERVICE —	
2004	(27) YEAR THE BRIDGE WAS BUILT:	
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:	
HIGHWAY	(42a) SERVICE ON BRIDGE:	
WATERWAY	(42b) UNDER BRIDGE:	
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:	
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:	
GEOMETRIC DATA		

	GEOMETRIC DATA
60.0 FT	(48) MAXIMUM SPAN LENGTH:
239.5 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
20.7 FT	(51) BRIDGE CURB TO CURB WIDTH:
24 FT	(52) BRIDGE OUT TO OUT WIDTH:
22.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
55 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: 20.7 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW
NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:

(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE
	ΓΑ ———
(38) NAV CONTROL: NO	NAVIGATION CONTROL

NOT A HIGHWAY OR RAII ROAD

NOT APPLICABLE

(39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

RSTRUCTURE:		
TRUCTURE:		

8 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE):

HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: 5

(41) WT POSTING STATUS: ODEN

(41) WITT COTHING CIATOO. CI LIV	
APPRAISAL	
(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	1111

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST:

(113) SCOUR CONDITION RATING:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

- INSPI	ECTION	DATES
---------	--------	-------

(90) DATE OF LAST REGULAR INSPECTION: 8/24/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 1 (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 560A3030003 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A303 FIPS CODE: 00000 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 ROAD NAME: PARKHURST RD. CROSSING: TRI. TO SALT LICK CREEK LOG MILE: 3.40 LOCATION: 4 M NW RED BOILING SPRING SUFFICIENCY RATING: 99.0 IDENTIFICATION (16a,b) LATITUDE: N 36.59047 DEGREES (17a,b) LONGITUDE: 85.88620 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: **EPOXY COATED REINFORCING** C) TYPE PROTECTION:

NOT APPLICABLE

AGE AND SERVICE ————		
(27) YEAR THE BRIDGE WAS BUILT:	2012	
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	
(42a) SERVICE ON BRIDGE:	HIGHWAY	
(42b) UNDER BRIDGE:	WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	

- GEOMETRIC DATA -(48) MAXIMUM SPAN LENGTH: 10.8 FT (49) TOTAL BRIDGE LENGTH: 23.5 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT (52) BRIDGE OUT TO OUT WIDTH: 28.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (24) PRIDCE CKEW.

10 DEGREES		(34) BRIDGE SKEW:
NO FLARE		(35) BRIDGE FLARE:
RESTRICTION	ARANCE OVER RD: NO	(520) MIN VERTICAL CLEA
22.0 FT	EARANCE ON ROADWAY:	(47) MIN HORIZONTAL CL
OR RAILROAD	NOT A HIGHWAY	(54a) VERT UNDERCLR:
T APPLICABLE	ERCLEARANCE: NO	(54b) MIN VERTICAL UND
OR RAILROAD	NOT A HIGHWAY	(55a) HORZ UNDERCLR:
T APPLICABLE	LR ON RIGHT: NO	(55b) MIN HORZ UNDERC

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	ANCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	E: N/A
(40) NAVIGATION HORZ CLEARANCE	E: N/A

PUBLICATION DATE 27-Jul-18

(56) MIN HORZ UNDERCLR ON LEFT:

•	CLASSIFICATION	
	(112) MEETS NBIS BRIDGE LENGTH:	YES
	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
	(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
	(102) TRAFFIC DIR:	2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NO	T ON TRUCK NETWORK
	(-,	SIGNIFICANCE HAS
	NOT BEEN DE	
	——— CONDITION RATING	3S ———
	(58) DECK:	N
	(59) SUPERSTRUCTURE:	N
	(60) SUBSTRUCTURE:	N
	(61) STREAM CHANNEL AND CHANNEL PRO	
	(62) CULVERT CONDITION (IF APPLICABLE)	
	DESIGN LOAD AND WEIGHT	r posting ———
	(31) DESIGN LOADING:	HL-93
	WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
	WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
	(70) BRIDGE POSTING CODE:	5
	(41) WT POSTING STATUS: OPEN	
	(67) STRUCTURAL EVALUATION:	8
	(68) DECK GEOMETRY:	5
	(69) UNDERCLEARANCE RATING:	N
	(71) WATERWAY ADEQUACY:	8
	(72) APPROACH ROADWAY ALIGNMENT:	8
	(36) TRAFFIC SAFETY FEATURES:	1111
	(113) SCOUR CONDITION RATING:	8
	RECOMMENDED IMPROV	/EMENTS ———
	(75) TYPE OF WORK: NOT APPLICABLE	
	(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
	(94) BRIDGE IMPROVEMENT COST:	
	(95) ROADWAY IMPROVEMENT COST:	
	(96) TOTAL PROJECT COST:	
	(97) YEAR OF IMPROVEMENT COST ESTIM	MATE:
	INSPECTION DATE	:s ———
	(90) DATE OF LAST REGULAR INSPECTION	8/24/2017
	(91) REGULAR INSPECTION FREQUENCY (I	MONTHS): 24
	(93b) DATE OF LAST UNDERWATER INSP (I	MO/YR): /
	(92b) UNDERWATER INSP FREQUENCY (MC	ONTHS): N
•	(93c) DATE OF SPECIAL INSPECTION (MO/N	(R): N/A
	/	٠,

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

8

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 560A3060003 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A306 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GAS HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: YORK BRANCH LOG MILE: 4.70 LOCATION: 5.5 M NE PUMPKINTOWN SUFFICIENCY RATING: 85.8 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 36.60957 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (104) NATIONAL HIGHWAY SYSTEM: 85.87142 DEGREES N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: **NATIONAL REGISTER** CONDITION RATINGS = 2 (58) DECK: 0

Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 (62) CULVERT CONDITION (IF APPLICABLE):

DESIGN LOAD AND WEIGHT POSTING (31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 0000

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(113) SCOUR CONDITION RATING:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 8/24/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 560A3060001
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: **GAS HOLLOW RD.** CROSSING: **YORK BRANCH**

LOCATION: 5.5 M NE PUMPKINTOWN

DEPARTMENT OF TRANSPORTA COUNTY: MACON

ROUTE: 0A306 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 5.25

SUFFICIENCY RATING: 91.6

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.61082 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.88133 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) 11111 1555 05 144 14 05 149	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
A) TYPE OF SURFACE: GRAVEL	(62) CULVERT CONDITION (IF APPLICABLE): 7
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	(,
` '	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	ALLINAIDAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 48.9 FT	(67) STRUCTURAL EVALUATION:6(68) DECK GEOMETRY:6(69) UNDERCLEARANCE RATING:N(71) WATERWAY ADEQUACY:6(72) APPROACH ROADWAY ALIGNMENT:7(36) TRAFFIC SAFETY FEATURES:0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 30.5 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.9	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (736) TRAFFIC SAFETY FEATURES: (74) RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (74) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 45 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (736) TRAFFIC SAFETY FEATURES: (74) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (25.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8 6 6 6 6 6 7 7 8 7 8 7 8 7 8 7 8 8 7 8 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (566) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (76) TRAFFIC SAFETY FEATURES: (77) TYPE OF WORK: (78) NOT APPLICABLE (79) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLR: (541) NOT A HIGHWAY OR RAILROAD (545) MIN VERTICAL UNDERCLEARANCE: (556) MIN VERTICAL UNDERCLEARANCE: (556) MIN VERTICAL UNDERCLR: (556) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR ON RIGHT: (557) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

4

Ν

7

8

8

N/A

9/6/2017

24

N/A

N/A

Ν

Ν

1111

HL-93

BRIDGE ID NUMBER: 560A3140001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A314 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WHITSON HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.26 SUFFICIENCY RATING: 88.2 LOCATION: 1 M N OF REDBOILINGSPRING IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.54692 DEGREES Ν 85.85033 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: O (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2013 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: n (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 27.4 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 27.4 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 38.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

1111

8

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

LOCAL RURAL ROAD

NO PARALLEL BRIDGE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 560A3140003 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A314 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WHITSON HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.50 LOCATION: 1 M N OF REDBOILINGSPRING SUFFICIENCY RATING: 88.2 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.54753 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.85528 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE **EPOXY COATED REINFORCING** C) TYPE PROTECTION:

NOT APPLICABLE

	AGE AND SERVICE —
2013	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WATERWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:
	GEOMETRIC DATA
10.0 FT	(48) MAXIMUM SPAN LENGTH:

(48) MAXIMUM SPAN LENGTH:	10.0 FT
(49) TOTAL BRIDGE LENGTH:	20.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	56 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADW	/AY: 22.0 FT
(54a) VERT UNDERCLR: NOT A HIGHV	VAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR: NOT A HIGHV	VAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE

	NAVIGATION	DATA -
NAV CONTROL		NO NAVIGA

(56) MIN HORZ UNDERCLR ON LEFT:

NO NAVIGATION CONTROL (38) NAV CONTROL: (39) NAVIGATION VERTICAL CLEARANCE: N/A N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

(103) TEMPORARY BRIDGE:	NOT APPLICABLE	
(110) NATIONAL TRUCK ROUTE: NOT O	N TRUCK NETWORK	
(37) HISTORICAL CLASS: HISTORICAL SIG		
NOT BEEN DETE	RMINED	
——— CONDITION RATINGS		
(58) DECK:	N	
(59) SUPERSTRUCTURE:	N	
(60) SUBSTRUCTURE:	N	
(61) STREAM CHANNEL AND CHANNEL PROTE	ECTION: 7	
(62) CULVERT CONDITION (IF APPLICABLE):	7	
DESIGN LOAD AND WEIGHT POSTING		
(31) DESIGN LOADING:	HL-93	
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS	
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS	
(70) BRIDGE POSTING CODE:	5	
(41) WT POSTING STATUS: OPEN		
APPRAISAL —		
APPRAISAL		
7	7	
(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY:	7 4	
(67) STRUCTURAL EVALUATION:	•	
(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY:	4	

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	E IMPROVEMENT:	N/A
(94)	BRIDGE IMPROVEM	MENT COST:	

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(36) TRAFFIC SAFETY FEATURES:

(113) SCOUR CONDITION RATING:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(90) DATE OF LAST REGULAR INSPECTION: 9/6/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 560A3160001 COUNTY: MACON
BRIDGE OWNER: MACON COUNTY ROUTE: 0A316
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: OLD LAKE RD. COUNTY SEQUENCE: 1
CROSSING: SALT LICK CREEK LOG MILE: 1.82
LOCATION: .5 M N RED BOILING SPRING SUFFICIENCY RATING: 88.2

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.54233 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.85460 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44 +MOD
(27) YEAR THE BRIDGE WAS BUILT: 2009	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT. (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
(48) MAXIMUM SPAN LENGTH: 18.0 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 56.7 FT	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 27.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 20 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/6/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

BRIDGE ID NUMBER: 560A3160003

BRIDGE OWNER: CITY OF RED BOILING SPRINGS

FIPS CODE: 62000

ROAD NAME: OLD LAKE RD. CROSSING: SALT LICK CREEK

LOCATION: LAKE RD@RED BOILING SPRGS IDENTIFICATION

COUNTY: MACON ROUTE: 0A316

SPECIAL CASE: 0

COUNTY SEQUENCE: 1 LOG MILE: 2.10

SUFFICIENCY RATING: 87.2

CLASSIFICATION =

(16a,b) LATITUDE:	N	36.54078	DEGREES	
(17a,b) LONGITUDE:	W	85.85015	DEGREES	
(98a) BORDER BRIDGE STATE CODE:			N/A	
(98b) PERCENT SHARE:			N/A	
(99) BORDER BRIDGE NUMBER:		NOT AF	PPLICABLE	

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

C) TYPE PROTECTION:

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

MONOLITHIC CONCRETE A) TYPE OF SURFACE:

B) TYPE MEMBRANE: NONE **EPOXY COATED REINFORCING**

AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 1987 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 28.9 FT (49) TOTAL BRIDGE LENGTH: 100.1 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT NO MEDIAN (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT

(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE: N/A (112) MEETS NBIS BRIDGE LENGTH:

(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**

(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**

(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**

(102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: R (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/6/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



YES

8

7

7

7

7

5

Ν

7

7

8

N/A

9/6/2017

24

N/A

N/A

Ν

Ν

1000

HS-20-44

ALL LEGAL LOADS

ALL LEGAL LOADS

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

LOCAL RURAL ROAD

NO PARALLEL BRIDGE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 560A3170001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A317 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MAXIE BLUFF RD. COUNTY SEQUENCE: 1 CROSSING: SALT LICK CREEK LOG MILE: 0.14 LOCATION: 1.5 M N RED BOILING SPRGS SUFFICIENCY RATING: 97.0 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.55217 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.85740 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY:

(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0
GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	76.1 FT
(49) TOTAL BRIDGE LENGTH:	76.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	24.3 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADW	AY: 22.0 FT

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(69) UNDERCLEARANCE RATING:

(36) TRAFFIC SAFETY FEATURES:

(113) SCOUR CONDITION RATING:

(72) APPROACH ROADWAY ALIGNMENT:

(76) LENGTH OF BRIDGE IMPROVEMENT:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(90) DATE OF LAST REGULAR INSPECTION:

(94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: TOTAL PROJECT COST:

RECOMMENDED IMPROVEMENTS

INSPECTION DATES

NOT APPLICABLE

(71) WATERWAY ADEQUACY:

(75) TYPE OF WORK:

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



YES

8

8

7

8

N

7

5

Ν

6

6

8

N/A

9/6/2017

24

N/A

N/A

Ν

Ν

1111

HS-20-44

BRIDGE ID NUMBER: 560A3180001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A318 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MAXIE BLUFF RD. COUNTY SEQUENCE: 1 CROSSING: SALT LICK CREEK LOG MILE: 0.00 SUFFICIENCY RATING: 99.0 LOCATION: 2 M N RED BOILING SPRINGS - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.55315 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.86275 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2001 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 76.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 76.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 560A3180001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A318 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SHORT RD. COUNTY SEQUENCE: 1 CROSSING: SALT LICK CREEK LOG MILE: 0.00

LOCATION: 2 M N RED BOILING SPRINGS SUFFICIENCY RATING: 99.0	
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.55315 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.86275 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 8
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 8
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: EPOXY COATED REINFORCING	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 2001	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 76.1 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 76.1 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 24.3 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
	(22)
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
	• •
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(90) DATE OF LAST REGULAR INSPECTION: 9/6/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/6/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(90) DATE OF LAST REGULAR INSPECTION: 9/6/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

Ν

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NO NAVIGATION CONTROL

N/A

N/A

N/A



H-10-44 5 TONS

5 TONS 3

COUNTY: MACON

ROUTE: 0A345

LOG MILE: 0.02

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 560A3450001

BRIDGE OWNER: CITY OF RED BOILING SPRINGS

FIPS CODE: 62000

ROAD NAME: VALLEY VIEW DR. CROSSING: SALT LICK CRK

LOCATION: IN RED BOILING SPRINGS	SUFFICIENCY RATING: 18.5
IDENTIFICATION	CLASSIFICATION —
(16a,b) LATITUDE: N 36.53072 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.84545 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: STEEL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 5
(107) TYPE OF DECK: WOOD OR TIMBER	(59) SUPERSTRUCTURE: 4
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: WOOD OR TIMBER	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N

C) TYPE PROTECTION:	NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE (27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED:	1950	(31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES):
(42a) SERVICE ON BRIDGE:	HIGHWAY	(70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: WEIGHT POSTED
(42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE:	WATERWAY 2	APPRAISAL
(28h) NUMBER OF LANES UNDER THE BRIDGE:	2	(67) STRUCTURAL EVALUATION:

CARRIED BY BRIDGE:	2	ALLINAIOA
LINDED THE DDIDCE:	•	(67) STRUCTURAL EVALUATION:

(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:

(76)	LENGTH OF BRIDGE IMPROVEMENT:	51.8 FT
(94)	BRIDGE IMPROVEMENT COST:	\$325,000.00

BRIDGE REPLACEMENT

(95) ROADWAY IMPROVEMENT COST: \$33,000.00 (96) TOTAL PROJECT COST: \$488,000.00

(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/7/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N



YES

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

LOCAL RURAL ROAD

NO PARALLEL BRIDGE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 560A3470001 COUNTY: MACON BRIDGE OWNER: CITY OF RED BOILING SPRINGS ROUTE: 0A347 FIPS CODE: 62000 SPECIAL CASE: 0 ROAD NAME: WITCHER HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: WITCHER HOLLOW CREEK LOG MILE: 0.41 SUFFICIENCY RATING: 75.0 LOCATION: 1 M E RED BOILING SPRINGS IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: 36.53177 DEGREES Ν (17a,b) LONGITUDE: 85.83510 DEGREES (104) NATIONAL HIGHWAY SYSTEM: (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **ASPHALT** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 1960 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY**

N/A

N/A

N/A

(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED E	BY BRIDGE: 2
(28b) NUMBER OF LANES UNDER TH	E BRIDGE: 0
GEOMETRIC	DATA ————
(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	38.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.2 FT
(32) APPROACH ROADWAY (W/ SHLD	OS) WIDTH: 24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OV	ER RD: NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE (ON ROADWAY: 24.0 FT
(54a) VERT UNDERCLR: NC	T A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARAI	NCE: NOT APPLICABLE
(55a) HORZ UNDERCLR: NC	T A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGH	IT: NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT	NOT APPLICABLE
	I DATA
(38) NAV CONTROL:	NO NAVIGATION CONTROL

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED		
CONDITION RATINGS		
(58) DECK:	N	
(59) SUPERSTRUCTURE:	N	
(60) SUBSTRUCTURE:	N	
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6	
(62) CULVERT CONDITION (IF APPLICABLE):	7	
DESIGN LOAD AND WEIGHT POSTIN	G ——	
(31) DESIGN LOADING:	H-10-44	
	GAL LOADS	
WEIGHT POSTING (3 OR MORE AXLES): ALL LE	GAL LOADS	
(70) BRIDGE POSTING CODE:	5	
(41) WT POSTING STATUS: OPEN		
(67) STRUCTURAL EVALUATION:	6	
(68) DECK GEOMETRY:	5	
(69) UNDERCLEARANCE RATING:	N	
(71) WATERWAY ADEQUACY:	4	
(72) APPROACH ROADWAY ALIGNMENT:	8	
(36) TRAFFIC SAFETY FEATURES:	0000	
(113) SCOUR CONDITION RATING:	8	
RECOMMENDED IMPROVEMENTS		
(75) TYPE OF WORK: BRIDGE REHABILITATION		
(76) LENGTH OF BRIDGE IMPROVEMENT:	38.1 FT	
(94) BRIDGE IMPROVEMENT COST:	\$180,000.00	
(95) ROADWAY IMPROVEMENT COST:	\$19,000.00	
(96) TOTAL PROJECT COST:	\$271,000.00	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017	
INSPECTION DATES		
(90) DATE OF LAST REGULAR INSPECTION:	8/24/2017	
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24	
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A	
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N	
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A	
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N	

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: MACON

ROUTE: 0A353

LOG MILE: 0.03

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 34.3

BRIDGE ID NUMBER: 560A3530001

BRIDGE OWNER: CITY OF RED BOILING SPRINGS

FIPS CODE: 62000 ROAD NAME: CHURCH ST. CROSSING: SALT LICK CRK

LOCATION: IN RED BOILING SPRINGS

IDENTIFICATIO				
(16a,b) LATITUDE:	N	36.53257 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	85.84935 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND	МΔТΙ	FRIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
	WIA I I		(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: STEEL		DI E	(37) HISTORICAL CLASS: HISTORIC	AL SIGNIFICANCE HAS

NOT BEEN DETERMINED

CONDITION RATINGS =

(58) DECK:	6
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-10-44
WEIGHT POSTING (2 AXLE VEHICLES):	7 TONS
WEIGHT POSTING (3 OR MORE AXLES):	13 TONS
(70) BRIDGE POSTING CODE:	3
(41) WT POSTING STATUS: CLOSED	

APPRAISAL

	_
0	(67) STRUCTURAL EVALUATION:
0	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
6	(71) WATERWAY ADEQUACY:
6	(72) APPROACH ROADWAY ALIGNMENT:
0000	(36) TRAFFIC SAFETY FEATURES:
8	(113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
--------------------	--------------------

(76)	LENGTH OF BRIDGE IMPROVEMENT:	83.7 FT
(94)	BRIDGE IMPROVEMENT COST:	\$496,000.00

(95) ROADWAY IMPROVEMENT COST: \$50,000.00 (96) TOTAL PROJECT COST: \$745,000.00

(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	12/27/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(5 (9 (8 (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: WOOD OR TIMBER (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: WOOD OR TIMBER A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 1960 (106) YEAR THE BRIDGE WAS REHABILITATED: 2006 (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 28.9 FT (49) TOTAL BRIDGE LENGTH: 60.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 18.4 FT (52) BRIDGE OUT TO OUT WIDTH: 20 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: 10.6 FT (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 18.4 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**

NOT A HIGHWAY OR RAILROAD

NO NAVIGATION CONTROL

NOT APPLICABLE

NOT APPLICABLE

N/A

N/A

N/A

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 560A3540001 COUNTY: MACON BRIDGE OWNER: CITY OF RED BOILING SPRINGS ROUTE: 0A354 SPECIAL CASE: 0 FIPS CODE: 62000 ROAD NAME: NOT AVAILABLE COUNTY SEQUENCE: 1 CROSSING: SALT LICK CREEK LOG MILE: 0.00 LOCATION: IN RED BOILING SPRINGS SUFFICIENCY RATING: 97.0

LOOMING IN NEW BOILING OF KINGS	CONTROLLING TOWNING. ST.	
IDENTIFICATION ————		
(16a,b) LATITUDE: N 36.53085 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 85.84848 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(47) 111 11 17 77 77 77 77 77 77 77 77 77 77	CONDITION RATINGS	
(45) NUMBER OF MAIN SPANS: 2	(58) DECK: N	
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE:	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8	
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(62) CULVERT CONDITION (IF APPLICABLE): 7	
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING	
	(31) DESIGN LOADING: HS-20-44	
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 1984	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5	
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN	
(42b) UNDER BRIDGE: WATERWAY		
(20a) NILIMBED OF LANCE CARRIED BY BRIDGE.	APPRAISAL ————	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2		
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0		
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 33.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 33.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 33.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 00000	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 30.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) APPROACH ROADWAY ALIGNMENT: (38) TRAFFIC SAFETY FEATURES: (39) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 00 15.1 FT 15.1 FT 15.1 FT 23.1 FT 30.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) APPROACH ROADWAY ALIGNMENT: (38) TRAFFIC SAFETY FEATURES: (39) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: O 15.1 FT 0.0 FT 0.0 FT 0.0 FT 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: NO 15.1 FT 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (54c) NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/7/2017	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLR: (541) NOT A HIGHWAY OR RAILROAD (545) MIN VERTICAL UNDERCLEARANCE: (550) MIN VERTICAL UNDERCLEARANCE: (550) HORZ UNDERCLR: (550) MIN HORZ UNDERCLR ON RIGHT: (551) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 560A3660001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A366 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SPRING HILL LN. COUNTY SEQUENCE: 1 CROSSING: SALT LICK CREEK LOG MILE: 0.05 LOCATION: 1 M S RED BOILING SPRINGS SUFFICIENCY RATING: 96.0

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.51865 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.84423 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	——— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 8
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1984	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT. (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(20d) NOMBER OF ENTRE OF MARKED BY BRIDGE.	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 5
GEOMETRIC DATA	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT	(68) DECK GEOMETRY: 5
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 47.9 FT	(68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 47.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 47.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT	(68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 00000
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 47.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT	(68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 47.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT	(68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 47.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (33) BRIDGE MEDIAN: NO MEDIAN	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 47.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (33) BRIDGE MEDIAN: NO MEDIAN	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 15.1 FT 47.9 FT 20.0 FT NO MEDIAN NO MEDIAN O DEGREES	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO MESTRICTION	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.1 FT	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/7/2017
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (57b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (57b) MIN VERTICAL UNDERCLEARANCE: (57b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (57c) MIN VERTICAL UNDERCLEARANCE: (57c) NOT A HIGHWAY OR RAILROAD	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: (15.1 FT (47.9 FT (50.0 F	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N

(40) NAVIGATION HORZ CLEARANCE: N/A **PUBLICATION DATE**

N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

PRODUCED PURSUANT TO

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 560A3730001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A373 FIPS CODE: 00000 SPECIAL CASE: 0

EPOXY COATED REINFORCING

NOT APPLICABLE

NOT APPLICABLE

CROSSING: LONG HUNGRY CREEK

ROAD NAME: KING HILL RD.

LOCATION: 5 M SW RED BOILING SPRING

- IDENTIFICATION .

- CLASSIEICATION -

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 90.5

IDENTIFICAT	ION		CLASSIFICAT	ION —
(16a,b) LATITUDE:	N	36.51748 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	85.88467 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND I	ΛΔΤΙ	FRIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
BRIDGE ITTE AND I			(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

LOG MILE: 0.36

N SPAN MATERIAL:	CONCRETE CONTINUOUS	

(43a) MAIN (44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NILIMPED OF MAIN CDANC.

C) TYPE PROTECTION:

3	I SPAINS.	(43) NONDER OF MAIN
0	ROACH SPANS:	(46) NUMBER OF APPE
ST-IN-PLACE	CONCRETE CAST-	(107) TYPE OF DECK:
ECTION:	NG SURFACE AND DECK PROTEC	(108) TYPE OF WEARII
CONCRETE	: MONOLITHIC C	A) TYPE OF SURFACE
NONE		B) TYPE MEMBRANE:

— AGE AND SERVICE —

1991	YEAR THE BRIDGE WAS BUILT:	(27)
N/A	S) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY) SERVICE ON BRIDGE:	(42a)
WATERWAY) UNDER BRIDGE:	(42b)
2) NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

- GEOMETRIC DATA -

18.0 FT	(48) MAXIMUM SPAN LENGTH:
82.0 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
24.3 FT	(51) BRIDGE CURB TO CURB WIDTH:
29.9 FT	(52) BRIDGE OUT TO OUT WIDTH:
20.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH
NO MEDIAN	(33) BRIDGE MEDIAN:
45 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: 24.3 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADV
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHN
NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:

NAVIGATION DATA =

(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	NCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	: N/A
(40) NAVIGATION HORZ CLEARANCE	E: N/A

CONDITION RATINGS =

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

HS-20-44		(31) DESIGN LOADING:
ALL LEGAL LOADS	EHICLES):	WEIGHT POSTING (2 AXLE V
ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MO
5	:	(70) BRIDGE POSTING CODE
	OPEN	(41) WT POSTING STATUS:

A DDD A IC A I

AFFRAISAL	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	5
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

	NOT APPLICABLE	TYPE OF WORK:	(75)
N/A	GE IMPROVEMENT:	LENGTH OF BRID	(76)
	MENT COST:	BRIDGE IMPROVE	(94)

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/8/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



BRIDGE ID NUMBER: 560A3760001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A376 FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: LONG HUNGRY RD. COUNTY SEQUENCE: 1 CROSSING: LONG HUNGRY CREEK LOG MILE: 1.22 SLIFFICIENCY RATING: 76 9 LOCATION: A M SW DED DOLLING SERVING

LOCATION: 4 M SW RED BOILING SPRING	SUFFICIENCY RATING: 76.9
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(FO) DECK:
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(FO) CLIDEDCTDLICTLIDE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
B) TYPE MEMBRANE: NONE	(62) CHI VERT CONDITION (IE ARRI ICARI E):
C) TYPE PROTECTION: NONE	—— DEGIGN LOAD AND WEIGHT DOCTING ———
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1975 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 1	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
(48) MAXIMUM SPAN LENGTH: 12.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 30.8 FT	(71) WATERWAY ADEQUACY: 5
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 14.4 FT	(113) SCOUR CONDITION RATING:
(52) BRIDGE OUT TO OUT WIDTH: 18.4 FT	RECOMMENDED IMPROVEMENTS ———
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 12.1 FT	(75) TYPE OF WORK. PRINCE BEHARD ITATION
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 30.8 FT
(34) BRIDGE SKEW: 30 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$135,000.00
(35) BRIDGE FLARE: NO FLARE	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$203,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 14.1 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/8/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	
NAVIGATION DATA	• (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	· ,
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO
(116) LIFT BRIDGE VERT CLEARANCE: N/A	PUBLIC RECORDS REQUEST

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

8

NOT A NHS ROUTE

COUNTY: MACON

ROUTE: 0A376

LOG MILE: 1.54

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 74.6

BRIDGE ID NUMBER: 560A3760007 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: LONG HUNGRY RD. CROSSING: LONG HUNGRY CREEK

LOCATION: 3.5 M SW RED BOILING SPRG

- IDENTIFICATION CLASSIFICATION =

(16a,b) LATITUDE: Ν 36.49562 DEGREES (17a,b) LONGITUDE: 85.89200 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 1998 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 30.5 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: 26.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT NO MEDIAN (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: **NO FLARE**

(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 18.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM:

(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC

(103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

NOT BEEN DETERMINED

CONDITION RATINGS =

(58) DECK: Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 (62) CULVERT CONDITION (IF APPLICABLE):

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 7 (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/8/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



COUNTY: MACON

BRIDGE ID NUMBER: 560A3760003
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: LONG HUNGRY RD.
CROSSING: LONG HUNGRY CREEK

LOCATION: 2.5 M SW RED BOILING SPRG

ROUTE: 0A376 SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 2.30

SUFFICIENCY RATING: 78.8

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.50560 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.88857 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	— DESIGN LOAD AND WEIGHT POSTING —
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1994	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
` '	(68) DECK GEOMETRY: 4
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(71) WATERWAY ADEQUACY: 7
(49) TOTAL BRIDGE LENGTH: 46.9 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 12.1 FT	(75) TYPE OF WORK: BRIDGE DECK REPAIR
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 46.9 FT
(34) BRIDGE SKEW: 45 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$44,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$5,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$67,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/8/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
(

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: MACON

BRIDGE ID NUMBER: 560A3760005 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: LONG HUNGRY RD. CROSSING: LONG HUNGRY CREEK

LOCATION: 2.5 M SW RED BOILING SPRG

ROUTE: 0A376 SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 2.69 SUFFICIENCY RATING: 79.8

IDENTIFICATION ———	
(16a,b) LATITUDE: N 36.51112 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.88653 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 8
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1983 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 47.9 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 47.9 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 27.2 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 45 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/8/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
10.11.0,11.011.2,11.71	

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

2017

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

LOCAL RURAL ROAD

NO PARALLEL BRIDGE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 560A3780003 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A378 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: COTTON HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.85 LOCATION: 1 M S RED BOILING SPRINGS SUFFICIENCY RATING: 85.5 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.51588 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.84312 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY:

N/A

(49) TOTAL BRIDGE LENGTH: 26.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 17.4 FT (52) BRIDGE OUT TO OUT WIDTH: 21.7 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT

(33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 17.4 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (39) NAVIGATION VERTICAL CLEARANCE:

N/A

(116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE:

(62) CULVERT CONDITION (IF APPLICABLE):

H-15-44 **ALL LEGAL LOADS ALL LEGAL LOADS**

3 N 6 (72) APPROACH ROADWAY ALIGNMENT: 8

(36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS**

NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 26.9 FT

(94) BRIDGE IMPROVEMENT COST: \$49.000.00 ROADWAY IMPROVEMENT COST: (95)\$5,000.00 TOTAL PROJECT COST: \$74,000.00

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/7/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



COUNTY: MACON

ROUTE: 0A378

BRIDGE ID NUMBER: 560A3780001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: COTTON HOLLOW RD. CROSSING: SALT LICK CREEK

LOCATION: 2 M S RED BOILING SPRINGS

IDENTIFICATION =

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 1.85 SUFFICIENCY RATING: 96.0

- CLASSIEICATION -

(16a,b) LATITUDE:	N	36.50240	DEGREES	
(17a,b) LONGITUDE:	W	85.84707	DEGREES	
(98a) BORDER BRIDGE STATE CODE:			N/A	
(98b) PERCENT SHARE:			N/A	
(99) BORDER BRIDGE NUMBER:		NOT AP	PLICABLE	

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

2
S: 0
CONCRETE CAST-IN-PLACE
AND DECK PROTECTION:

A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

AGE AND SERVICE =

1983	YEAR THE BRIDGE WAS BUILT:	(27)
N/A	YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY) SERVICE ON BRIDGE:	(42a)
WATERWAY) UNDER BRIDGE:	(42b)
2	NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

GEOMETRIC DATA

15.1 FT	(48) MAXIMUM SPAN LENGTH:
38.1 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
22 FT	(51) BRIDGE CURB TO CURB WIDTH:
26.6 FT	(52) BRIDGE OUT TO OUT WIDTH:
24.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
30 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: 22.0 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW

(56) MIN HORZ UNDERCLR ON LEFT:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

NAVIGATION DATA			
(38)	NAV CONTROL:	NO NAVIGATION CONTROL	
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A	
(116)	LIFT BRIDGE VERT CLEARANCE:	N/A	
(40)	NAVIGATION HORZ CLEARANCE	: N/A	

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

(40) NAVIGATION HORZ CLEARANCE:

CLASSIFICATION -			
TH: YES	(112) MEETS NBIS BRIDGE LENG		
EM: NOT A NHS ROUTE	(104) NATIONAL HIGHWAY SYST		
LOCAL RURAL ROAD	(26) FUNCTIONAL CLASS:		
NO PARALLEL BRIDGE	(101) PARALLEL BRIDGE:		
2-WAY TRAFFIC	(102) TRAFFIC DIR:		
NOT APPLICABLE	(103) TEMPORARY BRIDGE:		
NOT ON TRUCK NETWORK	(110) NATIONAL TRUCK ROUTE:		
TORICAL SIGNIFICANCE HAS BEEN DETERMINED	` '		

CONDITION RATINGS —

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CUI VERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

HS-20-44		(31) DESIGN LOADING:
ES): ALL LEGAL LOADS	EHICLES):	WEIGHT POSTING (2 AXLE V
LES): ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MO
5		(70) BRIDGE POSTING CODE
N	OPEN	(41) WT POSTING STATUS:

APPRAISAL	
(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	Ξ
(76)	LENGTH OF BRID	GE IMPROVEMENT:	
(0.4)	DDIDGE IMDDOVE	MENT COCT.	

- (94) BRIDGE IMPROVEMENT COST:
- (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/7/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:



BRIDGE ID NUMBER: 560A3930001 COUNTY: MACON
BRIDGE OWNER: MACON COUNTY ROUTE: 0A393
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: SMALLING RD. COUNTY SEQUENCE: 1
CROSSING: LONG CREEK LOG MILE: 0.00
LOCATION: 5 M SW RED BOILING SPRING SUFFICIENCY RATING: 96.0

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.51297 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.93462 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1984	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT. (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL (67) STRUCTURAL EVALUATION: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 56.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 2 0 15.1 FT 0.0 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	 (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 00000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 22 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 7 5 6 N 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (37) MODO (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 22 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 15.1 FT 15.2 FT 15.3 FT 15.4 FT 15.5 FT 15.5 FT 15.6 FT 16.7 FT 17.7 FT 18.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (98) ROADWAY IMPROVEMENT COST: (99) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8/23/2017
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

BRIDGE ID NUMBER: 560A3940001 BRIDGE OWNER: MACON COUNTY FIPS CODE: 00000

ROAD NAME: TANYARD RD. CROSSING: LONG CREEK

LOCATION: 5.5 M SE OF LAFAYETTE

COUNTY: MACON ROUTE: 0A394 SPECIAL CASE: 0

COUNTY SEQUENCE: 1 LOG MILE: 3.38 SUFFICIENCY RATING: 96.0

IDENTIFICATION (112) MEETS NBIS BRIDGE LENGTH: Ν 36.48892 DEGREES

18.0 FT

22.0 FT

(16a,b) LATITUDE: (17a,b) LONGITUDE: 85.93718 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

ASPHALT A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE

EPOXY COATED REINFORCING C) TYPE PROTECTION:

AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 1992 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(49) TOTAL BRIDGE LENGTH: 44.9 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT 27.6 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT

NO MEDIAN (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 30 DEGREES

(35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A N/A

(116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

CLASSIFICATION = (104) NATIONAL HIGHWAY SYSTEM:

NOT A NHS ROUTE (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**

(102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

NOT BEEN DETERMINED

CONDITION RATINGS =

(58) DECK: Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 (62) CULVERT CONDITION (IF APPLICABLE):

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: R (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 7

(36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/8/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(48) MAXIMUM SPAN LENGTH:

36.44507 DEGREES

85.94772 DEGREES

N/A

N/A

2

NONE



COUNTY: MACON

ROUTE: 0A425

LOG MILE: 0.14

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 78.6

BRIDGE ID NUMBER: 560A4240001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

(98a) BORDER BRIDGE STATE CODE:

(99) BORDER BRIDGE NUMBER:

(45) NUMBER OF MAIN SPANS:

C) TYPE PROTECTION:

(16a,b) LATITUDE:

(17a,b) LONGITUDE:

(98b) PERCENT SHARE:

ROAD NAME: GUM SPRINGS RD.

CROSSING: BRANCH

LOCATION: 7 M SE LAFAYETTE

IDENTIFICATION

Ν

CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED** CONDITION RATINGS = (58) DECK: Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): 7 DESIGN LOAD AND WEIGHT POSTING (31) DESIGN LOADING: H-15-44 WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**

WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN** APPRAISAL (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 3 (72) APPROACH ROADWAY ALIGNMENT:

(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8
RECOMMENDED IMPROVEMENTS	
(75) TYPE OF WORK: BRIDGE DECK REPAIR	
(76) LENGTH OF BRIDGE IMPROVEMENT:	26.9 FT
(94) BRIDGE IMPROVEMENT COST:	\$24,000.00
(95) ROADWAY IMPROVEMENT COST:	\$3,000.00
(96) TOTAL PROJECT COST:	\$37,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017
INSPECTION DATES	
(90) DATE OF LAST REGULAR INSPECTION:	9/11/2017

9/11/2017	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NOT APPLICABLE BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **ASPHALT** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE

AGE AND SERVICE * 1970 (27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 26.9 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:

21.0 FT **NO MEDIAN** (34) BRIDGE SKEW: 25 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 27-Jul-18



BRIDGE ID NUMBER: 560A4240003
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: **GUM SPRINGS RD.**CROSSING: **DUG HOLLOW BRANCH**

LOCATION: 7 M SE OF LAFAYETTE

COUNTY: MACON ROUTE: 0A425

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 0.31 SUFFICIENCY RATING: 81.0

IDENTIFICATION	
(16a,b) LATITUDE: N 36.44537 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.95088 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
	——— CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
A) TYPE OF SURFACE: ASPHALT NOVE	(62) CULVERT CONDITION (IF APPLICABLE): 7
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	• •
	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 1	ALLINAIOAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 13.5 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 13.5 FT (52) BRIDGE OUT TO OUT WIDTH: 18 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 13.5 FT (52) BRIDGE CURB TO CURB WIDTH: 18 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 13.5 FT (52) BRIDGE CURB TO CURB WIDTH: 18 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 13.5 FT (51) BRIDGE CURB TO CURB WIDTH: 13.5 FT (52) BRIDGE OUT TO OUT WIDTH: 13.6 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 13.5 FT (52) BRIDGE OUT TO OUT WIDTH: 18 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 13.5 FT (51) BRIDGE CURB TO CURB WIDTH: 18 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.5 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 13.5 FT (52) BRIDGE OUT TO OUT WIDTH: 18 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: **INSPECTION DATES**
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 13.5 FT (51) BRIDGE CURB TO CURB WIDTH: 18 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.5 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 13.5 FT (52) BRIDGE CURB TO CURB WIDTH: 18 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.5 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (736) TRAFFIC SAFETY FEATURES: (74) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (75) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/11/2017
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 13.5 FT (52) BRIDGE OUT TO OUT WIDTH: 18 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.5 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (736) TRAFFIC SAFETY FEATURES: (74) APPROACH ROADWAY ALIGNMENT: (75) TYPE OF WORK: 17 NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (75) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 18 NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (97) ROADWAY IMPROVEMENT COST: (98) TOTAL PROJECT COST: (99) DATE OF LAST REGULAR INSPECTION: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (94)
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 13.5 FT (52) BRIDGE OUT TO OUT WIDTH: 18 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.5 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (736) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): NA

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: MACON

ROUTE: 0A425

BRIDGE ID NUMBER: 560A4250001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: GUM SPRINGS RD.

CROSSING: BRANCH

LOCATION: 6 MI SE OF LAFAYETTE

OF TRANSPORTATION

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.55 SUFFICIENCY RATING: 88.7

IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.44748 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: NO
(17a,b) LONGITUDE: W 85.95408 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(47) 11111 1777 07 14411 07 149	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE: N
(108) TYPE OF CUREACE.	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1984	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
-	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
	(68) DECK GEOMETRY: 5
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 7.9 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 21.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 7
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 26.2 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 45 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/11/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 560A4270001
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: CHIGGER HOLLOW RD. CROSSING: LITTLE PEYTON CREEK

LOCATION: 7.5 M SE LAFAYETTE

COUNTY: MACON ROUTE: 0A427

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 2.09 SUFFICIENCY RATING: 95.0

IDENTIFICATION ———	
(16a,b) LATITUDE: N 36.42465 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.96717 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
-	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 23.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 18 FT (52) BRIDGE OUT TO OUT WIDTH: 22.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 17.7 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/11/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
• •	,

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: MACON

BRIDGE ID NUMBER: 560A4290001
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: **SHRUM HOLLOW RD.** CROSSING: **DARK SHRUM BRANCH**

LOCATION: 4.5 M SE OF LAFAYETTE

ROUTE: 0A429

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 1.19 SUFFICIENCY RATING: 90.6

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.47352 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.97532 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 45.9 FT	(71) WATERWAY ADEQUACY:
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	(113)
(52) BRIDGE OUT TO OUT WIDTH: 26.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 45 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/14/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

7

7

7

5

Ν

6

7

8

N/A

9/14/2017

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 560A4290003 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A429 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SHRUM HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: DARK SHRUM BRANCH LOG MILE: 1.40 SUFFICIENCY RATING: 90.7 LOCATION: 4.5 M SE OF LAFAYETTE - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.47150 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.97758 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: n (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 45.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:

Ν

36.47037 DEGREES

85.99222 DEGREES

NOT APPLICABLE

N/A

N/A

NONE

NOT APPLICABLE



COUNTY: MACON

ROUTE: 0A429

LOG MILE: 2.25

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 80.2

BRIDGE ID NUMBER: 560A4290005 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

(98a) BORDER BRIDGE STATE CODE:

(99) BORDER BRIDGE NUMBER:

(45) NILIMPED OF MAINLODANIC.

B) TYPE MEMBRANE:

(16a,b) LATITUDE:

(17a,b) LONGITUDE:

(98b) PERCENT SHARE:

ROAD NAME: SHRUM HOLLOW RD.

CROSSING: BRANCH

LOCATION: 6 M SE OF LAFAYETTE

IDENTIFICATION

OF TRANSPORTATION

Ν

N/A

CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

2	(45) NUMBER OF MAIN SP
NS: 0	(46) NUMBER OF APPROA
CONCRETE CAST-IN-PLACE	(107) TYPE OF DECK:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
GRAVEL	A) TYPE OF SURFACE:

NONE C) TYPE PROTECTION: AGE AND SERVICE •

(27) YEAR THE BRIDGE WAS BUILT: 1983 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA -

9.8 FT	(48) MAXIMUM SPAN LENGTH:
22.0 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
17.4 FT	(51) BRIDGE CURB TO CURB WIDTH:
22 FT	(52) BRIDGE OUT TO OUT WIDTH:
17.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: 17.4 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

CONTONE LE CACH IN LEAGE		
CE AND DECK PROTECTION:	(60) SUBSTRUCTURE:	

(58) DECK:

(59) SUPERSTRUCTURE: Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): 7

CONDITION RATINGS

DESIGN LOAD AND WEIGHT POSTING

HS-20-44	(31) DESIGN LOADING:
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):
ALL LEGAL LOADS	WEIGHT POSTING (3 OR MORE AXLES):
5	(70) BRIDGE POSTING CODE:
	(41) WT POSTING STATUS: OPEN

OPEN

APPRAISAL —	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST: ROADWAY IMPROVEMENT COST:

TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/14/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(56) MIN HORZ UNDERCLR ON LEFT:



YES

Ν

Ν

Ν

8

ጸ

5

Ν

6

7

8

N/A

9/14/2017

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 560A4310001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A431 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GANN HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: DARK SHRUM BRANCH LOG MILE: 0.00 SUFFICIENCY RATING: 90.7 LOCATION: 4 M SE OF LAFAYETTE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.46955 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.99343 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **GRAVEL** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR):

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



YES

Ν

Ν

Ν

6

R

5

N

6

8

8

N/A

9/14/2017

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 560A4400001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A440 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DRY BRANCH RD. COUNTY SEQUENCE: 1 CROSSING: DRY BRANCH LOG MILE: 0.50 LOCATION: 5 M S OF LAFAYETTE SUFFICIENCY RATING: 96.0 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.45187 DEGREES 86.04068 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1991 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 44.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 560A4470003 BRIDGE OWNER: MACON COUNTY

> FIPS CODE: 00000 ROAD NAME: WILBURN LN. CROSSING: BRANCH

LOCATION: 2 M SW OF LAFAYETTE

COUNTY: MACON

ROUTE: 0A447 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.13 SUFFICIENCY RATING: 93.3

LOCATION. 2 W SW OF LAFATETTE	SUPPOLING RATING. 93.3
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.50352 DEGREE	S (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.04948 DEGREE	S (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N	(A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N	(A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	E (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) ALLIKOLAN WATERIAL. NOT ALLEGABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	2 CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	0 (58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLAC	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: GRAVE	
B) TYPE MEMBRANE: NOM	
C) TYPE PROTECTION: NON	E DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 199	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWA	(70) BRIDGE POSTING CODE: Y
(42b) UNDER BRIDGE: WATERWA	Y (41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL ———
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 12.1 I	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 26.2 I	(71) WATERWAY ADEQUACY: 7
(50a) LEFT SIDEWALK WIDTH: 0.0 I	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 I	T (36) TRAFFIC SAFETY FEATURES: 1111
(51) BRIDGE CURB TO CURB WIDTH: 22.6 I	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 27.6 I	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 I	
(33) BRIDGE MEDIAN: NO MEDIA	
(34) BRIDGE SKEW: 15 DEGREE	
(35) BRIDGE FLARE: NO FLAR	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 I	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROA	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABI	` '
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROA	• • •
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	· · ·
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABL	1 1
NAVIGATION DATA	
(38) NAV CONTROL: NO NAVIGATION CONTRO	L (92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

PRODUCED PURSUANT TO

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 560A4470005 BRIDGE OWNER: MACON COUNTY

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

FIPS CODE: 00000 ROAD NAME: WILBURN LN. CROSSING: BRANCH

LOCATION: 2 M SW OF LAFAYETTE

COUNTY: MACON ROUTE: 0A447

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.20 SUFFICIENCY RATING: 99.0

LOCATION: 2 M SW OF LAFAYETTE	SUFFICIENCY RATING: 99.0
IDENTIFICATION —	
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: BRIDGE TYPE AND MATERIAL	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: NO PARALLEL BRIDGE 2-WAY TRAFFIC NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) ALTIK SI AN MATERIAL. NOT ALL ELOADEE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: MONOLITHIC CONCRETE B) TYPE MEMBRANE: NONE	CONDITION RATINGS (58) DECK: (59) SUPERSTRUCTURE: (60) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 (62) CULVERT CONDITION (IF APPLICABLE): DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: NONE	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE (27) YEAR THE BRIDGE WAS BUILT: 1999 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN ALL LEGAL LOADS 5 ALL LEGAL LOADS ALL LEGAL LOADS APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 18.7 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 37.1 FT	(71) WATERWAY ADEQUACY: 7
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(51) BRIDGE CURB TO CURB WIDTH: 21.7 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 27.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 45 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT	INSPECTION DATES
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	
(55a) HORZ UNDERCLE: NOT A HIGHWAY OR RAILROAD	(90) DATE OF LAST REGULAR INSPECTION: 9/18/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

(40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public **PUBLICATION DATE** 27-Jul-18

N/A

N/A

PRODUCED PURSUANT TO

PUBLIC RECORDS REQUEST



COUNTY: MACON

ROUTE: 0A449

SPECIAL CASE: 0

BRIDGE ID NUMBER: 560A4490001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: FORD BRANCH RD. CROSSING: GOOSE CREEK

COUNTY SEQUENCE: 1 LOG MILE: 0.13 LOCATION: 3.5 M S OF LAFAYETTE SUFFICIENCY RATING: 77.6

IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.47170 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.04560 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
(27) YEAR THE BRIDGE WAS BUILT: 1950	WEIGHT POSTING (2 AXLE VEHICLES): 13 TONS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): 23 TONS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 4
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 48.9 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 26.2 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 71.2 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$416,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$42,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$625,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/18/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): N
(39) NAVIGATION VERTICAL CLEARANCE: N/A	(020) OF LOIME INOT TITLE QUEITOT (MICHITIO).
(00) NAVIOATION VERTICAL CLEARANCE. N/A	PRODUCED PURSUANT TO

N/A

N/A

PUBLICATION DATE 27-Jul-18

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 560A4490003
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: **FORD BRANCH RD.** CROSSING: **FORD BRANCH**

LOCATION: 3.3 M SW OF LAFAYETTE

COUNTY: MACON ROUTE: 0A449

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 1.41 SUFFICIENCY RATING: 84.5

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.48370 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.06198 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK:
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
A) TYPE OF SURFACE: ASPHALT	(62) CULVERT CONDITION (IF APPLICABLE): 7
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: NONE	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1955	WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(68) DECK GEOMETRY: 5
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(71) WATERWAY ADEQUACY: 5
(49) TOTAL BRIDGE LENGTH: 33.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 25.9 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 40 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/18/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 560A4500001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: CARTER BRANCH RD. CROSSING: CARTER BRANCH LOCATION: 5.5 M SW OF LAFAYETTE

COUNTY: MACON ROUTE: 0A450 SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 3.16

SUFFICIENCY RATING: 82.8

LOCATION. 5.5 W SW OF LAFATETTE	SUPPOLENCE RATING. 62.6
IDENTIFICATION ————	CLASSIFICATION —
(16a,b) LATITUDE: N 36.45742 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.08145 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 (62) CULVERT CONDITION (IF APPLICABLE): 7
B) TYPE MEMBRANE: NONE	, ,
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
(48) MAXIMUM SPAN LENGTH: 12.1 FT	(69) UNDERCLEARANCE RATING: N (74) WATERWAY AREQUACY:
(49) TOTAL BRIDGE LENGTH: 54.1 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 26.6 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(33) BRIDGE MEDIAN: NO MEDIAN	(94) BRIDGE IMPROVEMENT COST:
(34) BRIDGE SKEW: 45 DEGREES	(95) ROADWAY IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(96) TOTAL PROJECT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	INSPECTION DATES
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(90) DATE OF LAST REGULAR INSPECTION: 9/18/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(39) NAVIGATION VERTICAL CLEARANCE: N/A	
	PRODUCED PURSUANT TO

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: MACON

BRIDGE ID NUMBER: 560A4500003

BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

DOAD NAME: CARTER RRANCHE

ROAD NAME: CARTER BRANCH RD.
CROSSING: CARTER BRANCH
LOCATION: 5.5 M SW OF LAFAYETTE

ROUTE: 0A450 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 3.41

SUFFICIENCY RATING: 84.7

LOCATION: 5.5 M SW OF LAFAYETTE	SUFFICIENCY RATING: 84.7
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.45398 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.08113 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) AFFR SFAN WATERIAL. NOT AFFLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
(48) MAXIMUM SPAN LENGTH: 12.1 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 36.1 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 22.6 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 26.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 45 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.6 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/18/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



Ν

COUNTY: MACON

ROUTE: 0A450

LOG MILE: 3.89

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 560A4500005 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: CARTER BRANCH RD. CROSSING: CARTER BRANCH

LOCATION: 6 M SW OF LAFAYETTE

SUFFICIENCY RATING: 85.1

IDENTIFICA	HON	<u> </u>	CLASSIFICATION	
(16a,b) LATITUDE:	N	36.44712 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	86.08153 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRINGE TYPE AND	мат	EDIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

2	(45) NUMBER OF MAIN SPANS:
0	(46) NUMBER OF APPROACH SPA
ONCRETE CAST-IN-PLACE	(107) TYPE OF DECK:
D DECK PROTECTION:	(108) TYPE OF WEARING SURFA
AODUALT	A) TYPE OF CUREACE.

AGE AND SERVICE

1986	YEAR THE BRIDGE WAS BUILT:	(27)
N/A) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY) SERVICE ON BRIDGE:	(42a)
WATERWAY) UNDER BRIDGE:	(42b)
2) NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

GEOMETRIC DATA -

15.1 FT	(48) MAXIMUM SPAN LENGTH:
45.9 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
22 FT	(51) BRIDGE CURB TO CURB WIDTH:
26.2 FT	(52) BRIDGE OUT TO OUT WIDTH:
14.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH
NO MEDIAN	(33) BRIDGE MEDIAN:
45 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: 22.0 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADV
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHN
NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	RANCE: N/A
(116) LIFT BRIDGE VERT CLEARANC	CE: N/A
(40) NAVIGATION HORZ CLEARANC	CE: N/A

(100) 111 2 01 112/11/11/0 00/11/102/11/0	LOKI KOTLOTION.
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

RIDGE WAS BUILT:	1986
RIDGE WAS REHABILITATED:	N/A
I BRIDGE:	HIGHWAY
OGE:	WATERWAY

	45.9 FT
	0.0 FT
	0.0 FT
	22 FT
	26.2 FT
WIDTH:	14.1 FT
	NO MEDIAN

NOT APPLICABLE **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

CONDITION RATINGS =

(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

HS-20-44
ALL LEGAL LOADS
ALL LEGAL LOADS
5

(41) WT POSTING STATUS:

(58) DECK:

———— APPRAISAL	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: NOT APPLICABLE

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

9/18/2017	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:



BRIDGE ID NUMBER: 560A4500007
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: CARTER BRANCH RD.
CROSSING: CARTER BRANCH
LOCATION: 6.5 M SW OF LAFAYETTE

COUNTY: MACON
ROUTE: 0A450
SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 4.31

SUFFICIENCY RATING: 85.1

LOCATION: 6.5 M SW OF LAFAYETTE	SUFFICIENCY RATING: 85.1
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.44122 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.08035 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(TIA) / II TI OF / II TIA II TI OF / II TI O	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1987	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 46.9 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	
(52) BRIDGE OUT TO OUT WIDTH: 26.2 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 28.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 45 DEGREES	(94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(96) TOTAL PROJECT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT	` '
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/18/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(39) NAVIGATION VERTICAL CLEARANCE: N/A	(020) OF EDIME INCO TIME QUEINOT (INICIATIO).
(00) INTO A HOLL VERTICAL OLLARANOL.	PRODUCED PURSUANT TO

N/A

N/A

PUBLICATION DATE 27-Jul-18

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 560A4500009 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: CARTER BRANCH RD. CROSSING: GOOSE CREEK LOCATION: 6.5 M SW OF LAFAYETTE

COUNTY: MACON ROUTE: 0A450 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 4.62

SUFFICIENCY RATING: 85.1

EGG/MGM. C.S. III OW OF EAR ATETTE	3011101EN0110VIIIVO. 33.1
IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.43687 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.07885 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 3	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 8
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 8
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 8
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1987	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
	(68) DECK GEOMETRY: 4
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 32.2 FT	(71) WATERWAY ADEQUACY: 7
(49) TOTAL BRIDGE LENGTH: 98.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	RECOMMENDED IMPROVEMENTS —
(52) BRIDGE OUT TO OUT WIDTH: 25.3 FT	(75) TYPE OF WORK: NOT APPLICABLE
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(33) BRIDGE MEDIAN: NO MEDIAN	(94) BRIDGE IMPROVEMENT COST:
(34) BRIDGE SKEW: 0 DEGREES	(95) ROADWAY IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(96) TOTAL PROJECT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/18/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO
(116) LIFT BRIDGE VERT CLEARANCE: N/A	PUBLIC DECORDS DECUEST

PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public **PUBLICATION DATE** document records request does not 27-Jul-18 waive the provisions of §409



BRIDGE ID NUMBER: 560A4550001 COUNTY: MACON
BRIDGE OWNER: MACON COUNTY ROUTE: 0A455
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: CLAIBORNE LN. COUNTY SEQUENCE: 1
CROSSING: CARTER BRANCH LOG MILE: 0.01
LOCATION: 5 M SW OF LAFAYETTE SUFFICIENCY RATING: 91.7

LOCATION. 5 W 5W OF LAFATETTE	SUPPOLING RATING. 91.7
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.46152 DEGREES	S (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.08207 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	NO PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	E (102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(174a) ALTE OF ARTIMATERIAL. NOT ALL ELOADEE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	
(46) NUMBER OF APPROACH SPANS:) (58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	
B) TYPE MEMBRANE: NONE	
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1984	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED:	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	, (70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAI
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
(48) MAXIMUM SPAN LENGTH: 15.1 F7	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 33.1 FT	(71) WATERWAY ADEQUACY:
(50a) LEFT SIDEWALK WIDTH: 0.0 F7	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 F7	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 24 F7	(113) SCOUR CONDITION RATING: 5
(52) BRIDGE OUT TO OUT WIDTH: 28.5 FT	RECOMMENDED IMPROVEMENTS ———
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	- (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES ————
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/18/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	
NAVIGATION DATA	
(38) NAV CONTROL: NO NAVIGATION CONTROL	. (92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



ROUTE: 0A459

BRIDGE ID NUMBER: 560A4590001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DOOLEY HOLLOW LN.

COUNTY SEQUENCE: 1 LOG MILE: 0.01 CROSSING: GOOSE CREEK LOCATION: 6 M SW OF LAFAYETTE SUFFICIENCY RATING: 91.7

LOCATION. 6 W SW OF LAFATETTE	SUPPOLING RATING. 91.7
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.44622 DEGF	EES (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.06397 DEGF	EES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE:	N/A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICA	BLE (102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	0 (58) DECK: 8
(107) TYPE OF DECK: CONCRETE CAST-IN-PL	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 8
A) TYPE OF SURFACE: MONOLITHIC CONCE	
,	ONE (62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: EPOXY COATED REINFORG	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT:	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED:	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (70) PRIPOST POSTING CORE.
(42a) SERVICE ON BRIDGE: HIGH	(70) BRIDGE POSTING CODE: 5 VAY
(42b) UNDER BRIDGE: WATER	VAY (41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2 APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0 (67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 32.	FT (69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 98.	(71) WATERWAY ADEQUACY: 6 FT (73) ADDROACH DOADWAY ALICANAFAIT.
(50a) LEFT SIDEWALK WIDTH: 0.	(72) APPROACH ROADWAY ALIGNMENT: 8 FT (20) TRAFFIC CAFETY FFATURES: 4000
(50b) RIGHT SIDEWALK WIDTH: 0.	FT (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 2	FT \ ' '/ ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
(52) BRIDGE OUT TO OUT WIDTH: 24.	FT RECOMMENDED IMPROVEMENTS ———
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 9.8	FT (75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO ME	
(34) BRIDGE SKEW: 15 DEGR	
(35) BRIDGE FLARE: NO FL	(00) TOTAL BROUEST COST
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRIC	
	FT (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILR	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICA	• •
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILR	, ,
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICA	, ,
	BLE (92b) UNDERWATER INSP FREQUENCY (MONTHS):
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICA	<u> </u>
NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONT	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 560A4630001

BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: CARR BRANCH RD.

CROSSING: MIDDLE FORK GOOSE CREEK

LOCATION: 6 M SW OF LAFAYETTE

DENTIFICATION

COUNTY: MACON

ROUTE: 0A463

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 0.03

SUFFICIENCY RATING: 86.1

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.46977 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.11837 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 8 (59) SUPERSTRUCTURE: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 (62) CULVERT CONDITION (IF APPLICABLE): N
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: EPOXY COATED REINFORCING	
AGE AND SERVICE —	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1993	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
CLOWET KIO DATA	(66) 11175550 5151105 515110
(48) MAXIMUM SPAN LENGTH: 42.0 FT	(69) UNDERCLEARANCE RATING: N
	(71) WATERWAY ADEQUACY: 6
(48) MAXIMUM SPAN LENGTH: 42.0 FT	(71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7
(48) MAXIMUM SPAN LENGTH: 42.0 FT (49) TOTAL BRIDGE LENGTH: 86.9 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 1000
(48) MAXIMUM SPAN LENGTH: 42.0 FT (49) TOTAL BRIDGE LENGTH: 86.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8
(48) MAXIMUM SPAN LENGTH: 42.0 FT (49) TOTAL BRIDGE LENGTH: 86.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS 6 7 8
(48) MAXIMUM SPAN LENGTH:42.0 FT(49) TOTAL BRIDGE LENGTH:86.9 FT(50a) LEFT SIDEWALK WIDTH:0.0 FT(50b) RIGHT SIDEWALK WIDTH:0.0 FT(51) BRIDGE CURB TO CURB WIDTH:22 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(48) MAXIMUM SPAN LENGTH: 42.0 FT (49) TOTAL BRIDGE LENGTH: 86.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(48) MAXIMUM SPAN LENGTH: 42.0 FT (49) TOTAL BRIDGE LENGTH: 86.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(48) MAXIMUM SPAN LENGTH: 42.0 FT (49) TOTAL BRIDGE LENGTH: 86.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: 42.0 FT 0.0 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(48) MAXIMUM SPAN LENGTH:42.0 FT(49) TOTAL BRIDGE LENGTH:86.9 FT(50a) LEFT SIDEWALK WIDTH:0.0 FT(50b) RIGHT SIDEWALK WIDTH:0.0 FT(51) BRIDGE CURB TO CURB WIDTH:22 FT(52) BRIDGE OUT TO OUT WIDTH:24.3 FT(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:22.0 FT(33) BRIDGE MEDIAN:NO MEDIAN(34) BRIDGE SKEW:15 DEGREES(35) BRIDGE FLARE:NO FLARE(520) MIN VERTICAL CLEARANCE OVER RD:NO RESTRICTION	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/20/2017
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD)	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: (54a) VERT UNDERCLE: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: (NOT APPLICABLE	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLE: (55a) HORZ UNDERCLE: (55a) HORZ UNDERCLER: (86.9 FT (9.0 In The Median Section of the Median Section S	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: (54a) VERT UNDERCLE: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: (NOT APPLICABLE	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: MACON

ROUTE: 0A463

LOG MILE: 0.88

BRIDGE ID NUMBER: 560A4630003 BRIDGE OWNER: MACON COUNTY SPECIAL CASE: 0

FIPS CODE: 00000

ROAD NAME: CARR BRANCH RD. CROSSING: CARR CREEK

LOCATION: 6 M SW OF LAFAYETTE

- IDENTIFICATION .

CI ASSIEICATION -

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 99.9

IDENTIFICATION —		CLASSIFICA	ION ———	
(16a,b) LATITUDE:	N	36.48087 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	86.12377 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR: ONE LANE	BRIDGE FOR 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL		(103) TEMPORARY BRIDGE:	NOT APPLICABLE	
DIVIDOL I II L AND II			(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK

(58) DECK:

(59) SUPERSTRUCTURE:

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

CONDITION RATINGS =

NOT BEEN DETERMINED

Ν

Ν

7

IDENTIFICATION —————				
(16a,b) LATITUDE:	N	36.48087	DEGREES	
(17a,b) LONGITUDE:	W	86.12377	DEGREES	
(98a) BORDER BRIDGE STATE CODE:			N/A	
(98b) PERCENT SHARE:			N/A	
(99) BORDER BRIDGE NUMBER:		NOT A	PPLICABLE	
BRIDGE TYPE AND N	/ATE	ERIAL -		
(43a) MAIN SPAN MATERIAL: CONCRE	TE C	ONTINUOU	ıs	
(44a) APPR SPAN MATERIAL: NOT APP				
(45) NUMBER OF MAIN SPANS:			3	
(46) NUMBER OF APPROACH SPANS:			0	
(107) TYPE OF DECK:	ONC	RETE CAST	Γ-IN-PLACE	
(108) TYPE OF WEARING SURFACE ANI	D DE	CK PROTE	CTION:	
A) TYPE OF SURFACE:			ASPHALT	
B) TYPE MEMBRANE:			NONE	
C) TYPE PROTECTION:			NONE	
AGE AND SER	VICE	E —		
(27) YEAR THE BRIDGE WAS BUILT:			2009	
(106) YEAR THE BRIDGE WAS REHABIL	ITATI	ED:	N/A	
(42a) SERVICE ON BRIDGE:			HIGHWAY	
(42b) UNDER BRIDGE:		= '	VATERWAY	
(28a) NUMBER OF LANES CARRIED BY			2	
(28b) NUMBER OF LANES UNDER THE E			0	
GEOMETRIC I	DAT	Α ———		
(48) MAXIMUM SPAN LENGTH:			18.0 FT	
(49) TOTAL BRIDGE LENGTH:			86.9 FT	
(50a) LEFT SIDEWALK WIDTH:			0.0 FT	
(50b) RIGHT SIDEWALK WIDTH:			0.0 FT	
(51) BRIDGE CURB TO CURB WIDTH:			34.1 FT	
(52) BRIDGE OUT TO OUT WIDTH:(32) APPROACH ROADWAY (W/ SHLDS)	WID.	TLI.	38.1 FT 22.0 FT	
(33) BRIDGE MEDIAN:	טועע		NO MEDIAN	
(34) BRIDGE SKEW:			DEGREES	
(35) BRIDGE FLARE:		40	NO FLARE	
(520) MIN VERTICAL CLEARANCE OVER	R RD:	NO RE	STRICTION	
(47) MIN HORIZONTAL CLEARANCE ON			34.1 FT	
` '			RAILROAD	
(54b) MIN VERTICAL UNDERCLEARANC			PPLICABLE	
(55a) HORZ UNDERCLR: NOT		HWAY OR	RAILROAD	
(55b) MIN HORZ UNDERCLR ON RIGHT:			PPLICABLE	
(56) MIN HORZ UNDERCLR ON LEFT:		NOT AF	PPLICABLE	

(50a) LEFT SIDEWALK WIDTH:	0.0 FI
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	34.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	38.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTI	H: 22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	40 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROAD	WAY: 34.1 FT
(54a) VERT UNDERCLR: NOT A HIGH	IWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR: NOT A HIGH	IWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE
NAVIGATION DATA	
(38) NAV CONTROL: NO NA	VIGATION CONTROL

(60) SUBSTRUCTURE:
(61) STREAM CHANNEL AND CHANNEL PROTECTION:
(62) CULVERT CONDITION (IF APPLICABLE):

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 +MOD WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: OPEN

(+1) WIT COTING CITATOG. CI EN	
— APPRAISAL —	
(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

N/A

N/A

N/A

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/20/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 560A4630005
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: **CARR BRANCH RD.** CROSSING: **CARR CREEK**

LOCATION: 6 M SW OF LAFAYETTE

COUNTY: MACON
ROUTE: 0A463

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 2.10 SUFFICIENCY RATING: 72.7

——— IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.49610 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.12973 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(4E) NUMBER OF MAIN CRANC.	——— CONDITION RATINGS ————
(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
(27) YEAR THE BRIDGE WAS BUILT: 1950	WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS
(106) YEAR THE BRIDGE WAS BEHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): 18 TONS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 4
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 29.9 FT	(71) WATERWAY ADEQUACY: 5
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 20.3 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 22.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 51.8 FT
(34) BRIDGE SKEW: 40 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$277,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$28,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$416,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/20/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

8

7

7

5

N

7

8

8

N/A

9/19/2017

24

N/A

N/A

Ν

Ν

1111

HS-20-44

BRIDGE ID NUMBER: 560A4650001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A465 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SANDERS HOLLOW LN. COUNTY SEQUENCE: 1 CROSSING: MIDDLE FORK GOOSE CREEK LOG MILE: 0.00 LOCATION: 5 M SW OF LAFAYETTE SUFFICIENCY RATING: 93.6 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.47898 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.11153 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **GRAVEL** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2004 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 16.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 35.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

NATIONAL BRIDGE INVENTORY



YES

N/A

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

LOCAL RURAL ROAD

NO PARALLEL BRIDGE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 560A4670001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A467 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BARBER HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: BARBERS BRANCH LOG MILE: 1.87 LOCATION: 5 M SW OF LAFAYETTE SUFFICIENCY RATING: 96.0 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.49268 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.10060 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **ASPHALT** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE *

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

N/A

NOT A HIGHWAY OR RAILROAD

(27) YEAR THE BRIDGE WAS BUILT: 1983 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 30.8 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT NO MEDIAN (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 (62) CULVERT CONDITION (IF APPLICABLE): **DESIGN LOAD AND WEIGHT POSTING**

HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN**

APPRAISAL (67) STRUCTURAL EVALUATION: R (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/20/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



YES

BRIDGE ID NUMBER: 560A4750001
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: ECHO RD.

CROSSING: ECHO BRANCH

LOCATION: 7.5 M SW OF LAFAYETTE

COUNTY: MACON ROUTE: 0A475 SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 0.02

SUFFICIENCY RATING: 98.0

IDENTIFICATION			
N	36.46365	DEGREES	(112) MEETS NBIS BRIDGE LENGTH:

(16a,b) LATITUDE:N36.46365DEGREES(17a,b) LONGITUDE:W86.13248DEGREES(98a) BORDER BRIDGE STATE CODE:N/A(98b) PERCENT SHARE:N/A

(99) BORDER BRIDGE NUMBER: NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:
2 (46) NUMBER OF APPROACH SPANS:
0 (107) TYPE OF DECK:
CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE:
MONOLITHIC CONCRETE

B) TYPE MEMBRANE: NONE
C) TYPE PROTECTION: EPOXY COATED REINFORCING

AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT: 2004
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A
(42a) SERVICE ON BRIDGE: HIGHWAY
(42b) UNDER BRIDGE: WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 18.0 FT (49) TOTAL BRIDGE LENGTH: 38.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 27.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 10 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD NOT APPLICABLE**

(54b) MIN VERTICAL UNDERCLEARANCE: NOT AP
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR F

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**

(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL
 (39) NAVIGATION VERTICAL CLEARANCE: N/A
 (116) LIFT BRIDGE VERT CLEARANCE: N/A
 (40) NAVIGATION HORZ CLEARANCE: N/A

(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE

(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE

(102) TRAFFIC DIR: 2-WAY TRAFFIC

(103) TEMPORARY BRIDGE: NOT APPLICABLE

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

CONDITION RATINGS =

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING =

(31) DESIGN LOADING:
WEIGHT POSTING (2 AXLE VEHICLES):
WEIGHT POSTING (3 OR MORE AXLES):
ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:
5

(41) WT POSTING STATUS: OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:
(68) DECK GEOMETRY:
(69) UNDERCLEARANCE RATING:
(71) WATERWAY ADEQUACY:
(72) APPROACH ROADWAY ALIGNMENT:
(36) TRAFFIC SAFETY FEATURES:
(1111
(113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: NOT APPLICABLE

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:
(91) REGULAR INSPECTION FREQUENCY (MONTHS):
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):
N



BRIDGE ID NUMBER: 560A4750003 BRIDGE OWNER: MACON COUNTY

> FIPS CODE: 00000 ROAD NAME: ECHO RD. CROSSING: BRANCH

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

LOCATION: 7.5 M SW OF LAFAYETTE

COUNTY: MACON

ROUTE: 0A475 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.33

SUFFICIENCY RATING: 85.8

IDENTIFICATION ———	
(16a,b) LATITUDE: N 36.46217 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.13737 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	——— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1984	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT. (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(125) STIBLIT BRIDGE.	A D D D A 10 A 1
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	_
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 37.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 37.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 37.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION:6(68) DECK GEOMETRY:5(69) UNDERCLEARANCE RATING:N(71) WATERWAY ADEQUACY:6(72) APPROACH ROADWAY ALIGNMENT:6(36) TRAFFIC SAFETY FEATURES:0000(113) SCOUR CONDITION RATING:8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 37.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 20 12.1 FT 23.7 FT	(67) STRUCTURAL EVALUATION:6(68) DECK GEOMETRY:5(69) UNDERCLEARANCE RATING:N(71) WATERWAY ADEQUACY:6(72) APPROACH ROADWAY ALIGNMENT:6(36) TRAFFIC SAFETY FEATURES:0000(113) SCOUR CONDITION RATING:8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 20 12.1 FT 23.1 FT 25.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (55)	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (3113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 45 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (3113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21. FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 37.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 22 FT (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (12.1 FT (37.1 FT (37.1 FT (37.2 FT (37.3 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: (54a) VERT UNDERCLE: (55a) HORZ UNDERCLE: (NOT A HIGHWAY OR RAILROAD)	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TYPE OF WORK: (37) TYPE OF WORK: (38) NOT APPLICABLE (39) ROADWAY IMPROVEMENT COST: (39) ROADWAY IMPROVEMENT COST: (39) TOTAL PROJECT COST: (39) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (30) DATE OF LAST REGULAR INSPECTION: (31) REGULAR INSPECTION FREQUENCY (MONTHS): (32) UNDERWATER INSP (MO/YR): (34) NA
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (12.1 FT (37.1 FT (37.1 FT (37.2 FT (37.3 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

(40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public **PUBLICATION DATE** 27-Jul-18

N/A

N/A

document records request does not waive the provisions of §409

PRODUCED PURSUANT TO

PUBLIC RECORDS REQUEST



COUNTY: MACON

ROUTE: 0A476

BRIDGE ID NUMBER: 560A4760001
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: CLAMPIT HOLLOW RD.

CROSSING: BRANCH

LOCATION: 7 M SW OF LAFAYETTE

COUNTY SEQUENCE: 1

LOG MILE: 0.00

SPECIAL CASE: 0

SUFFICIENCY RATING: 96.0

IDENTIFICATION	
(16a,b) LATITUDE: N 36.48477 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.15068 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT. (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
•	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL (67) STRUCTURAL EVALUATION: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	_
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 33.1 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 7 5 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (37) 0000 (113) SCOUR CONDITION RATING:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 7 5 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (37) 0000 (113) SCOUR CONDITION RATING:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 22 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (76) LENGTH OF BRIDGE IMPROVEMENT: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) WE CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (76) LENGTH OF BRIDGE IMPROVEMENT: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22 15.1 FT 15.1 FT 15.1 FT 15.1 FT 16.2 PT 16.3 PT 17.4 PT 18.4 PT 18.5 PT 18.5 PT 18.6 P	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) WE CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK: (38) NOT APPLICABLE (39) BRIDGE IMPROVEMENTS (30) TYPE OF WORK: (30) TOTAL PROJECT COST: (31) TOTAL PROJECT COST: (32) TOTAL PROJECT COST: (33) TOTAL PROJECT COST: (34) WATERWAY ADEQUACY: (35) ROADWAY IMPROVEMENT COST ESTIMATE: (36) TOTAL PROJECT COST: (37) YEAR OF IMPROVEMENT COST ESTIMATE: (38) DATE OF LAST REGULAR INSPECTION: (39) DATE OF LAST REGULAR INSPECTION: (31) REGULAR INSPECTION FREQUENCY (MONTHS): (34) N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (574) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 560A4760001 BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

(116) LIFT BRIDGE VERT CLEARANCE:

ROAD NAME: OAKDALE RD. CROSSING: BRANCH

LOCATION: 7 M SW OF LAFAYETTE

COUNTY: MACON

ROUTE: 0A476 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.00 SUFFICIENCY RATING: 96.0

LOCATION. / WISW OF LAFATETTE	SOFFICIENCT RATING. 90.0		
IDENTIFICATION ————	CLASSIFICATION —		
(16a,b) LATITUDE: N 36.48477 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES		
(17a,b) LONGITUDE: W 86.15068 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE		
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD		
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE		
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC		
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE		
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK		
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS		
()	NOT BEEN DETERMINED		
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS		
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N		
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N		
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:		
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8		
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7		
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING		
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44		
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS		
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS		
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5		
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN		
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	———— APPRAISAL		
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7		
GEOMETRIC DATA	(68) DECK GEOMETRY: 5		
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(69) UNDERCLEARANCE RATING: N		
(49) TOTAL BRIDGE LENGTH: 33.1 FT	(71) WATERWAY ADEQUACY: 6		
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8		
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000		
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	(113) SCOUR CONDITION RATING: 8		
(52) BRIDGE OUT TO OUT WIDTH: 26.2 FT	RECOMMENDED IMPROVEMENTS		
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT	(75) TYPE OF WORK: NOT APPLICABLE		
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A		
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:		
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:		
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:		
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	` '		
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES		
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/22/2017		
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24		
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A		
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N (92c) DATE OF SPECIAL INSPECTION (MO(VP):		
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A		
(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A	(92c) SPECIAL INSP FREQUENCY (MONTHS): N		
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO		

(40) NAVIGATION HORZ CLEARANCE: N/A **PUBLICATION DATE** 27-Jul-18

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

PRODUCED PURSUANT TO



YES

Ν

Ν

Ν

8

R

5

N

6

8

8

N/A

9/22/2017

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 560A4760003 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0A476 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CLAMPIT HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.57 LOCATION: 7 M SW OF LAFAYETTE SUFFICIENCY RATING: 96.0 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.49212 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.15280 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **GRAVEL** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 27.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

LOCATION: 8 M SW OF LAFAYETTE



SUFFICIENCY RATING: 86.2

BRIDGE ID NUMBER: 560A4800001 COUNTY: MACON
BRIDGE OWNER: MACON COUNTY ROUTE: 0A480
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: LOVE HOLLOW RD. COUNTY SEQUENCE: 1
CROSSING: LOVE CREEK LOG MILE: 1.67

ECCATION. SIN SW OF LAFATETTE	SOFFICIENCY NATING: 80.2
IDENTIFICATION ————	CLASSIFICATION —
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: N 36.49312 DEGREES N/A 86.16590 DEGREES N/A NOT APPLICABLE	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: (103) TEMPORARY BRIDGE: (104) NATIONAL TRUCK ROUTE: (105) NOT APPLICABLE (110) NATIONAL TRUCK ROUTE: (107) NISTORICAL CLASS: (108) HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1983 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 12.1 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 30.8 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 22.6 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 26.9 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 30 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/22/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

Ν

N/A

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



BRIDGE ID NUMBER: 560A4800003
BRIDGE OWNER: MACON COUNTY

FIPS CODE: 00000

ROAD NAME: LOVE HOLLOW RD. CROSSING: LOVE CREEK

LOCATION: 8 M SW OF LAFAYETTE

COUNTY: MACON
ROUTE: 0A480

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 2.29 SUFFICIENCY RATING: 96.0

IDENTIFICATION	
(16a,b) LATITUDE: N 36.48498 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.16410 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 8
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE —	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 35.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 23 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 27.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 10 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/22/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

8

8

ጸ

5

N

8

8

8

N/A

8/11/2017

24

N/A

N/A

Ν

Ν

1111

HL-93

BRIDGE ID NUMBER: 560B1750001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0B175 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TRAMMEL CREEK RD. COUNTY SEQUENCE: 1 CROSSING: BIG TRAMMEL CREEK LOG MILE: 0.80 SUFFICIENCY RATING: 98.9 LOCATION: 4.5 M NW OF EULIA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.58198 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 86.21083 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2012 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 94.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 31.5 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 50 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

6

2

N

6

6

8

NNNN

25.9 FT

2017

N/A

N/A

Ν

Ν

\$90.000.00

\$10,000.00

\$136,000.00

8/11/2017 24

H-15-44

BRIDGE ID NUMBER: 560B1750003 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0B175 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: EPPERSON SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 3.43 LOCATION: 3 M N OF EULIA SUFFICIENCY RATING: 75.5 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.56958 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.18207 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **GRAVEL** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 7.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 25.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 13.5 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 17.4 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

7

5

Ν

5

6

8

N/A

8/11/2017

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 560B1850001 COUNTY: MACON BRIDGE OWNER: MACON COUNTY ROUTE: 0B185 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BUCK HAYNES RD. COUNTY SEQUENCE: 1 CROSSING: TRAMMEL CREEK LOG MILE: 1.14 SUFFICIENCY RATING: 93.5 LOCATION: 7 M N OF EULIA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.62467 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.19595 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 64.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 25.6 FT RECOMMENDED IMPROVEMENTS 29.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

7

8

53.1 FT

2017

\$185,000.00

\$19,000.00

\$278,000.00

HS-20-44

ALL LEGAL LOADS ALL LEGAL LOADS

NOT A NHS ROUTE

RURAL ARTERIAL

2-WAY TRAFFIC

NOT APPLICABLE

NO PARALLEL BRIDGE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 56SR0100001 COUNTY: MACON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR010 SPECIAL CASE: 0 FIPS CODE: 00000 **ROAD NAME: STATE HWY. 10** COUNTY SEQUENCE: 1 CROSSING: TAYLORS BRANCH LOG MILE: 1.47 LOCATION: 1.47 MI N OF SMITH CO SUFFICIENCY RATING: 60.8 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.44857 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.05248 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE WEIGHT POSTING (2 AXI E VEHICLES):

(27) YEAR THE BRIDGE WAS BUILT:	1942	WEIGHT FOSTING (2 AXLL VEHICLES).
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	WEIGHT POSTING (3 OR MORE AXLES):
(42a) SERVICE ON BRIDGE:	HIGHWAY	(70) BRIDGE POSTING CODE:
(42b) UNDER BRIDGE:	WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA		(68) DECK GEOMETRY:
		(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH:	26.9 FT	(71) WATERWAY ADEQUACY:
(49) TOTAL BRIDGE LENGTH:	53.1 FT	` '
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	(36) TRAFFIC SAFETY FEATURES:
(30b) RIGITI SIDEWALK WIDTH.	0.0 1 1	(440) COOLID CONDITION DATING

(32) BRIDGE OUT TO OUT WIL	JID. 21.0	- I			
(32) APPROACH ROADWAY (V	W/ SHLDS) WIDTH: 29.9	FT (75)	TYPE OF WORK:	BRIDGE WIDENING (NO DE NEEDED)	CK REPAIRS
(33) BRIDGE MEDIAN:	NO MEDI	(76)	LENGTH OF BRID	GE IMPROVEMENT:	53.1 F
(34) BRIDGE SKEW:	10 DEGRE	es (94)	BRIDGE IMPROVE	EMENT COST:	\$185,000.00
(35) BRIDGE FLARE:	NO FLA	RE (95)) ROADWAY IMPRO	OVEMENT COST:	\$19,000.00
(520) MIN VERTICAL CLEARAI	NCE OVER RD: NO RESTRICTI	ON (96)) TOTAL PROJECT	COST:	\$278,000.00
(47) MIN HORIZONTAL CLEAR	ANCE ON ROADWAY: 24.0	-T (97)	YEAR OF IMPROV	'EMENT COST ESTIMATE:	201
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILRO	AD —	INS	SPECTION DATES —	

24 FT

27.6 FT

2011	(67) 12/11/61 1011 1/67/21/21/11 0001 2011/11/12	DWAY: 24.0 FI) MIN HORIZONTAL CLEARANCE ON ROAD	(47) MIN HORIZONTAL (
	INSPECTION DATES	HWAY OR RAILROAD	a) VERT UNDERCLR: NOT A HIGH	(54a) VERT UNDERCLR:
8/1/2017	(90) DATE OF LAST REGULAR INSPECTION:	NOT APPLICABLE	b) MIN VERTICAL UNDERCLEARANCE:	(54b) MIN VERTICAL UN
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):	HWAY OR RAILROAD	a) HORZ UNDERCLR: NOT A HIGH	(55a) HORZ UNDERCLR
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	NOT APPLICABLE	b) MIN HORZ UNDERCLR ON RIGHT:	(55b) MIN HORZ UNDER
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):	NOT APPLICABLE	MIN HORZ UNDERCLR ON LEFT:	(56) MIN HORZ UNDER
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):	· ——	NAVIGATION DATA	N/
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):	AVIGATION CONTROL	NAV CONTROL: NO NA	(38) NAV CONTROL:
	PRODUCED PURSUANT T	N/A	NAVIGATION VERTICAL CLEARANCE:	(39) NAVIGATION VER
ı U	PRODUCED PURSUANT I	AI/A	C) LIET DDIDCE VEDT CLEADANCE:	(446) LIET DDIDGE VED.

N/A

N/A

(113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(51) BRIDGE CURB TO CURB WIDTH:

(52) BRIDGE OUT TO OUT WIDTH:



Ν

Ν

Ν

7

2017

\$221,000.00

H-15-44

ALL LEGAL LOADS

ALL LEGAL LOADS

COUNTY: MACON

ROUTE: SR010

LOG MILE: 1.72

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 64.6

BRIDGE ID NUMBER: 56SR0100003 BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 10 CROSSING: DRY BRANCH

LOCATION: 5.14 MI S OF LAFAYETTE

CLASSIFICATION -

IDENTIFICATION —			CLASSIFICATION ————	
(16a,b) LATITUDE:	N	36.45155 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	86.05000 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL ARTERIAL
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL			(103) TEMPORARY BRIDGE:	NOT APPLICABLE
			(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK

(58) DECK:

(59) SUPERSTRUCTURE:

(60) SUBSTRUCTURE:

(31) DESIGN LOADING:

(70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN

(96) TOTAL PROJECT COST:

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

(61) STREAM CHANNEL AND CHANNEL PROTECTION:

(62) CULVERT CONDITION (IF APPLICABLE):

WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES):

CONDITION RATINGS =

DESIGN LOAD AND WEIGHT POSTING

APPRAISAL

NOT BEEN DETERMINED

IDENTIFICATION ————
6a,b) LATITUDE: N 36.45155 DEGREES 7a,b) LONGITUDE: W 86.05000 DEGREES 8a) BORDER BRIDGE STATE CODE: N/A 8b) PERCENT SHARE: N/A 9) BORDER BRIDGE NUMBER: NOT APPLICABLE BRIDGE TYPE AND MATERIAL
3a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS 4a) APPR SPAN MATERIAL: NOT APPLICABLE
5) NUMBER OF MAIN SPANS: 6) NUMBER OF APPROACH SPANS: 0 07) TYPE OF DECK: CONCRETE CAST-IN-PLACE 08) TYPE OF WEARING SURFACE AND DECK PROTECTION: 1 TYPE OF SURFACE: ASPHALT
TYPE MEMBRANE: NONE TYPE PROTECTION: NONE
AGE AND SERVICE 7) YEAR THE BRIDGE WAS BUILT: 1942 106) YEAR THE BRIDGE WAS REHABILITATED: N/A 2a) SERVICE ON BRIDGE: HIGHWAY 2b) UNDER BRIDGE: WATERWAY 8a) NUMBER OF LANES CARRIED BY BRIDGE: 2 8b) NUMBER OF LANES UNDER THE BRIDGE: 0
GEOMETRIC DATA
8) MAXIMUM SPAN LENGTH: 9.8 FT 9) TOTAL BRIDGE LENGTH: 42.0 FT 0a) LEFT SIDEWALK WIDTH: 0b) RIGHT SIDEWALK WIDTH: 0.0 FT 1) BRIDGE CURB TO CURB WIDTH: 2) BRIDGE OUT TO OUT WIDTH: 2) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT
3) BRIDGE MEDIAN: 4) BRIDGE SKEW: 5) BRIDGE FLARE: 15 DEGREES 5) BRIDGE FLARE: NO FLARE 20) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION 7) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.3 FT 4a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD 4b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE 5a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD 5b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE 6) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

7	7) STRUCTURAL EVALUATION:	(67)	
2	B) DECK GEOMETRY:	(68)	
N	9) UNDERCLEARANCE RATING:	(69)	
6	1) WATERWAY ADEQUACY:	(71)	
8	2) APPROACH ROADWAY ALIGNMENT:	(72)	
1111	6) TRAFFIC SAFETY FEATURES:	(36)	
8	13) SCOUR CONDITION RATING:	(113	
RECOMMENDED IMPROVEMENTS			
K REPAIRS	5) TYPE OF WORK: BRIDGE WIDENING (NO DEC P NEEDED)	(75)	
42 FT	6) LENGTH OF BRIDGE IMPROVEMENT:	(76)	
\$147,000.00	4) BRIDGE IMPROVEMENT COST:	(94)	
\$15,000.00	5) ROADWAY IMPROVEMENT COST:	(95)	

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES				
(90) DATE OF LAST REGULAR INSPECTION:	8/1/2017			
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24			
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A			
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N			
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A			
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N			

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



> > N/A

Ν

BRIDGE ID NUMBER: 56SR0100005

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 10 CROSSING: DRY FORK CREEK LOCATION: 3.83 MI. S. OF LAFAYETTE COUNTY: MACON ROUTE: SR010

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 3.03

SUFFICIENCY RATING: 65.9

(16a,b) LATITUDE: N 36.46973 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 86.04407 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL ARTERIAL	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS	
	NOT BEEN DETERMINED CONDITION RATINGS	
(45) NUMBER OF MAIN SPANS: 4		
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6 (60) SUBSTRUCTURE: 7	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7	
A) TYPE OF SURFACE: ASPHALT	(62) CULVERT CONDITION (IF APPLICABLE):	
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING	
C) TYPE PROTECTION: NONE		
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44 WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 1945	WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5	
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN	
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 6	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(68) DECK GEOMETRY:	
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:	
(48) MAXIMUM SPAN LENGTH: 28.9 FT	(71) WATERWAY ADEQUACY: 6	
(49) TOTAL BRIDGE LENGTH: 113.8 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0111	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8	
(51) BRIDGE CURB TO CURB WIDTH: 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: 32.2 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DECK REPAIRS	
(02) ATT NO ADTAIN (WI GILLDO) WIDTH:	NEEDED)	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 113.8 FT	
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$264,000.00	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$27,000.00	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$397,000.00	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/1/2017	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N	

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

- NAVIGATION DATA -

NO NAVIGATION CONTROL

N/A

N/A

N/A



BRIDGE ID NUMBER: 56\$R0100007 COUNTY: MACON
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: \$R010
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: STATE HWY. 10 COUNTY SEQUENCE: 1

CROSSING: SULLIVAN BRANCH

LOCATION: 3.77 MI. S. OF LAFAYETTE

COUNTY SEQUENCE: 1

LOCATION: 3.09

SUFFICIENCY RATING: 64.1

LOCATION: 3.77 MI. S. OF LAFAYETTE SUFFICIENCY RATING: 64.1			
IDENTIFICAT	ON ———		
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: BRIDGE TYPE AND N (43a) MAIN SPAN MATERIAL: CONCRE (44a) APPR SPAN MATERIAL: NOT APP	N 36.47060 DEGREES W 86.04360 DEGREES N/A N/A NOT APPLICABLE IATERIAL TE	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: RUR (101) PARALLEL BRIDGE: NO PARA (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: NOT	
		CONDITION RATINGS	
(45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: C (108) TYPE OF WEARING SURFACE ANI A) TYPE OF SURFACE: B) TYPE MEMBRANE: C) TYPE PROTECTION:	2 0 ONCRETE CAST-IN-PLACE D DECK PROTECTION: ASPHALT NONE	(58) DECK: (59) SUPERSTRUCTURE: (60) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION (62) CULVERT CONDITION (IF APPLICABLE): DESIGN LOAD AND WEIGHT POSTII	7 7 7 1: 7 N
AGE AND SER		(31) DESIGN LOADING:	HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABIL (42a) SERVICE ON BRIDGE: (42b) UNDER BRIDGE:	1949 ITATED: N/A HIGHWAY	(EGAL LOADS EGAL LOADS 5
(28a) NUMBER OF LANES CARRIED BY	WATERWAY BRIDGE: 2	APPRAISAL	
(28b) NUMBER OF LANES UNDER THE E		(67) STRUCTURAL EVALUATION:	7
GEOMETRIC D		(68) DECK GEOMETRY:	3
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH:	28.9 FT 57.1 FT 0.0 FT 0.0 FT 25.9 FT	(69) UNDERCLEARANCE RATING:(71) WATERWAY ADEQUACY:(72) APPROACH ROADWAY ALIGNMENT:(36) TRAFFIC SAFETY FEATURES:(113) SCOUR CONDITION RATING:	N 4 7 0111 8
(52) BRIDGE OUT TO OUT WIDTH:	32.2 FT	RECOMMENDED IMPROVEMENT	
(32) APPROACH ROADWAY (W/ SHLDS)	WIDTH: 27.9 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DEC NEEDED)	K REPAIRS
(33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER (47) MIN HORIZONTAL CLEARANCE ON	ROADWAY: 25.9 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES	57.1 FT \$149,000.00 \$15,000.00 \$224,000.00 2017
(54a) VERT UNDERCLR: NOT (54b) MIN VERTICAL UNDERCLEARANC	A HIGHWAY OR RAILROAD E: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION:	8/1/2017
(55a) HORZ UNDERCLR: NOT. (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: NAVIGATION D	A HIGHWAY OR RAILROAD NOT APPLICABLE NOT APPLICABLE OATA	(91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR):	
(38) NAV CONTROL:	O NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: MACON

ROUTE: SR010

LOG MILE: 5.58

SPECIAL CASE: 0

BRIDGE ID NUMBER: 56SR0100009 BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 10 CROSSING: E. FK. GOOSE CREEK

LOCATION: 1.28 MI S OF TROUSDALE CO

CLASSIFICATION =

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 88.3

- IDENTIFICATION (16a,b) LATITUDE: 36.50407 DEGREES (112) MEETS NBIS BRIDGE LENGTH: YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.04700 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

NOT BEEN DETERMINED

CONDITION RATINGS =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: NOT APPLICABLE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION:

AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT: 1974 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 25.9 FT (49) TOTAL BRIDGE LENGTH: 32.2 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**

NAVIGATION DATA

NOT A HIGHWAY OR RAILROAD

NOT APPLICABLE

NOT APPLICABLE

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

(58) DECK: Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 (62) CULVERT CONDITION (IF APPLICABLE): 8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HL-93 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: R (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NNNN (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 8/1/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



HC 20 44

NOT ON TRUCK NETWORK

COUNTY: MACON

ROUTE: SR052

LOG MILE: 0.37

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 81.9

BRIDGE ID NUMBER: 56SR0520011

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: HWY. 52 W. CROSSING: TRAMMEL CREEK

LOCATION: 1 M E SUMNER CO LINE

IDENTIFICATI	UN		CLASSIFICATIO	N
(16a,b) LATITUDE:	N	36.54495 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	86.21577 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND M	ATI	EDIAI	(103) TEMPORARY BRIDGE:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK	PROTECTION:
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

1992	YEAR THE BRIDGE WAS BUILT:	(27)
N/A) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY) SERVICE ON BRIDGE:	(42a)
WATERWAY) UNDER BRIDGE:	(42b)
2) NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

GEOMETRIC DATA —

9.8 FT	(48) MAXIMUM SPAN LENGTH:
24.9 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
UNDER FILL	(51) BRIDGE CURB TO CURB WIDTH:
UNDER FILL	(52) BRIDGE OUT TO OUT WIDTH:
47.9 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
30 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD: N
47.9 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADWAY
OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHWA
T APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE: N

NAVIGATION DATA

NOT A HIGHWAY OR RAILROAD

NOT APPLICABLE

NOT APPLICABLE

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	ANCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	: N/A
(40) NAVIGATION HORZ CLEARANCE	E: N/A

37)	HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS
		NOT BEEN DETERMINED

(110) NATIONAL TRUCK ROUTE:

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	8

CONDITION RATINGS =

DESIGN LOAD AND WEIGHT POSTING

31) DESIGN ECADING.	-
VEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOAD	S
VEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOAD	S
70) BRIDGE POSTING CODE:	5
41) WT POSTING STATUS: OPEN	
ADDDAICAL	

APPRAISAL	
(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	GE IMPROVEMENT:	N/A
(0.4)	PRIDCE IMPROVE	MENT COST.	

- (94) BRIDGE IMPROVEMENT COST:
- (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/2/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



YES

8

8

8

8

Ν

R

9

N

8

8

8

N/A

8/15/2017

24

N/A

N/A

Ν

Ν

1001

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 56SR0520009 COUNTY: MACON BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: HWY. 52 E.

CROSSING: LONG FORK CREEK

LOCATION: E OF SR261 NEAR DRAPER RD

ROUTE: SR052 SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 17.79

SUFFICIENCY RATING: 93.2

- IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.50412 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.94037 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: CONTINUOUS **NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 5 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 111.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 561.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 49.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 56\$R0520013

COUNTY: MACON
BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: HWY. 52 E.

CROSSING: BRANCH

LOCATION: E OF SR261&NEAL DRAPER RD

COUNTY: MACON
ROUTE: SR052

ROUTE: SR052

COUNTY SEQUENCE: 1

LOG MILE: 18.53

SUFFICIENCY RATING: 92.2

IDENTIFICATION	CLASSIFICATION —
(16a,b) LATITUDE: N 36.50730 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.92812 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL EXPRESSWAY
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 8
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1995	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:	(67) STRUCTURAL EVALUATION: 8
	(67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: N
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 42.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0001
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 42.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 42.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (50) WIND VERT UNDERCLR: (51) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8 8/2/2017
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (90.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) APPROACH ROADWAY ALIGNMENT: (38) TRAFFIC SAFETY FEATURES: (39) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (31) TRAFFIC SAFETY FEATURES: (32) TRAFFIC SAFETY FEATURES: (33) TRAFFIC SAFETY FEATURES: (34) TRAFFIC SAFETY FEATURES: (35) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TRAFFIC SAFETY FEATURES: (38) TRAFFIC SAFETY FEATURES: (39) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TRAFFIC SAFETY FEATURES: (38) TRAFFIC SAFETY FEATURES: (38) TRAFFIC SAFETY FEATURES: (38) TRAFFIC SAFETY FEATURES: (39) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TRAFFIC SAFETY FEATURES: (37) TRAFFIC SAFETY FEATURES: (38) TRAFFIC SAFETY FEATURES: (38) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (37) TRAFFIC SAFETY FEATURES: (37) TRAFFIC SAFETY FEATURES: (38) TRAFFIC SAFETY FEATURES: (30) TRAFFIC S
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON LEFT: (98 AFTER ONT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) APPROACH ROADWAY ALIGNMENT: (38) RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (90.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) APPROACH ROADWAY ALIGNMENT: (38) RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 56\$R0520003 COUNTY: MACON
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: \$R052
FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: LAFAYETTE RD. COUNTY SEQUENCE: 1

CROSSING: LONG HUNGRY CREEK LOG MILE: 21.23 LOCATION: 1 MI W RED BOILING SPRING SUFFICIENCY RATING: 92.2

- IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.52215 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.88447 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1972 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 5 (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 48.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2017 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

7

5

7

Ν

Ν

6

8

8

N/A

0001

HS-20-44

NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

RURAL EXPRESSWAY

NO PARALLEL BRIDGE

NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

COUNTY: MACON

ROUTE: SR052

LOG MILE: 21.40

BRIDGE ID NUMBER: 56SR0520007

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: LAFAYETTE RD. CROSSING: BRANCH

LOCATION: 3 M W JCT SR56&SR52

- CLASSIFICATION -

CONDITION RATINGS =

DESIGN LOAD AND WEIGHT POSTING

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 92.2

SPECIAL CASE: 0

IDENTIFICATION		- CLASSIFICAT
(16a,b) LATITUDE:	N 36.52323 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:
(17a,b) LONGITUDE:	W 85.88152 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:
(98a) BORDER BRIDGE STATE CO	DDE: N/A	(26) FUNCTIONAL CLASS:
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE:
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE	(102) TRAFFIC DIR:
BRIDGE TYPE A	ND MATERIAL	(103) TEMPORARY BRIDGE:
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS		(110) NATIONAL TRUCK ROUTE:
(43a) MAIN SPAN MATERIAL. CO		(37) HISTORICAL CLASS: HISTORI

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: NOT APPLICABLE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION:

AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT: 1970 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 24.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: **45 DEGREES** (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 39.7 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

(31) DESIGN LOADING: **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN** APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY:

(61) STREAM CHANNEL AND CHANNEL PROTECTION:

(62) CULVERT CONDITION (IF APPLICABLE):

(113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(72) APPROACH ROADWAY ALIGNMENT:

(36) TRAFFIC SAFETY FEATURES:

(96) TOTAL PROJECT COST:

(58) DECK:

(59) SUPERSTRUCTURE:

(60) SUBSTRUCTURE:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 8/2/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 56SR0520021

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 62000

ROAD NAME: HWY. 52 E.

CROSSING: SALT LICK CREEK

LOCATION: IN RED BOILING SPRINGS

COUNTY: MACON ROUTE: SR052

LOG MILE: 23.54

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 96.6

LOCATION: IN RED BOILING SPRINGS	SUFFICIENCY RATING: 96.6
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.52022 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.84442 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 8
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44 +MOD
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 2002 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
GEOMETRIC DATA	(68) DECK GEOMETRY: 9
	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 18.0 FT	(71) WATERWAY ADEQUACY: 8
(49) TOTAL BRIDGE LENGTH: 67.3 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 60 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 108.6 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 60.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 60.0 FT (33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 30 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 60.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/3/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
()	

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 56SR0520023

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: HWY. 52 E.

CROSSING: SR6-RL/OLD WILLIAMSPORT

LOCATION: SR52 IN S E OF RED BOLING

IDENTIFICATION

16a,b) LATITUDE:

N 36.52323 DEGREES

COUNTY: MACON

ROUTE: SR052

ROUTE: SR052

COUNTY SEQUENCE: 1

COUNTY SEQUENCE: 1

LOG MILE: 24.07

SUFFICIENCY RATING: 100.0

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.52323 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.83572 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL EXPRESSWAY
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: RIGHT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44 +MOD
(27) YEAR THE BRIDGE WAS BUILT: 2002	WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: HIGHWAY	·
· · ·	ADDDAIGAI
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 2	(67) STRUCTURAL EVALUATION: 8
	(67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 9
(28b) NUMBER OF LANES UNDER THE BRIDGE: 2	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: 9
(28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 100.7 FT (49) TOTAL BRIDGE LENGTH: 263.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 100.7 FT (49) TOTAL BRIDGE LENGTH: 263.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 100.7 FT (49) TOTAL BRIDGE LENGTH: 263.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 1111
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 45.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 42.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 42 43 44 45 47 47 47 47 47 47 47 47	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: CEOMETRIC DATA 100.7 FT 263.1 FT 263.1 FT 263.1 FT 45.9 FT 45.9 FT 45.9 FT NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 9 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 100.7 FT (49) TOTAL BRIDGE LENGTH: 263.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 45.9 FT (51) BRIDGE CURB TO CURB WIDTH: 45.9 FT (52) BRIDGE OUT TO OUT WIDTH: 49.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.2 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 9 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.2 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 100.7 FT (49) TOTAL BRIDGE LENGTH: 263.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 45.9 FT (51) BRIDGE CURB TO CURB WIDTH: 45.9 FT (52) BRIDGE OUT TO OUT WIDTH: 47.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.2 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 9 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.2 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (54b) MIN VERTICAL UNDERCLEARANCE: 29.17 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111) (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8/3/2017
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 100.7 FT (49) TOTAL BRIDGE LENGTH: 263.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 45.9 FT (51) BRIDGE CURB TO CURB WIDTH: 45.9 FT (52) BRIDGE OUT TO OUT WIDTH: 49.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.2 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 9 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.2 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (81) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 100.7 FT (49) TOTAL BRIDGE LENGTH: 263.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 45.9 FT (52) BRIDGE OUT TO OUT WIDTH: 49.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.2 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 9 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.2 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) MIN VERTICAL UNDERCLEARANCE: 29.17 FT (55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



Ν

Ν

Ν

8

R

Ν

N

8

8

8

N/A

24

Ν

Ν

COUNTY: MACON

ROUTE: SR052

BRIDGE ID NUMBER: 56SR0520025 BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 62000 ROAD NAME: HWY. 52 E. CROSSING: BRANCH

LOCATION: IN RED BOILING SPRINGS

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 24.47 SUFFICIENCY RATING: 96.6

IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.52667 DEGREES YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.83012 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: RURAL ARTERIAL (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2002 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/3/2017 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

PRODUCED PURSUANT TO

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

LOCATION: IN DED BOILING SPRINGS



SHEELCHENICY DATING: 06 6

BRIDGE ID NUMBER: 56SR0520027 COUNTY: MACON
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR052
FIPS CODE: 62000 SPECIAL CASE: 0
ROAD NAME: HWY. 52 E. COUNTY SEQUENCE: 1
CROSSING: WITCHER HOLLOW BRANCH LOG MILE: 24.84

LOCATION: IN RED BOILING SPRINGS	SUFFICIENCY RATING: 96.6
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.53148 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.82715 DEGREES	` '
(98a) BORDER BRIDGE STATE CODE: N/A	` '
(98b) PERCENT SHARE: N/A	` '
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 8
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 2002	WEIGHT POSTING (3 OR MORE AXLES) ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
	(68) DECK GEOMETRY: N
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 12.1 FT	(71) WATERWAY ADEQUACY: 8
(49) TOTAL BRIDGE LENGTH: 23.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 57.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 30 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 57.1 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	NIODEOTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	` '
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(50) MINITIONE ONDERCOLD ONLEST. NOT APPLICABLE	(COL) LINDEDWATER INCO EDECLIFICATION (MONTH).

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

Ν

N/A

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA •



NOT ON TRUCK NETWORK

COUNTY: MACON

ROUTE: SR056

LOG MILE: 0.82

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 95.9

BRIDGE ID NUMBER: 56SR0560001

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: JENNINGS CREEK RD. CROSSING: JENNINGS CREEK

LOCATION: .82 MI W. OF JACKSON CO.

- IDENTIFICATION -

- CLASSIFICATION -

IDENTIFICATION	ON		CLASSIFICA	ION
(16a,b) LATITUDE:	N	36.46385 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	85.83152 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
PRIDGE TYPE AND M	A T.		(103) TEMPORARY BRIDGE:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK	PROTECTION:
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

1983	27) YEAR THE BRIDGE WAS BUILT:	(2
N/A	106) YEAR THE BRIDGE WAS REHABILITATED:	(1
HIGHWAY	42a) SERVICE ON BRIDGE:	(4
WATERWAY	42b) UNDER BRIDGE:	(4
2	28a) NUMBER OF LANES CARRIED BY BRIDGE:	(2
0	28b) NUMBER OF LANES UNDER THE BRIDGE:	(2

GEOMETRIC DATA

	0_0
12.1 FT	(48) MAXIMUM SPAN LENGTH:
55.1 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
30.5 FT	(51) BRIDGE CURB TO CURB WIDTH:
34.8 FT	(52) BRIDGE OUT TO OUT WIDTH:
32.2 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH
NO MEDIAN	(33) BRIDGE MEDIAN:
45 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: 30.2 FT	(47) MIN HORIZONTAL CLEARANCE ON ROAD
VAY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGH
NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:

NAVIGATION DATA

NOT A HIGHWAY OR RAILROAD

NOT APPLICABLE

NOT APPLICABLE

(3	8) NAV CONTROL:	NO NAVIGATION CONTROL
(3	9) NAVIGATION VERTICAL C	LEARANCE: N/A
(1	16) LIFT BRIDGE VERT CLEAR	RANCE: N/A
(4	0) NAVIGATION HORZ CLEAR	RANCE: N/A

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS =

(110) NATIONAL TRUCK ROUTE:

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OPEN	

APPRAISAL	APPRAISAL
RUCTURAL EVALUATION: 6	RAL EVALUATION:
CK GEOMETRY: 7	DMETRY:
DERCLEARANCE RATING: N	EARANCE RATING:
TERWAY ADEQUACY: 5	AY ADEQUACY:
PROACH ROADWAY ALIGNMENT: 8	H ROADWAY ALIGNMENT:
AFFIC SAFETY FEATURES: 0000	SAFETY FEATURES: 0000
COUR CONDITION RATING: 8	CONDITION RATING:

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A
(0.4)	DDIDGE IMDDOVE	MENT COCT.	

- (94) BRIDGE IMPROVEMENT COST:
- (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/8/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



COUNTY: MACON

ROUTE: SR056

LOG MILE: 0.94

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 96.9

BRIDGE ID NUMBER: 56SR0560003
BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: **JENNINGS CREEK RD.**CROSSING: **JENNINGS CREEK**

- CLASSIFICATION -

IDENTIFICATION —			CLASSIFICATION ————		
(16a,b) LATITUDE:	N	36.46242 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES	
(17a,b) LONGITUDE:	W	85.83252 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR	
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL			(103) TEMPORARY BRIDGE:	NOT APPLICABLE	
(40-) MAIN ORAN MATERIAL CONORETE CONTINUOUS			(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK	

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

- CONDITION RATINGS -

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

HS-20-44	(31) DESIGN LOADING:
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):
ALL LEGAL LOADS	WEIGHT POSTING (3 OR MORE AXLES):
5	(70) BRIDGE POSTING CODE:
	(44) M/T DOOTING OTATUO

(41) WT POSTING STATUS: **OPEN**

APPRAISAL	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	E IMPROVEMENT:	N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

8/8/2017	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):

CROSSING: JENNINGS CREEK LOCATION: .93 MI W OF JACKSON CO.					
IDENTIFICATION —					
(17a,b) LONGITUDE: W 8 (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: BRIDGE TYPE AND MATER (43a) MAIN SPAN MATERIAL: CONCRETE CON	NTINUOUS				
(44a) APPR SPAN MATERIAL: NOT APPLICABI (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: (108) TYPE OF WEARING SURFACE AND DECK A) TYPE OF SURFACE: B) TYPE MEMBRANE: C) TYPE PROTECTION: AGE AND SERVICE	3 0 NOT APPLICABLE PROTECTION: NOT APPLICABLE NOT APPLICABLE				
(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED (42a) SERVICE ON BRIDGE: (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE	1983 N/A HIGHWAY WATERWAY				
(28b) NUMBER OF LANES UNDER THE BRIDGE					
(54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: NOT A HIGH' (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: NAVIGATION DATA	NO MEDIAN 45 DEGREES NO FLARE NO RESTRICTION VAY: 34.8 FT WAY OR RAILROAD NOT APPLICABLE WAY OR RAILROAD NOT APPLICABLE NOT APPLICABLE				
(38) NAV CONTROL: NO NAV (39) NAVIGATION VERTICAL CLEARANCE: (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE:	IGATION CONTROL N/A N/A N/A				



5

R

Ν

6

8

8

8/8/2017

COUNTY: MACON

ROUTE: SR056

LOG MILE: 1.18

SPECIAL CASE: 0

BRIDGE ID NUMBER: 56SR0560005 BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: JENNINGS CREEK RD. CROSSING: JENNINGS CREEK

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

LOCATION: 1.2 MI. W. OF JACKSON CO.

- IDENTIFICATION .

. CLASSIEICATION .

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 96.9

——————————————————————————————————————			CLASSIFICATION —		
(16a,b) LATITUDE:	N	36.45895 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES	
(17a,b) LONGITUDE:	W	85.83378 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR	
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL			(103) TEMPORARY BRIDGE:	NOT APPLICABLE	
			(110) NATIONAL TRUCK ROLLTE:	NOT ON TRUCK NETWORK	

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

(45) NUMBER OF MAIN SPANS:	2	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS:	0	(58) DECK:	N
(107) TYPE OF DECK:	NOT APPLICABLE	(59) SUPERSTRUCTURE:	N
(108) TYPE OF WEARING SURFACE AND DEC	K PROTECTION:	(60) SUBSTRUCTURE:	N
A) TYPE OF SURFACE:	NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROT	TECTION: 6
B) TYPE MEMBRANE:	NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE):	8
C) TYPE PROTECTION:	NOT APPLICABLE	DESIGN LOAD AND WEIGHT	POSTING ——
AGE AND SERVICE		(31) DESIGN LOADING:	HS-20-44
		WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT:	1983	WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS

AGE AND SERVICE —		(31) DESIGN LOADING:	HS-2
	4000	WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LO
(27) YEAR THE BRIDGE WAS BUILT:	1983	WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LO
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	(70) BRIDGE POSTING CODE:	
(42a) SERVICE ON BRIDGE:	HIGHWAY	· /	
(42b) UNDER BRIDGE:	WATERWAY	(41) WT POSTING STATUS: OPEN	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	APPRAISAL	

(42b) ONDER BRIDGE.	WAIERWAI	A D D D A 10 A 1
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	APPRAISAL —————
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA		(68) DECK GEOMETRY:
(40) MAVIMUM SDAN I ENOTH:	45 4 FT	(69) UNDERCLEARANCE RATING:

(48) MAXIMUM SPAN LENGTH: (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 00 FT

(113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 41 FT

(75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT N/A (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN:

(94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST:

(35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**

(97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.8 FT

INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION:

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν N/A

(93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:

NATIONAL BRIDGE INVENTORY



YES

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 56SR0560011 COUNTY: MACON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR056 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JENNINGS CREEK RD. COUNTY SEQUENCE: 1 CROSSING: JENNINGS CREEK LOG MILE: 1.30 LOCATION: 1 M S JACKSON CO LINE SUFFICIENCY RATING: 96.9 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: Ν 36.45735 DEGREES (104) NATIONAL HIGHWAY SYSTEM: 85.83342 DEGREES N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED** CONDITION RATINGS 2 0

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	8
DESIGN LOAD AND WEIGHT POSTING	

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: 5 (41) WT POSTING STATUS: **OPEN** APPRAISAL

(67) STRUCTURAL EVALUATION: R (68) DECK GEOMETRY: 7 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8/8/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 56SR0560013 COUNTY: MACON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR056 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: JENNINGS CREEK RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.61

LOCATION: 1 M. W. JACKSON CO. LINE	SUFFICIENCY RATING: 96.9		
IDENTIFICATION			
(16a,b) LATITUDE: N 36.45273 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES		
(17a,b) LONGITUDE: W 85.83277 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE		
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR		
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE		
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC		
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE		
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK		
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED		
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS		
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 8		
(107) TYPE OF DECK: OTHER	(59) SUPERSTRUCTURE: 8		
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 8		
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8		
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N		
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING		
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44		
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS		
(27) YEAR THE BRIDGE WAS BUILT: 1993	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS		
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5		
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN		
(42b) UNDER BRIDGE: WATERWAY			
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8		
	(68) DECK GEOMETRY: 8		
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:		
(48) MAXIMUM SPAN LENGTH: 25.9 FT	(71) WATERWAY ADEQUACY: 6		
(49) TOTAL BRIDGE LENGTH: 29.9 FT	(72) APPROACH ROADWAY ALIGNMENT: 8		
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000		
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8		
(51) BRIDGE CURB TO CURB WIDTH: 32.2 FT	RECOMMENDED IMPROVEMENTS		
(52) BRIDGE OUT TO OUT WIDTH: 37.4 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT	(75) TYPE OF WORK: NOT APPLICABLE		
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A		
` '	(94) BRIDGE IMPROVEMENT COST:		
(34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:		
	(96) TOTAL PROJECT COST:		
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.8 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:		
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES		
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/8/2017		
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24		
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A		
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N		
(00) MINT HOLE ONDERVOLT ON LET 1. HOLAT EIGABLE	(SE) DATE OF OPENIAL INSPECTION (MONTHS).		

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N/A

Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA =

NO NAVIGATION CONTROL

N/A

N/A

N/A



BRIDGE ID NUMBER: 56SR0560015

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: JENNINGS CREEK RD.

CROSSING: BRANCH

LOCATION: 1 M. W. JACKSON CO. LINE

DENTIFICATION

16a,b) LATITUDE:

N 36.44997 DEGREES

(112) MEETS NBIS BRIDGE LENGTH:

17a,b) LONGITUDE:

W 85.83298 DEGREES

(104) NATIONAL HIGHWAY SYSTEM:

NOT

IDENTIFICATION	
(16a,b) LATITUDE: N 36.44997 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.83298 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 1	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 8
(107) TYPE OF DECK: OTHER	(59) SUPERSTRUCTURE: 8
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 8
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1993	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BUILT. 1993 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(425) ONDER BRIDGE.	ADDD 410.41
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 27.9 FT	(67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 27.9 FT (49) TOTAL BRIDGE LENGTH: 29.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 27.9 FT (49) TOTAL BRIDGE LENGTH: 29.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 37.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 37.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: 37.4 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 27.9 FT 0.0 FT 29.9 FT 29.9 FT 29.9 FT 30.0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.8 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (31.8 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) BRIDGE IMPROVEMENT: (78) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 27.9 FT (49) TOTAL BRIDGE LENGTH: 29.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 32.2 FT (51) BRIDGE CURB TO CURB WIDTH: 37.4 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.8 FT (54a) VERT UNDERCLE: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 27.9 FT (49) TOTAL BRIDGE LENGTH: 29.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 32.2 FT (51) BRIDGE CURB TO CURB WIDTH: 37.4 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.8 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 27.9 FT (49) TOTAL BRIDGE LENGTH: 29.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 32.2 FT (52) BRIDGE CURB TO CURB WIDTH: 37.4 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.8 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: MACON

ROUTE: SR056

LOG MILE: 1.93

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 96.9

BRIDGE ID NUMBER: 56SR0560017 BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: JENNINGS CREEK RD.

CROSSING: BRANCH

LOCATION: 1 M. W. JACKSON CO. LINE

- CLASSIFICATION -

IDENTIFICATION ————					
(16a,b) LATITUDE:	N	36.44818 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES	
(17a,b) LONGITUDE:	W	85.83290 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR	
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL			(103) TEMPORARY BRIDGE:	NOT APPLICABLE	
,		ERIAL ———	· /		

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

(98a) BORDER BRIDGE STATE CODE:	N/A			
(98b) PERCENT SHARE:	N/A			
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE			
BRIDGE TYPE AND MATERI	AL ——			
(43a) MAIN SPAN MATERIAL: PRESTRESSED C	ONCRETE			
(44a) APPR SPAN MATERIAL: NOT APPLICABLI	E			
(45) NUMBER OF MAIN SPANS:	1			
(46) NUMBER OF APPROACH SPANS:	0			
(107) TYPE OF DECK:	OTHER			
(108) TYPE OF WEARING SURFACE AND DECK I	PROTECTION:			
A) TYPE OF SURFACE:	ASPHALT			
B) TYPE MEMBRANE:	NONE			
C) TYPE PROTECTION: EPOXY COAT	ED REINFORCING			
AGE AND SERVICE -				
(27) YEAR THE BRIDGE WAS BUILT:	1993			
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A			
(42a) SERVICE ON BRIDGE:	HIGHWAY			
(42b) UNDER BRIDGE:	WATERWAY			
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2			
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0			
GEOMETRIC DATA				

(28b) NUMBER OF LANES UNDER THE BRIDGE	≣ : 0
GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	25.9 FT
(49) TOTAL BRIDGE LENGTH:	29.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	32.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	37.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH	H: 32.2 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROAD	WAY: 31.8 FT
(54a) VERT UNDERCLR: NOT A HIGH	IWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR: NOT A HIGH	IWAY OR RAILROAD

•	N	А١	/IG	ΑT	ION	DA	ATA	1
---	---	----	-----	----	-----	----	-----	---

NOT APPLICABLE

NOT APPLICABLE

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE:	N/A
(40)	NAVIGATION HORZ CLEARANCE	: N/A

- (COI	NDIT	ION	RATI	NGS

((58) DECK:	8
((59) SUPERSTRUCTURE:	8
((60) SUBSTRUCTURE:	8
((61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
((62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

HS-20-44		(31) DESIGN LOADING:
ALL LEGAL LOADS	EHICLES):	WEIGHT POSTING (2 AXLE V
ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MO
5	:	(70) BRIDGE POSTING CODE
	OPEN	(41) WT POSTING STATUS:

ADDD AICAI

	AFFRAIGAL
8	(67) STRUCTURAL EVALUATION:
8	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
6	(71) WATERWAY ADEQUACY:
7	(72) APPROACH ROADWAY ALIGNMENT:
0000	(36) TRAFFIC SAFETY FEATURES:
8	(113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

	NOT APPLICABLE	TYPE OF WORK:	(75)
N/A	GE IMPROVEMENT:	LENGTH OF BRID	(76)
	MENT COST:	BRIDGE IMPROVE	(94)

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/8/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

NATIONAL BRIDGE INVENTORY



YES

NOT A NHS ROUTE

NO PARALLEL BRIDGE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 56SR0520005 COUNTY: MACON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR056 SPECIAL CASE: 0 FIPS CODE: 62000 ROAD NAME: MAIN ST. COUNTY SEQUENCE: 1 CROSSING: LITTLE SALT LICK CREEK LOG MILE: 11.86 LOCATION: IN RED BOILING SPRINGS SUFFICIENCY RATING: 74.7 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.53515 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.85012 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE **CONTINUOUS** (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE **EPOXY COATED REINFORCING** C) TYPE PROTECTION: AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: 1991 (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (42b) UNDER BRIDGE: **WATERWAY** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA

30.8 FT

65.0 FT

4.6 FT

46 FT

32.2 FT

32.2 FT

NO MEDIAN

NO FLARE

31.8 FT

45 DEGREES

NO RESTRICTION

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

NO NAVIGATION CONTROL

43 FT

	(102) TRAFFIC DIR: 2-W	AY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT A	PPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK	NETWORK
	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANO	E HAS
	NOT BEEN DETERMINED	
	CONDITION RATINGS	
	(58) DECK:	8
	(59) SUPERSTRUCTURE:	7
	(60) SUBSTRUCTURE:	7
	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
	(62) CULVERT CONDITION (IF APPLICABLE):	N
	DESIGN LOAD AND WEIGHT POSTING	3
•	(31) DESIGN LOADING:	HS-20-44
	/	GAL LOADS
	(GAL LOADS
	(70) BRIDGE POSTING CODE:	5
	(41) WT POSTING STATUS: OPEN	
	APPRAISAL	-
	(67) STRUCTURAL EVALUATION:	6
•	(68) DECK GEOMETRY:	4
	(69) UNDERCLEARANCE RATING:	N
	(71) WATERWAY ADEQUACY:	6
	(72) APPROACH ROADWAY ALIGNMENT:	8
	(36) TRAFFIC SAFETY FEATURES:	1000
	(113) SCOUR CONDITION RATING:	8
	RECOMMENDED IMPROVEMENTS	
	(75) TYPE OF WORK: BRIDGE REHABILITATION	
	(76) LENGTH OF BRIDGE IMPROVEMENT:	65 FT
	(94) BRIDGE IMPROVEMENT COST:	\$476,000.00
	(95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:	\$48,000.00
	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	\$715,000.00 2017
	• •	2017
	INOI LOTION DATES	
	(90) DATE OF LAST REGULAR INSPECTION:	8/3/2017
	(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
_	(92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR):	N N/A
-	, ,	N/A N
	(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public document records request does not

(48) MAXIMUM SPAN LENGTH:

(49) TOTAL BRIDGE LENGTH:

(50a) LEFT SIDEWALK WIDTH:

(33) BRIDGE MEDIAN:

(34) BRIDGE SKEW:

(35) BRIDGE FLARE:

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(50b) RIGHT SIDEWALK WIDTH:

(51) BRIDGE CURB TO CURB WIDTH:

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NAVIGATION DATA

(52) BRIDGE OUT TO OUT WIDTH:



BRIDGE ID NUMBER: 56\$R0560009 COUNTY: MACON
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: \$R056
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: GAMALIEL RD. COUNTY SEQUENCE: 1

CROSSING: LITTLE SALT LICK CREEK LOG MILE: 15.65
LOCATION: 2.4 MI N. RED BOILING SPG SUFFICIENCY RATING: 74.9

LOCATION: 2.4 MI N. RED BOILING SPG	SUFFICIENCY RATING: 74.9
IDENTIFICATION ———	
(16a,b) LATITUDE: N 36.57432 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.82997 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(AE) AN IMPER OF MAIN CRANC.	
(45) NUMBER OF MAIN SPANS:	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
A) TYPE OF SURFACE: ASPHALT	(62) CULVERT CONDITION (IF APPLICABLE): 5
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: NONE	
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
(27) YEAR THE BRIDGE WAS BUILT: 1964	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 22.0 FT	(71) WATERWAY ADEQUACY: 5
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 30.5 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 32.5 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DECK REPAIRS
	NEEDED)
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 22 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$40,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$5,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$61,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.2 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/3/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO
(440) LIET DDIDOE VEDT OLEADANOE	I RODUCED I UNDUMITI I U

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: MACON

ROUTE: SR056

LOG MILE: 19.35

BRIDGE ID NUMBER: 56SR0560007

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: **GAMALIEL RD.** CROSSING: **BRANCH**

LOCATION: .75 MI.S.OF KENTUCKY LINE

SUFFICIENCY RATING: 95.1

COUNTY SEQUENCE: 1

SPECIAL CASE: 0

LOCATION: .75 MI.S.OF KENTUCKY LINE	SUFFICIENCY RATING: 95.1
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.61602 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.79893 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 2	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N (59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: NOT APPLICABLE	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
A) TYPE OF SURFACE: ASPHALT	(62) CULVERT CONDITION (IF APPLICABLE): 7
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: NONE	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1985	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 7.9 FT	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 37.1 FT	(72) APPROACH ROADWAY ALIGNMENT:
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0001
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 35.8 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 39.7 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(33) BRIDGE MEDIAN: NO MEDIAN	(94) BRIDGE IMPROVEMENT COST:
(34) BRIDGE SKEW: 60 DEGREES	(95) ROADWAY IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(96) TOTAL PROJECT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.8 FT	INSPECTION DATES
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/3/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(39) NAVIGATION VERTICAL CLEARANCE: N/A	(SES) S. LOWE HOT THE GOLDON (MONTHO).
(30)OMION VERMIONE SEEMMINGE.	PRODUCED PURSUANT TO

N/A

N/A

PUBLICATION DATE 27-Jul-18

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: MACON

BRIDGE ID NUMBER: 56SR1510001

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: E. MAIN ST.

CROSSING: LITTLE SALT LICK CREEK
LOCATION: .2 M SW OF RED BOILING SP

ROUTE: SR151
SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 1.60

SUFFICIENCY RATING: 93.7

- IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.52465 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.83628 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 30.8 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 31.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **60 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/10/2017 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

NOT A NHS ROUTE

RURAL ARTERIAL

2-WAY TRAFFIC

\$7,000.00

2017

24

N/A

N/A

Ν

Ν

\$100,000.00

8/10/2017

NOT APPLICABLE

NO PARALLEL BRIDGE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 56SR1510003 COUNTY: MACON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR151 SPECIAL CASE: 0 FIPS CODE: 62000 ROAD NAME: E. MAIN ST. COUNTY SEQUENCE: 1 CROSSING: LITTLE SALT LICK CREEK LOG MILE: 1.86 LOCATION: IN RED BOILING SPRINGS SUFFICIENCY RATING: 68.0 - IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.52752 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.83918 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **ASPHALT** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1940 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT

32.2 FT

0.0 FT

0.0 FT

22 FT

24 FT

(95)

22.0 FT

NO MEDIAN

NO FLARE

22.0 FT

N/A

45 DEGREES

NO RESTRICTION

NOT APPLICABLE

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

 CONDITION RATINGS Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): **DESIGN LOAD AND WEIGHT POSTING** H-15-44 **ALL LEGAL LOADS ALL LEGAL LOADS** 5 4 N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 7 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: 32.2 FT (94) BRIDGE IMPROVEMENT COST: \$66,000.00

ROADWAY IMPROVEMENT COST:

(90) DATE OF LAST REGULAR INSPECTION:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

INSPECTION DATES

TOTAL PROJECT COST:

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(49) TOTAL BRIDGE LENGTH:

(50a) LEFT SIDEWALK WIDTH:

(50b) RIGHT SIDEWALK WIDTH:

(51) BRIDGE CURB TO CURB WIDTH:

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(40) NAVIGATION HORZ CLEARANCE:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

(52) BRIDGE OUT TO OUT WIDTH:

(33) BRIDGE MEDIAN:

(34) BRIDGE SKEW:

(35) BRIDGE FLARE:

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:



COUNTY: MACON

ROUTE: SR151

LOG MILE: 2.47

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 99.3

BRIDGE ID NUMBER: 56SR1510005

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: **62000**ROAD NAME: **E. MAIN ST.**CROSSING: **SALT LICK CREEK**

LOCATION: IN RED BOILING SPRINGS

IDENTIFIC	ATION		CLASSIFIC	CATION ———
(16a,b) LATITUDE:	N	36.53112 DEGREES	(112) MEETS NBIS BRIDGE LENGT	TH: YES
(17a,b) LONGITUDE:	W	85.84908 DEGREES	(104) NATIONAL HIGHWAY SYSTE	M: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE COL	E:	N/A	(26) FUNCTIONAL CLASS:	RURAL ARTERIAL
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AN	р мат	FRIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
			(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CON			(37) HISTORICAL CLASS: BRID	GE IS NOT ELIGIBLE FOR THE
(44a) APPR SPAN MATERIAL: NOT	APPLICA	ABLE	NAT	ONAL REGISTER
(45) NUMBER OF MAIN SPANS:		3	——— CONDITION	RATINGS ————
,		_	(58) DECK:	N
(46) NUMBER OF APPROACH SPAN	IS:	0	` '	
(107) TYPE OF DECK:	CONC	RETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:	N

(108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE

	AGE AND SERVICE —
2017	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WATERWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:

GEOMETRIC DATA

13.8 FT	(48) MAXIMUM SPAN LENGTH:
44.9 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
38.4 FT	(51) BRIDGE CURB TO CURB WIDTH:
43.6 FT	(52) BRIDGE OUT TO OUT WIDTH:
35.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
'AY: 38.4 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
VAY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW

NAVIGATION DATA			
(38) NAV CONTROL:	NO NAVIGATION CONTROL		
(39) NAVIGATION VERTICAL CLEAR	ANCE: N/A		
(116) LIFT BRIDGE VERT CLEARANC	E: N/A		

NOT APPLICABLE

NOT APPLICABLE

N/A

NOT A HIGHWAY OR RAILROAD

(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	8

POSTING —	DESIGN LOAD AND WEIGHT
1 0011110	DESIGN EOAD AND WEIGHT
HL-93	(31) DESIGN LOADING:
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):
ALL LEGAL LOADS	WEIGHT POSTING (3 OR MORE AXLES):
5	(70) BRIDGE POSTING CODE:
	(41) WT POSTING STATUS: OPEN

(+1) W11 0011110 0171	100.	OI LI	
	۸DI	PRAISAL	
	AFI	KAISAL	
(67) OTDUIGTUDAL EV		1011	

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

	YPE OF WORK: BRIDGE REPLACEMENT	(75)
66.9 FT	ENGTH OF BRIDGE IMPROVEMENT:	(76)
\$531,000.00	RIDGE IMPROVEMENT COST:	(94)
\$54,000.00	OADWAY IMPROVEMENT COST:	(95)
\$797,000.00	OTAL PROJECT COST:	(96)
2017	EAR OF IMPROVEMENT COST ESTIMATE:	(97)
	INSPECTION DATES	
0/40/0047	TE OF LACT DECLILAD INCDECTION.	(00)

	== =
GULAR INSPECTION: 8/10/2017	(90) DATE OF LAST RE
TION FREQUENCY (MONTHS): 24	(91) REGULAR INSPEC
NDERWATER INSP (MO/YR): N/A	(93b) DATE OF LAST U
SP FREQUENCY (MONTHS): N	(92b) UNDERWATER I
INSPECTION (MO/YR): N/A	(93c) DATE OF SPECIA
REQUENCY (MONTHS):	(92c) SPECIAL INSP F

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(55a) HORZ UNDERCLR:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



COUNTY: MACON

ROUTE: SR261

BRIDGE ID NUMBER: 56S61380001

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: GALEN RD.

CROSSING: WHITE OAK CREEK

LOCATION: 1.5 MI. E. OF LAFAYETTE

OF TRANSPORTATION

LOG MILE: 2.19 SUFFICIENCY RATING: 75.6

COUNTY SEQUENCE: 1

SPECIAL CASE: 0

LOCATION: 1.5 MI. E. OF LAFAYETTE	SUFFICIENCY RATING: 75.6
IDENTIFICATION —	CLASSIFICATION ————
(16a,b) LATITUDE: N 36.53460 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.99468 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1965	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 2
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 32.2 FT	(71) WATERWAY ADEQUACY: 5
(49) TOTAL BRIDGE LENGTH: 32.2 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 24 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 32.2 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$141,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$15,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$212,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/10/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO
(116) LIFT BRIDGE VERT CLEARANCE: N/A	PUBLIC DECORDS DECUEST

PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



ROUTE: SR261

LOG MILE: 2.38

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 79.6

BRIDGE ID NUMBER: 56S61380003 COUNTY: MACON BRIDGE OWNER: STATE OF TENNESSEE

ROAD NAME: GALEN RD. CROSSING: WHITE OAK CREEK

FIPS CODE: 00000

CLASSIFICATION -

_	_			_
(16a,b) LATITUDE:	N	36.53250 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	85.99230 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT ADDITIONS F	(102) TRAFFIC DIR	2-WAY TRAFFIC

2-WAY TRAFFIC (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE**

(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

CONDITION RATINGS -

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5

(41) WT POSTING STATUS: OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

BRIDGE WIDENING (NO DECK REPAIRS (75) TYPE OF WORK: NEEDED)

(76)	LENGTH OF BRIDGE IMPROVEMENT:	45.9 FT
(94)	BRIDGE IMPROVEMENT COST:	\$189,000.00
(95)	ROADWAY IMPROVEMENT COST:	\$19,000.00
(96)	TOTAL PROJECT COST:	\$284,000.00
(97)	YEAR OF IMPROVEMENT COST ESTIMATE:	2017
	INSPECTION DATES -	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/10/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

LOCATION: 1.67 MI E OF LAFAYETTE	
IDENTIFICATION	
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER:	
BRIDGE TYPE AND MAT	ERIAL ———
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE
AGE AND SERVICE	
(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITAT	
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRID	WATERWAY DGE: 2
(28b) NUMBER OF LANES UNDER THE BRID	
GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	45.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:(32) APPROACH ROADWAY (W/ SHLDS) WIE	24 FT DTH: 24.0 FT
(02) ATT NONOT NONEWAY (WY OFFEDO) WIL	24.0 11
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD	NO FLARE
(47) MIN HORIZONTAL CLEARANCE ON ROA	
	GHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR: NOT A HI	GHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE NOT APPLICABLE
NAVIGATION DATA	
	NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	
(116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE:	N/A N/A
(10) IVAVIGATION HONZ CLEANANCE.	IN/A



BRIDGE ID NUMBER: 56S61380005

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: GALEN RD.

CROSSING: LONG CREEK

LOCATION: NEAR ENON

IDENTIFICATION

COUNTY: MACON

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 9.63

SUFFICIENCY RATING: 95.7

IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.59918 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.92295 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	——— CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: 7
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
A) TYPE OF SURFACE: ASPHALT	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: NONE	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1970	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 69.9 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 274.9 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 28.5 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 32.2 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/10/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(335) WINT HORZ GINDERGER GIVINGTH.	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
	• • •

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: MACON

BRIDGE ID NUMBER: 56S61380007

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: GALEN RD.

CROSSING: SALT LICK CREEK

LOCATION: 1 M S OF KENTUCKY ST LINE

ROUTE: **SR261** SPECIAL CASE: **0**

COUNTY SEQUENCE: 1 LOG MILE: 12.45

SUFFICIENCY RATING: 94.9

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.61335 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.88582 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N DESIGN LOAD AND WEIGHT DOSTING
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING (31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1967	WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(68) DECK GEOMETRY: 6
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 57.1 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 159.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0001
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: 33.1 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/10/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):